

Digital Poster

Poster 1 THA Outcomes (Cement)

Moderator: Hiromasa TANINO

- PS1-01 Mid term results of revision hip arthroplasty using the acetabular reinforcement ring
Dept. of Orthop. Surg., Yokohama City Univ. Taro TEZUKA, et al497
- PS1-02 Mimimum 10-year results of primary total hip arthroplasty using Kerboul-type acetabular reinforcement device
Dept. of Orthop. Surg., Kyoto City Hospital Youngwoo KIM, et al497
- PS1-03 Radiological evaluation and postoperative complications in patients more than 15 years after hip arthroplasty with the Exeter stem
Dept. of Orthop. Surg., Aichi Medical Univ. Hiroto MITSUI, et al497
- PS1-04 Two cases of hypotension during cemented total hip arthroplasty
Nakagami hosp. Orthop. Surg. Itsuki ISHIKAWA, et al498

Poster 2 THA Outcomes (Cementless) 1

Moderator: Mitsunari KIM

- PS2-01 Long-term outcome of primary total hip arthroplasty with cementless bioactive glass ceramic bottom-coated implants and highly cross-linked polyethylene
Dept. of Orthop. Surg., Graduate School of Medicine, Kyoto Univ. Kazuki ORITA, et al498
- PS2-02 X-ray evaluation of Revelation stem more than 10 years after surgery
Toyokawa city hospital Tatsuhiro KANEKO, et al498
- PS2-03 Mid-term results of total hip arthroplasty with M/L Taper Kinectiv stem
Saitama medical center Toshimi TANDO, et al498
- PS2-04 Eleven-year results of total hip arthroplasty using highly cross-linked polyethylene in patients aged 50 years or younger
Dept. of Musculoskeletal Surg., Mie Univ. Postgraduate School of Medicine Yohei NAITO, et al499
- PS2-05 Evaluation of stem subsidence after total hip arthroplasty using short stem
Dept. Orthop. Surg., Dokkyo Medical Univ. Saitama Medical Center Gaku KOYANO, et al499

Poster 3 THA Outcomes (Cementless) 2

Moderator: Taisuke SEKI

- PS3-01 Treatment of CORAIL stem for failed internal fixation of femoral neck fracture
Dept. of Orthop. Surg., Kagawa Univ. Teppei SENDA, et al499
- PS3-02 Changes in bone mineral density around the stem of CORAIL in cases of femoral neck fracture
Omagari Kosei Medical Center Yosuke IWAMOTO, et al499
- PS3-03 Comparison of short term results of Full HA compaction stem and Taper wedge stem
Dept. of Orthop. Surg., Hamamatsu Univ. Sch. of Med. Hiroki FURUHASHI, et al500
- PS3-04 Middle-term Results of the Direct Anterior Approach Total Hip Arthroplasty with Tapered Wedge Stem
Dept. of Orthop. Surg., Kagawa Univ. Takahiro NEGAYAMA, et al500

Day 1
Feb.25(Fri.)Day 2
Feb.26(Sat.)

Room 1

Room 2

Room 3

Room 4

Room 5

Room 6

Room 7

Room 8

Room 9

Room 10

Room 11

Room 12

Digital Poster

Day 1 Feb.25(Fri.)	PS3-05	Short-term outcome of total hip arthroplasty in persons aged 80 years and older Dept. of Orthop. Surg., Toranomon Hosp. Tomohiro TSUCHIDA, et al500
Day 2 Feb.26(Sat.)	Poster 4 THA Outcomes (Cementless) 3	
		Moderator: Tomohiro GOTO
Room 1	PS4-01	Total hip arthroplasty for osteoarthritis with short neck Dept. of Orthop. Surg., Shizuoka Welfare Hospital Seiki IWASADA, et al500
Room 2	PS4-02	Longt-term results of total hip arthroplasty with Summit femoral component Dept. of Orthop. Surg., Kagawa Univ. Ken IWATA, et al501
Room 3	PS4-03	Middle-term Result of Total Hip Arthroplasty using Elance Stem Dept. of Orthop. Surg., Eniwa Hosp. Takashi MIKAMI, et al501
Room 3	PS4-04	A Case of Total Hip Arthroplasty for Osteoarthritis of the Hip with Fibrous Dysplasia Dept. of Orthop. Surg., Kyorin Univ. Yu YAMASHITA, et al501
Room 4	PS4-05	Intentional version control of the cementless flat-tapered-wedge stem in primary total hip arthroplasty: evaluation of the pre/post-operative CT Dept. of Orthop. Surg., The Jikei University DAISAN Hospital Naoki HARADA, et al501
Room 5	Poster 5 THA Outcomes (Cup) 1	
		Moderator: Naoyuki HIRASAWA
Room 6	PS5-01	The evaluation of bone microstructure around acetabular cup after cementless total hip arthroplasty due to differences in surface processing Dept. of Orthop. Surg., Graduate School of Biomedical Sciences, Hiroshima Univ. Yuichi KATO, et al502
Room 7	PS5-02	Study of postoperative results of 3D porous cup in total hip arthroplasty using tomosynthesis Dept. of Orthop. Surg., Tsukuba Memorial Hosp. Kohei MURAKAMI, et al502
Room 8	PS5-03	Short term result of Mpace dual mobility cup Dept. of Orthop. Surg., Hadano red cross hosp. Nagatoshi KANESHIRO, et al502
Room 9	PS5-04	Investigation of initial polar gap and bone ingrowth by difference of cup surface treatment in cementless THA Dept. of Orthop. Surg., Graduate School of Biomedical Sciences, Hiroshima Univ. Junichi SUMII, et al502
Room 10	PS5-05	Mid-term results of total hip arthroplasty using the R3 cup Joint Reconstruction Center, Dept. of Orthop. Surg., Central Japan International Medical Center Kyohei TAGUCHI, et al503
Room 11	Poster 6 THA Outcomes (Cup) 2	
		Moderator: Kensuke FUKUSHIMA
Room 12	PS6-01	Radiological short term follow-up study of trabecular metal cups Dept. of Orthop. Surg., Central Japan International Medical center Takaaki SUGIYAMA, et al503
Digital Poster	PS6-02	Comparison of Short-term Results between the Trident II Cup and the Trident PSL Cup Dept. of Orthop. Surg., Osaka Minami Medical Center Ichiro NAKAHARA, et al503

PS6-03	Clinical analysis of Squeaking in Delta-on-Delta Ceramic THA Dept. of Orthop. Surg., Tamagawa Hosp.	Ryo TOHARA, et al503	Day 1 Feb.25(Fri.)
PS6-04	Ten years results of Metal-on-Metal THA using Concerve cup and Profemur Z Dept. of Orthop, Surg., Showa University Fujigaoka Hosp. Showa University School of Medicine	Tsubasa ISHIKAWA, et al504	Day 2 Feb.26(Sat.)
PS6-05	Short term result of RM cup Dept. of Orthop. Surg., Hokusuikai Kinen Hosp.	Naoyuki HIRASAWA, et al504	Room 1

Poster 7 THA Outcomes (Stem) 1

Moderator: Tetsuya JINNO

PS7-01	Clinical results of Collarless Full HA Hydra stem for Rapidly destructive coxarthropathy Dept. of Orthop., National center for child health and development	Yoshitsugu FUKUDA, et al504	Room 2
PS7-02	Postoperative Bone Reaction of Mainstay Stem Dept. of Orthop. Surg., Osaka National Hosp.	Kazuma TAKASHIMA, et al504	Room 3
PS7-03	Postoperative Radiological Comparison of Full HA Coated Stem Gifu Univ. Hosp. Orthop.	Masaya HIRAMATSU, et al505	Room 4
PS7-04	Is the periprosthetic bone remodeling after total hip arthroplasty with a curved-short stem differ from the contact state ? Dept. of Ortop. surg., The Jikei Univ. DAISAN Hosp.	Yasuhiko KAWAGUCHI, et al505	Room 5
PS7-05	The stress shielding of the anatomical cementless stem minimum 18 years result Dept. of Orthop. Surg., Kanazawa Medical University	Mingliang CHEN, et al505	Room 6
PS7-06	Relationship between stem length and stem stability of total hip arthroplasty -a study using finite element analysis- Dept. of Orthop. Surg., Tsukuba Univ.	Ryunosuke WATANABE, et al505	Room 7

Poster 8 THA Outcomes (Stem) 2

Moderator: Daisuke KOGA

PS8-01	Initial stem fixation in cases of Cortical Hypertrophy with Taper wedge stem Dept. of Orthop. Surg., Tamagawa Hosp.	Naoki OKUDA, et al506	Room 8
PS8-02	Mid-term results of S-ROM-A with progression of internal reflection during the follow- up period Chiba Univ. Orthop. Surg.	Jumpei SHODA, et al506	Room 9
PS8-03	The influence of stem alignment on the bone mineral density around the POLAR stem following total hip arthroplasty Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine	Masahiro FUJITA, et al506	Room 10
PS8-04	Evaluation of Risk Factors Associated with the Occurrence of Thigh Pain after Total Hip Arthroplasty Dept. of Orthop. Surg., Graduate School of Biomedical Sciences, Hiroshima Univ.	Tadashi INOUE, et al506	Room 11
PS8-05	Examination of stem bone marrow cavity occupancy and bone density change after CORAIL stem Dept. of Orthop. Surg., Showa Univ. Fujigaoka Hosp.	Satoe TANABE, et al507	Room 12

Digital Poster

Day 1 Feb.25(Fri.)	PS8-06	Thigh pain after total hip arthroplasty is less in cement stem than in cementless stem Dept. of Orthop. Surg., Graduate School of Medicine, Nagoya Univ. Daisaku KATO, et al507
Day 2 Feb.26(Sat.)	Poster 9 THA Outcomes (Stem) 3	
		Moderator: Atsushi FUNAYAMA
Room 1	PS9-01	Experience with the Modulus R in salvage surgery after osteosynthesis of proximal femur fractures Orthop. Surg., Tokyo Metropolitan Police Hosp. Kazuha KOIKE, et al507
Room 2	PS9-02	Total hip arthroplasty using a standard uncemented tapered stem with a proximal porous tantalum coating: midterm results Dept. of Orthop., Ehime Univ. Kosuke NISHIKAWA, et al507
Room 3	PS9-03	Mid-term clinical results and femoral remodeling in total hip arthroplasty using a Rectangular Zweymuller stem Dept. of Orthop. Surg., Sapporo Medical Univ. Naoya NAKAHASHI, et al508
Room 4	PS9-04	Mid-term results of total hip arthroplasty using Accolade TMZF: minimum 5-year follow-up Dept. of Orthop. Surg., Hiroshima Prefectural Akitsu Hosp. Ryuji TANAKA, et al508
Room 5	PS9-05	Examination of the presence or absence of thigh pain and subsidence of THA stem in the early postoperative period Dept. of Orthop. Surg., Juntendo shizuoka Hosp. Itaru MOROHASHI, et al508
Room 6	PS9-06	Short-term results of a short femoral stem (Optimys) Dept. of Orthop. Surg., Doai Memorial Hosp. Jun YAMADA, et al508
Room 7	Poster 10 THA Outcomes (Stem) 4	
		Moderator: Fumitaka HIRANO
Room 8	PS10-01	Evaluation of fixation style of metaphyseal fixation Short Stem "Metha" and the study of cases occurring significant stem sinking Ibaraki Prefectural central hospital Hidetoshi NAGANUMA, et al509
Room 9	PS10-02	Evaluation of stem alignment and stress shielding in tapered wedge stem Dept. of Orthop. Surg., Aomori Pref. Central Hosp. Masayuki ICHINOHE, et al509
Room 10	PS10-03	Influencing factors for periprosthetic bone mineral density of tapered wedge-designed cementless stem Dept. of Orthop. Surg., Univ. of Toyama Yoshiaki ITO, et al509
Room 11	PS10-04	Short-term results of MasterLoc HA with AMIS approach for total hip arthroplasty Dept. of Orthop. Surg., Minami Kyouzai Hosp. Masaaki SATO, et al509
Room 12	PS10-05	Short-term results and peri-implant bone response of the Initia stem Yokkaichi Municipal Hospital Shinya TANAKA, et al510
Digital Poster	PS10-06	Middle-term outcome of total hip arthroplasty using J Taper stem Dept. of Orthop. Surg., Kawasaki Medical School Toyohiro KAWAMOTO, et al510

Poster 11 THA Outcomes (Stem) 5		Moderator: Masaki NAKAMURA	Day 1 Feb.25(Fri.)
PS11-01	Short-term results of total hip arthroplasty with Full HA stem Avenir Tachikawa General Hosp. Yuki HIRANO, et al510		Day 2 Feb.26(Sat.)
PS11-02	Changes in Periprosthetic Bone Density after Cementless Hip Arthroplasty with Polar Stem Ishikiriseiki Hosp. Kidai HIROSHIMA, et al510		Room 1
PS11-03	Short term clinical results of total hip arthroplasty with Actis Dept. of Orthop. Surg., Fujita Health Univ. Yoshihiro RITSUNO, et al511		Room 2
PS11-04	Short-term Result of Total Hip Arthroplasty with Conical Titanium Femoral Component for Anatomical Complex Cases Dept. of Orthop. Surg., Shimane Univ. Masaru KADOWAKI, et al511		Room 3
PS11-05	A three-year results of POLARSTEM for total hip arthroplasty Dept. of Orthop. Surg., Univ. of Tsukuba. Sho TOTSUKA, et al511		Room 4
PS11-06	Bone Reaction of Various Full HA Coated Stem after Total Hip Arthroplasty Dept. of Orthop. Surg., Toyama Prefectural Central Hosp. Katsura KAGAWA, et al511		Room 5
Poster 12 THA Outcomes (Stem) 6		Moderator: Hiroshi TERAYAMA	Room 6
PS12-01	The femoral radiographic findings of hip arthroplasty (THA) for osteoarthritis (OA) and osteonecrosis of the femoral head (ONFH) Dept. of Orthop. Surg., Gamagori City Hosp. Yutaka HIRAMATSU, et al512		Room 7
PS12-02	Case Series of Wagner SL Revision Stem Ise Municipal General Hosp. Gai KOBAYASHI, et al512		Room 8
PS12-03	Short-term Result of Actis Stems For THA and BHA in Our Hospital Yamaguchi Rousai Hosp. Dept. of Orthop. Surg. Yasuhiro YAMAOKA, et al512		Room 9
PS12-04	Examination of postoperative bone reaction with taper-wedge stem National Hospital Organization Kanazawa Medical Center Ken UEOKA, et al512		Room 10
PS12-05	Clinical outcome of a short taper wedge stem following following total hip arthroplasty Dept. of Orthop. Surg., Juntendo Univ Urayasu Hospital Takahito YUASA, et al513		Room 11
PS12-06	Comparison of postoperative results of 3 Full Hydroxyapatite Compaction stems Dept. of Orthop. Surg., Tamagawa Hosp. Akinobu HYODO, et al513		Room 12
Poster 13 THA Outcomes (Stem) 7		Moderator: Hidenobu MIKI	Digital Poster
PS13-01	Short-term Results of AMIStem-C stem Osaka Red Cross Hosp. Dept. of Orthop. Hiroki KONISHI, et al513		
PS13-02	Bilateral Total Hip Arthroplasty in osteoarthritis with developmental dysplasia of the hip~The benefit of curved short stem~ Dept. of Orthop. Surg., School of Medicine, Fujita Health Univ. Keigo SATO, et al513		

Day 1 Feb.25(Fri.)	PS13-03	Middle-term Results of Original Polished Tapered Stem (Double Taper Polish Stem) Dept. of Orthop. Surg., Yamagata Univ. Masayasu HAMASAKI, et al514
Day 2 Feb.26(Sat.)	PS13-04	Short-term Results of Primary THA using Avenir Complete Hip System Konan kosei Hosp. Orthop. Shun TSUGE, et al514
Room 1	PS13-05	Evaluation of short-term postoperative fixation in Full HA coated stem Avenir Dept. of Orthop. Surg., Kochi Red Cross Hosp. Junpei DAN, et al514
	PS13-06	Experience of Hybrid THA with ALS for Displaced Femoral Neck Fracture Okayama Saiseikai General Hosp. Shunsuke AKAGI, et al514
Room 2	Poster 14 THA Surgical techniques Moderator: Koji ASAUMI	
Room 3	PS14-01	Short Stem "Metha" can improve Stem varus accuracy by rasping with "C-arm 45 degree method" Ibaraki Prefectural Central Hospital Hiroshi HAYASHI, et al515
Room 4	PS14-02	THA with Harrington technique for acetabulum fracture of elderly patients The Department of Orthopaedics, Kobe City Medical Center General Hospital, Hyogo, Japan Satoshi OTA, et al515
Room 5	PS14-03	Effect of anterior capsular ligament repair on postoperative intra-articular hematoma in THA with anterolateral supine approach Dept. of Orthop. Surg., Hirosaki Memorial Hosp. Ryo ARAKI, et al515
Room 6	PS14-04	Intraoperative sequential evaluation on the rotational stability of the cementless stem in THA Dept. of Orthop. Surg., Fukuoka Univ. Sakae KINOSHITA, et al515
Room 7	PS14-05	Comparison of postoperative ROM in joint capsule repair group and resection group of anterolateral approach THA Science of Functional Recovery and Reconstruction, Okayama Univ. Graduate School of Medicine Yoshihiro SATO, et al516
Room 8	Poster 15 THA Implant design 1 Moderator: Hajime YAMANAKA	
Room 9		
Room 10	PS15-01	Bone mineral density changes in calcar with and without collar contact in THA with Actis Dept. of Orthop. Surg., Nagano-matsushiro General Hosp. Yoshiyuki NAKAMURA, et al516
Room 11	PS15-02	Evaluation of cortical bone contact of stems in THA after curved intertrochanteric varus osteotomy for osteonecrosis of femoral head Dept. of Orthop. Surg., Graduate School of Medicine, Nagoya Univ. Masanori OKAMOTO, et al516
Room 12	PS15-03	Comparison of initial fixation of taper wedged stem Accolade II stem and full HA compaction stem Avenir stem Hyogo College of Medicine Orthopedic(s) Takuya NAKAI, et al516
Digital Poster	PS15-04	Radiographic evaluation of Total Hip Arthroplasty using Avenir Complete Stem Dept. of Orthop. Srug., Shiseikai Daini Hosp. Koji TSUJI, et al517
	PS15-05	Two Cases of Total Hip Arthroplasty Using Support Ring and Cemented Dual Mobility Cup in Patients with Acetabular Bone Defect Dept. Orthop. Surg., Nara Medical Univ. Masakazu OKAMOTO, et al517

PS15-06 Initial fixing force of Monoblock press-fit cup (RM cup vitamys)
 Depart. Orthop Surg., Juntendo Shizuoka Hosp Akio KANDA, et al517

Day 1
Feb.25(Fri.)

Poster 16 THA Implant design 2

Moderator: Yuichi DOIGUCHI

Day 2
Feb.26(Sat.)

PS16-01 A comparison of short-term results between two types of fully HA coated stems
 Dept. of Orthop. Surg., JCHO Saitama Medical Center Yuichiro SHIROMOTO, et al517

Room 1

PS16-02 One-year results of Avenir complete stem
 Dept. of Orthop. Surg., Kitasato Univ., School of Med. Kensuke FUKUSHIMA, et al518

Room 2

PS16-03 Short-term results of total hip arthroplasty using a Trifit TS
 Dept. of Orthop. Surg., Marunouchi Hosp. Takashi MAEDA, et al518

Room 3

PS16-04 Three dimensional conformity evaluation of MIRFY stem, a purely domestic artificial
 hip joint
 Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ. Junichi NAKAMURA, et al518

Room 4

PS16-05 Stress shielding of curved short stem (optimys) is affected by the shape of calcar
 femorale
 Matsudo Orthopaedic Hospital Koya KAMIKAWA, et al518

Room 5

PS16-06 Experience of using Profemur Gladiator Plasma stem
 Dept. of Orthop. Surg., Yashima General Hosp. Keita TAKAHASHI, et al519

Room 6

Poster 17 THA Implant design 3

Moderator: Yusuke OKANOUE

PS17-01 Relationship between choice of modular neck in M/L Taper Kinectiv stem and
 anatomical features
 Dept. of Orthop. Surg., Hiroshima City Asa Citizens Hospital Hiroaki MURAKAMI, et al519

Room 7

PS17-02 The influence of calcar collar and surface finish in the cemented stem on the incidence
 of PPF after primary THA
 Dept. of Orthop. Surg., Matsudo City General Hosp. Shuichi MIYAMOTO, et al519

Room 8

PS17-03 Postoperative short-term results of Total hip arthroplasty using UTS stem
 Dept. of Orthop. Surg., Keiyu Orthop. Hosp. Yuki KITTA, et al519

Room 9

PS17-04 Short term result of full HA coated stem
 Departments of Orthopaedic Surgery,
 Okayama University Graduate School of Medicine,
 Dentistry and Pharmaceutical Sciences Takashi KOURA, et al520

Room 10

PS17-05 Preservation rate of external obturator muscle attachments in total hip arthroplasty
 with direct superior approach using cemented versus cementless stem
 Dept. of Orthop. Surg., Yamagata Univ. Ryosuke MOMMA, et al520

Room 11

PS17-06 Comparison of Bipolar hemiarthroplasty and Dual mobility cup hip arthroplasty for
 displaced femoral neck fractures
 Dept. of Orthop. Surg., Showa Univ. Northern Yokohama Hosp. Akihiko MAEDA, et al520

Room 12

Digital Poster

Day 1 Feb.25(Fri.)	Poster 18 THA Approach 1		Moderator: Koji GOTO
Day 2 Feb.26(Sat.)	PS18-01	Comparison of Difference Leg Positioners in Computer Assisted Total Hip Arthroplasty through Direct Anterior Approach Dept. of Orthop. Surg., Osaka Central Hosp.	Kohei YABUNO, et al520
Room 1	PS18-02	The CT-based study of the abductor muscles damage in primary total hip arthroplasty with anterolateral approach Dept. of Orthop. and Musculoskeletal Surg., Graduate School of Medicine, Kyoto Univ.	Yusuke TAKAOKA, et al521
Room 2	PS18-03	The effect of ligament repair on hip joint stability in ALS THA Osaka Orthopedic Hospital	Atsutoshi MAKI, et al521
Room 3	PS18-04	Clinical results of consecutive 50 cases of Total Hip Arthroplasty via the Direct superior approach using CT navigation system Dept. of Orthop. Surg., Nippon medical school Musashi Kosugi Hospital.	Hiroshi WATANABE, et al521
Room 4	PS18-05	The usage experience about Rotex table -surgeon self-operation type leg positioner for DAA- Joint reconstruction center, Aihara Hosp.	Masaharu AIHARA, et al521
Room 5	PS18-06	Introduction and problems of direct superior approach in total hip arthroplasty Dept. of Orthop. Surg., Yamagata Univ.	Juji ITO, et al522
Room 6	Poster 19 THA Approach 2		Moderator: Shunji KISHIDA
Room 7	PS19-01	Proficiency in Total Hip Arthroplasty Using Anterolateral Supine Approach - Comparison with Posterior Approach Dept. of Orthop. Surg., Juntendo Univ. Nerima	Suguru KATO, et al522
Room 8	PS19-02	Comparison of Anterior Lateral Supine Approach and Posterior Lateral Approach in terms of thickness of the anterior joint capsule Dept Orthop Surg., Hiroshima Univ.	Yusuke FUJIWARA, et al522
Room 9	PS19-03	PA with Dual Mobility Cup versus ALSA in THA, Measured with the Forgotten Joint Score-12 Dept. of Orthop. Surg., NCGM.	Yasutaka WATANABE, et al522
Room 10	PS19-04	Comparison stem position between Anterolateral Approach and Mini One Approach in total hip arthroplasty Dept. of Orthop. Surg., Chuno Kosei Hosp.	Kiichiro ANDO, et al523
Room 11	PS19-05	Intraoperative Pelvic Tilt and Effect on Cup Alignment in Direct Superior Approach Total Hip Arthroplasty -Compared to Posterior Approach - Dept. of Orthop. Surg., Kushiro City General Hosp.	Shun SHIMODAN, et al523
Room 12	PS19-06	Preservation of capsular ligaments in total hip arthroplasty by direct anterior approach with curved short stem Dept. of Orthop. Surg., Bokuto Genaral Hosp.	Yuji TANAKA, et al523
Digital Poster			

Poster 20 THA MIS • Bilateral		Moderator: Shigeo AOTA	Day 1 Feb.25(Fri.)
PS20-01	Clinical Results of Tissue Preservation in THA used Direct Anterior Approach with Mobile Leg Positioner Dept. Orthop. Surg. of Chiba Aoba Municipal Hosp.	Hitoshi WATANABE, et al523	Day 2 Feb.26(Sat.)
PS20-02	Femoral Osteotomy with Patient specific instrument (My Hip) during AMIS-THA Dept. of Orthop. Surg., Wajokai Sapporo Hosp.	Tatsuya SATO, et al524	Room 1
PS20-03	Efficacy for reconstruction of capsule during total hip arthroplasty using lateral approach Dept. of Orthop. Surg., Yokohama City University Medical Cente	Yohei YUKIZAWA, et al524	Room 2
PS20-04	Does the timig of unilateral total hip arthroplasty affect the contralateral natural course in bilateral osteonecrosis of the femoral head? Dept. Orthop. Surg., Nagoya Univ. Hosp.	Yusuke OSAWA, et al524	Room 3
PS20-05	ROM-limitation after MIS-THA Dept. of Orthop., Kitakyusyu Municipal Hosp.	Osamu JONO.....524	Room 4
Poster 21 THA Image assessment • Planning 1		Moderator: Hironobu HOSHINO	Room 5
PS21-01	Examination of THA pre-operation plan using solid models made with 3D printer Dept. of Radiology., Hakodate Central General Hospital.	Shinya SATO, et al525	Room 6
PS21-02	Changes in intraoperative pelvic tilt and cup alignment in anterior minimally invasive surgery (AMIS) approach with leg positioner Dept. of Orthop. Surg., Graduate School of Medicine, Gifu Univ.	Takaki MIYAGAWA, et al525	Room 7
PS21-03	Examination of the location of the intermuscular septum in Al-S THA patients Dept. of Orthop. Surg., Hiroshima city Asa Hosp.	Yuki OTA, et al525	Room 8
PS21-04	Ultrasound evaluation of the total hip arthroplasty using dual modular neck Department of Orthopaedic Medical Engineering, Osaka University Graduate School of Medicine	Satoshi KAMIHATA, et al525	Room 9
PS21-05	Laterality and distribution of the femoral anteversion angle in normal hips Dept. of Orthop. Surg., Fukuoka Univ.	Masahiro SUZUKI, et al526	Room 10
PS21-06	Anterior inferior iliac spine in hip dysplasia and primary osteoarthritis effect on hip range of motion in total hip arthroplasty Dept. of Orthop. Surg., Graduate School of Medicine, Nagoya Univ.	Hiroto FUNAHASHI, et al526	Room 11
Poster 22 THA Image assessment • Planning 2		Moderator: Toshihiko HARA	Room 12
PS22-01	Relationship among High Hip Center, Anteversion of the Stem and Range of Motion in THA, the 2nd Report Dept. of Orthop. Surg., Marunouchi Hosp.	Masashi NAWATA, et al526	Digital Poster
PS22-02	Evaluation of Hip Muscle in ALS-THA using different stems; Wagner cone stem versus GTS stem Ise Municipal General Hosp. Ortho. Surg.	Kakunoshin YOSHIDA, et al526	

Day 1 Feb.25(Fri.)	PS22-03	Cementless Stem Anteversion was correlated with the Anteversion Angle measured by based on calcar femorale in Preoperative CT Evaluation Dept. of Orthop. Surg., Minaminagano Medical Center Shinonoi General Hospital	Yusuke TANIKAWA, et al527
Day 2 Feb.26(Sat.)	PS22-04	Relationship between femoral neck anteversion and range of rotation Dept. of Orthop. Surg., Socila Medical Care Corporation Hosei-kai Marunouchi Hospital	Atsushi SOBAJIMA, et al527
Room 1	PS22-05	Does the stem design affect the degree of freedom in the stem anteversion and position? - a computer simulation study Dept. of Orthop. Surg., Graduate School of Medical Sciences, Kyushu Univ.	Shotaro KAWAMURA, et al527
Room 2	PS22-06	The Angle of Stem Inserted along Calcar Femorale in Anterolateral-Supine Total Hip Arthroplasty Dept. of Orthop. Surg., Itabashi Chuo Medical Center	Rei KUMAZAKI, et al527
Room 3	Poster 23 THA Image assessment • Planning 3		
Room 4	Moderator: Hirosuke ENDO		
Room 5	PS23-01	Comparison of initial fixation of Full HA compaction stem Polar stem and Avenir stem Dept. of Orthop. Surg., Hyogo College of Medicine	Yuki FUJIHARA, et al528
Room 6	PS23-02	Mid-term X-ray consideration of Modular type cylindrical stem Orthop. Surg., Tokyo Metropolitan Hosp.	Naoki NISHIDA, et al528
Room 7	PS23-03	Correlation between Offset and Hip Abductor Muscle Strength after Total Hip Arthroplasty Dept. of Orthop. Surg., Hagi Civil Hosp.	Kazuhiro YAMAZAKI, et al528
Room 8	PS23-04	Comparison of the periprosthetic bone reaction after THA between Tapered-wedge and HA compaction stem Dept. of Orthop Surg., University of Kobe, Kobe, Japan	Kenichi KIKUCHI, et al528
Room 9	PS23-05	Effect of leg positioning device on cup position in supine THA Dept. of Orthop. Surg., Kyushu Rosai Hospital	Kyohei SHIOMOTO, et al529
Room 10	PS23-06	Is the size of cementless stem planed with 3D preoperative planning soft true in total hip arthroplasty ? Dept. of Orthop. Surg., Tominaga-Kusano Hosp.	Tomoyuki ITO, et al529
Room 11	Poster 24 THA Image assessment • Planning 4		
Room 12	Moderator: Takahito TSUBAKI		
Digital Poster	PS24-01	Accuracy of cup alignment in AL-supine approach THA using fluoroscopy Dept. of Orthop. Surg., JCHO Kyushu Hosp.	Yusuke KOHNO, et al529
	PS24-02	Accuracy of implant placement in supine THA with active use of X-ray fluoroscopy system National Center for Geriatrics and Gerontology	Takaya SUGIURA, et al529
	PS24-03	Acetabulum Central Line can improve the precision of acetabular cup placement Dept. of Orthop. Surg., Ibaraki Western Medical Center	Hiroshi WADA, et al530
	PS24-04	Improving the Precision of X-ray Image during Total Hip Arthroplasty Dept. of Orthop. Surg., Ibaraki Western Medical Center	Hiroshi WADA, et al530

PS24-05	Preoperative assessment using 3DCT to THA for osteoarthritis of the hip joint after rotational acetabular osteotomy Dept. of Orthop. Surg. Juntendo University Nerima Hospital	Masahiko NOZAWA, et al530	Day 1 Feb.25(Fri.)
PS24-06	Revision total hip arthroplasty with the aid of fluoroscopy in a lateral decubitus position ~case series~ Dept. of Orthop. Surg., Tokyo Medical and Dental Univ.	Kazumasa MIYATAKE, et al530	Day 2 Feb.26(Sat.)
PS24-07	Effect on functional cup alignment after lumbopelvic fixation for adult spinal deformity Dept. of Orthop. Surg., Aki General hosp.	Shinya MASUJIMA, et al531	Room 1

Poster 25 TKA Outcomes 1

Moderator: Hiroshi OHNO

PS25-01	The influence of Limbs Muscle Mass on Clinical Results after Total Knee Arthroplasty Dept.of Orthop. Surg., National Organization Shimoshizu Hosp.	Hiroshi TAMAI, et al531	Room 2
PS25-02	Walking ability and range of motion after Medial Pivot TKA and PS type TKA Independent Administrative Institution National Hospital Organization Okayama Medical Center Orthop. Surg.	Noriaki OTSUKA, et al531	Room 3
PS25-03	Short term clinical results in kinematically aligned total knee arthroplasty Dept. of Orthop. Surg., Yamagata Saisei Hosp.	Yuji MURANAKA, et al531	Room 4
PS25-04	Factors Affecting Kneeling After Simultaneous Bilateral TKA Fukuokamirai Hosp., Dept. Rehabilitation	Soichiro FUJITA, et al532	Room 5
PS25-05	Relationship between the Anterior Laxity and Clinical Outcomes in CS-type TKAs Dept. Orthop. Surg. Saiseikai Nakatsu hosp.	Tesshu IKAWA, et al532	Room 6
PS25-06	Evaluation of the result of total knee arthroplasty according to age group by using New Knee Society Knee Scoring System Dept. of Orthop. Surg., Akita Red Cross Hosp.	Takenori TOMITE, et al532	Room 7
PS25-07	Investigation of early postoperative radiolucent line in TKA using modern cementing technique Dept. of Orthop. Surg., Univ. of Occupational and Environmental Health, Japan	Teruaki FUJITANI, et al532	Room 8

Poster 26 TKA Outcomes 2

Moderator: Yoshiaki OKAJIMA

PS26-01	Impact of preoperative HbA1c value in TKA Naniwa Ikuno Hospital, Joint Arthroplasty Center	Atsushi MASUDA, et al533	Room 9
PS26-02	Long-term outcomes after total knee arthroplasty with mild varus alignment Dept. of Orthop. Kawaguchi Kogyo General Hosp.	Kazumasa KAWATA, et al533	Room 10
PS26-03	Effect of total knee arthroplasty on improving locomotive syndrome Dept. of Orthop. Surg., Graduate School of Medical Sciences, Kanazawa Univ.	Yu YANAGI, et al533	Room 11
PS26-04	Influence of improvement of knee joint extension range of motion on J-KOOS pain items after Total Knee Osteoarthritis Matsudo Ortho. Hosp, Rehabilitation Center	Yuta SUZUKI, et al533	Room 12

Digital Poster

Day 1 Feb.25(Fri.)	PS26-05	etwork in Patients' Satisfaction after Total Knee Arthroplasty Dept. of Orthop. Surg., The Tokyo University Kohei KAWAGUCHI, et al534
Day 2 Feb.26(Sat.)	PS26-06	Total knee arthroplasty in severe or mild varus knee Dept. of Orthop., Saitama Medical Center, Saitama Medical Univ. Haruhiko NAKAMURA, et al534
Room 1	PS26-07	Long-term clinical results of Physio Knee Osaka Rosai Hospital Hideki UEYAMA, et al534
Room 2	Poster 27 TKA Outcomes 3 Moderator: Akira MAEDA	
Room 3	PS27-01	Long-term clinical results of total knee arthroplasty using PFC SIGMA Dept. Orthop. Surg. Kohsei Chuo General Hospital Satoshi MIYAMOTO, et al534
Room 4	PS27-02	Kinematics and mid-term results of ATTUNE® TKA Dept. of Orthop. Surg. and Sport Medicine Kawasaki Medical School Kimihiko MAKIYAMA, et al535
Room 5	PS27-03	Examination of clinical results of total knee arthroplasty by age Kawaguchi Kogyo General Hosp. Shimpei KONDO, et al535
Room 6	PS27-04	One Year Clinical Results of FUTURE KNEE Prosthesis Underwent by Gap Control Technique Dept. of Orthop. Surg., Oonishi Hospital Hitoshi NOCHI, et al535
Room 7	PS27-05	Total knee arthroplasty for the patients of younger than 75 years old yielded better clinical outcomes Dept. of Orthop. Surg., Kyoto Univ. Kohei NISHITANI, et al535
Room 8	PS27-06	Short-term results of total knee arthroplasty with Vanguard ID (ZIMMER BIOMET) Department of Orthopaedics, Chugoku Rosai Hospital Saori ISHIBASHI, et al536
Room 9	PS27-07	Comparison of Early Postoperative Functional Recovery after Kinematically Aligned and Mechanically Aligned Total Knee Arthroplasty Dept. of Orthop. Surg., Sapporo Medical Univ. School of Medicine Yohei OKADA, et al536
Room 10	Poster 28 TKA Outcomes 4 Moderator: Hideki DATE	
Room 11	PS28-01	Influence of Posterior Tibial Slope Angle on the Postoperative Flexion Angle of FINE KNEE using CR-F Insert Dept. of Orthop. Surg., Chiba Univ. Masashi SHINOHARA, et al536
Room 12	PS28-02	Influence of hidden blood loss on the early postoperative clinical features after PS-TKA Dept. of Orthop. Surg., Steel Memorial Hirohata Hosp. Ken KOTOURA, et al536
Digital Poster	PS28-03	Short-term results of TKA: A comparison between Persona MC and Evolution CS Department of Orthopedic Surgery. Local Independent Administrative Institution. Mie Prefectural General Medical Center Takuya KAKIMOTO, et al537
	PS28-04	The relationship between knee local angle and J-KOOS at 6 months after total knee arthroplasty Matsudo Orthop. Hosp., Rehabilitation center Shota ORIHARA, et al537
	PS28-05	The effect of changes in patellar height after TKA on postoperative clinical outcome Yokohama City Minato Red Cross Hospital Kaori NAKAMURA, et al537

PS28-06 Relationship between Tibial component Installation Angle and Radiolucent Line around the Cone and Peg Fixed Type Cementless Total Knee Arthroplasty
Dept. of Joint Replacement Center, Toho Yao Hosp. Masayoshi OKUDA, et al537

PS28-07 Short-term Postoperative Results of Total Knee Arthroplasty using Vanguard PSRP
Izumi City General Hosp. Orthop. Artificial Joint Center Hirotaka FUKUSHIMA, et al538

Poster 29 TKA Outcomes 5

Moderator: Ryuichi GEJO

PS29-01 Coronal laxity affects clinical outcomes in total knee arthroplasty
Shiraniwa Hosp. Akira YONEDA, et al538

PS29-02 Influence of Preoperative Anterior Cruciate Ligament Function on Postoperative Outcome in bi-cruciate stabilized total Knee Arthroplasty
Dept. of Orthop. Surg., Yamaguchi Univ. Toshihiro SEKI, et al538

PS29-03 Result of Total Knee Arthroplasty of CoxitisKee Syndrome
Dept. of Orthop. Surg., Showa Univ. Taketoshi SEINO, et al538

PS29-04 Total knee arthroplasty of constrained posterior stabilized surface for patients with valgus aligned knee
Fukuoka Orthopaedic Hospital Fuyuki TOMINAGA, et al539

PS29-05 Short-term Clinical Outcomes of Attune PS mobile-bearing TKA
Dept. of Orthop. Surg., Okayama Univ. Keisuke KINTAKA, et al539

PS29-06 Medium-to-long term outcomes of alumina ceramic CR type TKA
Dokkyo medical Univ. Saitama medical center Dept. Orthop. Yoko MASUDA, et al539

Poster 30 TKA Surgical techniques 1

Moderator: Makoto NISHIMORI

PS30-01 Kinematically Aligned Bi-cruciate Retaining Arthroplasty using Conventional Jig
Dept. of Orthop. Surg., Sapporo Medical Univ. School of Medicine Yohei OKADA, et al539

PS30-02 Clinical results of total knee arthroplasty using modified gap technique with the medial para-patellar approach to the valgus knee
Hanwa Joint Reconstruction Center Toshimasa USUI, et al540

PS30-03 Clinical Results in Lateral Approach for Valgus Knee in TKA
Osaka Minami Medical Center Shinichi MATSUMOTO, et al540

PS30-04 Tibial Component Placement with Dedicated Device in TKA Using Kinematic Alignment
Dept. of Orthop. Surg.,
Osaka General Hosp. of West Japan Railway Company Kazumasa YAMAMURA, et al540

PS30-05 The relationship between the Akagi line and the implant center axis
Fukuoka Orthopaedic Hospital Masami TOKUNAGA, et al540

PS30-06 Usefulness of Attune intuition tibial osteotomy instrument
Dept. of Orthop. Surg., Wajo Eniwa Hosp. Noriaki MORI, et al541

PS30-07 Short term outcome of posterior cruciate-retaining total knee arthroplasty with ligament respected resection technique
Dept. Orthop. Surg., Kitaakita Municipal Hosp. Hiroaki TSUKAMOTO, et al541

Day 1
Feb.25(Fri.)

Day 2
Feb.26(Sat.)

Room 1

Room 2

Room 3

Room 4

Room 5

Room 6

Room 7

Room 8

Room 9

Room 10

Room 11

Room 12

Digital Poster

Day 1 Feb.25(Fri.)	Poster 31 TKA Surgical techniques 2		Moderator: Hidenori TANIKAWA
Day 2 Feb.26(Sat.)	PS31-01	Evaluation of intraoperative soft tissue balance with load sensor in total knee arthroplasty Dept. of Orthop. Surg., Saiseikai Fukuoka General Hosp.	Hideki MIZU-UCHI, et al541
Room 1	PS31-02	Time required for precut procedure in total knee arthroplasty~Comparison between operators~ Dept. of Orthop. Surg., Japan Community Health Organization Kobe Central Hospital	Akira OKAYAMA, et al541
Room 2	PS31-03	Tibial Cut Accuracy in Kinematic Alignment TKA by Using Link Device or Traction Technique Dept. of Orthop. Surg., Sunagawa City Medical Center	Hiroaki SHOJI, et al542
Room 3	PS31-04	The safety tibial A-P axis is a practical index for avoiding internal rotation placement for medial OA Naniwa Ikuno Hospital Joint Reconstruction Center	Yuki SHIBATA, et al542
Room 4	PS31-05	Does medial soft tissue preservation effect on restoring natural knee kinematics in total knee arthroplasty? Dept. of Orthop. Surg., Nippon Medical School	Yasushi OSHIMA, et al542
Room 5	PS31-06	Accuracy verification of femoral intramedullary alignment rod in Total Knee Arthroplasty by 3D analysis Shiraniwa Hospital Dept. of Orthop. Surg.	Shoichi MURAKAMI, et al542
Room 6	Poster 32 TKA Surgical techniques 3		Moderator: Nobuyuki MIYAZAKI
Room 7	PS32-01	Influence of posterior tibial slope on one-year post-operative clinical outcome after PS-TKA for varus-type osteoarthritic knee Dept. of Orthop. Surg., Steel Memorial Hirohata Hospital	Kensuke WADA, et al543
Room 8	PS32-02	Analysis for alignment and complication in primary total knee arthroplasty with using femoral and tibial extramedullary guide Dept. of Orthop. Surg., Matsunami General Hospital	Daichi ISHIMARU, et al543
Room 9	PS32-03	Use cases of Total Knee Arthroplasty with Tibial Short Term Sendai Red Cross Hosp.	Megumi SATO, et al543
Room 10	PS32-04	Searching for optimal posterior cruciate ligament laxity to improve postoperative patient satisfaction by intraoperative femoral rollback in cruciate-retaining TKA Dept. of Orthop. Surg., Kyoto Univ.	Shinichi KURIYAMA, et al543
Room 11	PS32-05	Improvemet of waking function after total knee arthroplasty by hamstrings function preservation Kawanishi Municipal Hospital	Koichiro OURA.....544
Room 12	PS32-06	Tibial Re-Cut Method for True Kinematic Alignment TKA Sonodakai Joint Replacement Center Hospital	Takanori HAYASHI, et al544
Digital Poster			

Poster 33 TKA Implant design

Moderator: Ayumu TANAKA

- | | | | |
|---------|---|-------------------------------------|-----------------------|
| PS33-01 | Short-term clinical experience of Attune Cementless system
Joint Reconstruction/Replacement Center Nanpuh hospital | Yasuhiro TSUNEYOSHI, et al544 | Day 1
Feb.25(Fri.) |
| PS33-02 | Comparison clinical results between Mobile bearing type CS-TKA and Mobile bearing type PS-TK
Dept. of Orthop., Nagoya joint replacement and orthopaedic clinic | Hideki WARASHINA, et al544 | Day 2
Feb.26(Sat.) |
| PS33-03 | Usage Experience of Cementless TKA for Rheumatic Patients
Dept. of Rheumatology, Tokyo Metropolitan Bokutoh Hospital | Takuji NISHIKAWA, et al545 | Room 1 |
| PS33-04 | Is The BCS-TKA Useful for Osteoarthritis Patients?
Dept. of Orthop. Surg., Akita Kousei Medical Center | Natsuo KONISHI, et al545 | Room 2 |
| PS33-05 | In Vivo Kinematic Comparison of BCR Total Knee Arthroplasty
Dept. of Orthop. Surg., Nippon Life Hosp. | Teruya ISHIBASHI, et al545 | Room 3 |
| PS33-06 | PCL Resection Cementless CS Type Mobile Artificial Knee Joint Postoperative Results Over 1 Year
Dept. of Orthop, Surg., Saiseikai Toyama Hosp. | Hideto FUJII, et al545 | Room 4 |

Poster 34 TKA Severe deformity · Bilateral

Moderator: Nao SHIBANUMA

- | | | | |
|---------|---|---------------------------------|---------|
| PS34-01 | Total Knee Arthroplasty using Navigation and Corrective Femoral Osteotomy for Knee Osteoarthritis with Severe Extra-articular Deformity;A case report
Dept. of Orthop. Surg. Dokkyo Medical Univ. Saitama Medical Center | Masashi FUJIOKA, et al546 | Room 5 |
| PS34-02 | Total knee arthroplasty with medial open-wedge distal femoral osteotomy for osteoarthritis with femoral shortening and varus deformity: A case report
Dept. of Orthop. Surg., Asama General Hospital | Sora KOIWA, et al546 | Room 6 |
| PS34-03 | A case of knee osteoarthritis suspected of having multiple epiphyseal dysplasia with good results using a hinged artificial knee joint
Dept. of Orthop. Surg., Ibaraki Prefectural Central Hosp. | Ryosuke TAKADA, et al546 | Room 7 |
| PS34-04 | A case of total knee arthroplasty (TKA) for hereditary multiple exostosis
Dept. of Orthop. Surg., Asahikawa Medical Univ. | Naoki TSURUTA, et al546 | Room 8 |
| PS34-05 | Experience of a case with severe bone defects of tibia plateau using Triathlon Tritanium Cone Augments
Dept. of Orthop. Surg., Matsuyama Red Cross Hospital | Akio EGUCHI, et al547 | Room 9 |
| PS34-06 | Simultaneous bilateral TKA for severe flexion contracture of the knee: report of two cases
Dept. of Orthop. Surg., Okayama Rosai Hosp. | Yusuke YOKOYAMA, et al547 | Room 10 |

Poster 35 TKA Complications (including DVT · PE) 1

Moderator: Norikazu YOKOYAMA

- | | | | |
|---------|--|------------------------------------|---------|
| PS35-01 | Preoperative foot and hindfoot evaluation in total knee arthroplasty
Dept. of Orthop. Surg., Yamagata Univ. | Yoshihiro WANEZAKI, et al547 | Room 11 |
|---------|--|------------------------------------|---------|

Day 1
Feb.25(Fri.)Day 2
Feb.26(Sat.)

Room 1

Room 2

Room 3

Room 4

Room 5

Room 6

Room 7

Room 8

Room 9

Room 10

Room 11

Room 12

Digital Poster

Day 1 Feb.25(Fri.)	PS35-02	Two Case Reports of Recurrent Hemiarthrosis after Total Knee Arthroplasty Yuuai Medical Center Atsushi HOKAMA, et al547
Day 2 Feb.26(Sat.)	PS35-03	Comparative study of fracture risk in patients undergoing total knee arthroplasty Dept. of Orthop. Surg., Yokohama Ekisaikai Hospital Hiroshi FUJIMAKI, et al548
Room 1	PS35-04	Relationship between the incidence of VTE after surgery for TKA or UKA and various postoperative tests Medical corporation Showa-kai Showa Central Hosp. Yasuhide URAKAMI, et al548
Room 2	PS35-05	Two cases of Proximal tibial bone resorption after TKA Kindai University Nara Hospital Shunki IEMURA, et al548
Room 3	PS35-06	Could preoperative serum d-dimer be a predisposing factor of postoperative high value of d-dimer? Dept. of Orthop. Surg., Nagoya Univ. Jun FUKUI, et al548
Room 4	Poster 36 TKA Complications (including DVT・PE) 2 Moderator: Tadashi KIKUCHI	
Room 5	PS36-01	Does cocktail injection contained corticosteroid increase postoperative blood glucose during total knee arthroplasty in patients with diabetes mellitus? Dept. of Orthop. Surg., Saga Univ. Kensuke MIYAZAKI, et al549
Room 6	PS36-02	A case report of popliteal artery injury by tibia osteotomy guide on TKA Dept. of Orthop. Surg., Matsudo City General Hosp. Kawamoto TAISEI, et al549
Room 7	PS36-03	2 Cases of Popliteal Artery Occlusion after Simultaneous Bilateral Total Knee Arthroplasty Department of Orthopaedic surgery Hiroshige SUZUKI, et al549
Room 8	PS36-04	Intraoperative Tibia Fractures in Primary Total Knee Arthroplasty: A Report of 2 Cases Dept. of Orthop. Surg., Fuji Orthop. Hosp. Takaki KITAMURA, et al549
Room 9	PS36-05	Rapidly destructive arthritis after TKA -A case report Joint Reconstruction and Arthroplasty Center, Kawasaki Municipal Hosp. Koichiro KOMIYA, et al550
Room 10	PS36-06	A case report: early postoperative patella dislocation after mobile TKA Dept. of Orthop. Surg., Jyuzen Memorial Hosp. Hiroshi KOYAMA, et al550
Room 11	Poster 37 TKA Complications (including DVT・PE) 3 Moderator: Tadashi TSUKEOKA	
Room 12	PS37-01	Two cases of recurrent hemarthrosis after total knee arthroplasty National Hospital Organization Kofu National Hospital Takashi YAMASHITA, et al550
Digital Poster	PS37-02	A case of Severe Hyponatremia after Total Knee Arthroplasty Dept. of Orthop. Surg., Asahikawa Medical Univ. Juri MIYAHARA, et al550
	PS37-03	A case of non-traumatic bilateral supracondylar femur fractures after bilateral total knee arthroplasty Saitama red cross hosp. Orthop. Mai KITAMURA, et al551
	PS37-04	A case of arthroscopy for recurrent intra-articular hematoma after TKA Tobata Kyoritsu Hosp. Orthop. Surg. Naofumi HATA, et al551

PS37-05 Patellar fracture after total knee arthroplasty for valgus deformity undergoing osteosynthesis and reconstruction of extensor mechanism; a case report
Tokyo Dental College Ichikawa General Hospital Dept. of Orthop. Surg. Kazuki NAKAMURA, et al551

PS37-06 A case of post failure 10 years after CCK type TKA
Kansai Medical University Hospital Junki SATO, et al551

Poster 38 TKA Infection 1

Moderator: Shuya IDE

PS38-01 A case of periprosthetic joint infection after TKA surgery treated with iSAP therapy
Dept. of Orthop. Surg. Showa Univ. Manabu MITSUHASHI, et al552

PS38-02 A case report of patient with Periprosthetic Joint Infection after TKA during COVID-19 treatment
Dept. of Orthop. Surg., Kobe medical center Kohei KAWAKITA, et al552

PS38-03 A case of recurrent bursitis after bilateral total knee arthroplasty aggravated to coinfection with tuberculosis, staphylococcus and streptococcus
National Center for Global Health and Medicine Motohiro HASEYAMA, et al552

PS38-04 Surgical Site Infection Following Total Knee Arthroplasty as Potential Adverse Side Effect of Vascular Endothelial Growth Factor Inhibitor
Dept. of Artificial Joint Surg., Yokohama Rosai Hosp. Yasuhiko KOIZUMI, et al552

Poster 39 TKA Infection 2

Moderator: Hideki DATE

PS39-01 Infection After Total Knee Arthroplasty
Dept. of Orthop. Surg., Yuuai Medical Center Kyohei OSATO, et al553

PS39-02 Prosthetic Joint Infection after TKA and UKA requiring surgical treatment
Dept. of Orthop Surg., Toho Univ. Sakura Medical Center Keiichiro YAMAMOTO, et al553

PS39-03 2 RA patients contracted a disease by total knee prosthesis late onset infection, but was able to keep them
Keiyu Orthopedic Hospital Keio AYABE, et al553

PS39-04 A case of preserving implants treated with iSAP for bilateral infection after TKA
Dept. of Orthop. Surg., Kumamoto General Hosp. JCHO Daisuke SHIRAISHI, et al553

Poster 40 TKA Range of motion

Moderator: Masahiro NOZAKI

PS40-01 Withdrawn

PS40-02 Evaluate the Accuracy of Knee Extension Angle after Total Knee Arthroplasty by Comparing X-ray Images with Eye Measurements and Goniometers
Dept. of Orthop. Surg., Shin-Kaminokawa Hosp. Tatsuya KUBO, et al554

PS40-03 Intraoperative extension angle to avoid postoperative flexion contracture after total knee arthroplasty
Dept. of Orthop. Surg., Shimane Univ. Faculty of Medicine Suguru KUWATA, et al554

Day 1
Feb.25(Fri.)

Day 2
Feb.26(Sat.)

Room 1

Room 2

Room 3

Room 4

Room 5

Room 6

Room 7

Room 8

Room 9

Room 10

Room 11

Room 12

Digital Poster

Day 1 Feb.25(Fri.)	PS40-04	knee soft tissue thickness and knee flexion before and after knee Arthroplasty using ultrasound Dept. of Rehabilitation, Akashi Medical Center	Hiroki INOMOTO, et al554
Day 2 Feb.26(Sat.)	PS40-05	Range of motion of the knee joint before total knee arthroplasty is related to osteophytes of the patella Dept. of Orthop. Surg., Tokyo Rosai Hosp.	Shinnosuke HADA, et al555
Room 1	Poster 41 TKA Gap 1		Moderator: Tomohiro OJIMA
Room 2	PS41-01	Effect of Medial Osteophyte Resection on Intraoperative Joint Gap in PS type Total Knee Arthroplasty Dept. of Orthopedic Surgery, Dokkyo Medical University Saitama Medical Center	Ryusuke SAITO, et al555
Room 3	PS41-02	Insert Gaps Measured with the CCG and Its Effect for Clinical Results of Cases Using Medial Congruent Surface in CR-TKA Suwa Central Hospital	Shinichi SHIRASAWA.....555
Room 4	PS41-03	Comparison of intraoperative joint gaps in kinematically aligned total knee arthroplasty between cruciate-retaining and cruciate-substituting implant Dept. of Orthop. Surgery, Sapporo Medical Univ.	Shogo NABEKI, et al555
Room 5	PS41-04	Joint gap and joint line change in extension and flexion in femoral condyle pre-cut total knee arthroplasty Dept. of Orthop. Surg., Naze Tokushukai Hospital	Minoru KASHIHARA, et al556
Room 6	PS41-05	How to perform PS type TKA with Measured resection? Department of Orthopaedic Surgery, The Jikei University School of Medicine	Atsuhito KAKUTA, et al556
Room 7	PS41-06	The depth of the posteromedial femoral cut performed by spacer-based gap balancing technique in total knee arthroplasty Dept. of Orthop. Surg., Yuuai Medical Center	Seigen MORI, et al556
Room 8	Poster 42 TKA Gap 2		Moderator: Kazu MATSUMOTO
Room 9	PS42-01	Comparison of the joint laxity of total knee arthroplasty evaluated by the distraction force and the varus-valgus force Dept. of Orthop. Surg., Tokyo Univ.	Hiroshi INUI, et al556
Room 10	PS42-02	The Impacts of the Bone Resection Angle Errors on the Varus-Valgus Soft Tissue Balances in TKA for Medial Osteoarthritis Dept. of Orthop. Surg., Saiseikai Niigata Hosp.	Yuki TAKAHASHI, et al557
Room 11	PS42-03	Accuracy verification of joint laxity assessment by Curved Gap Gage in total knee arthroplasty Osaka City General Hospital	Yoshio MATSUI, et al557
Room 12	PS42-04	Postoperative Changes of Coronal Laxity in Extension after PS-TKA in Varus Knees Minamikawa orthop. Hosp.	Ryuji ICHIMURA.....557
Digital Poster	PS42-05	Influence of the intraoperative medial flexion-extension gap difference on the improvement of 1-year postoperative clinical outcomes in PS-TKA Dept. of Orthop. Surg., Steel Memorial Hirohata Hospital	Takao INOKUCHI, et al557

PS42-06	The short-term clinical results in Medial Pivot TKA are not affected by the intraoperative final joint laxities Dept. of Orthop. Surg., Niigata Medical Center	Takashi SATO, et al558	Day 1 Feb.25(Fri.)
---------	---	------------------------------	-----------------------

Poster 43 TKA Gap 3

Moderator: Makoto KAWASAKI

PS43-01	Comparison of joint gap and clinical outcomes between measured resection and hybrid technique in total knee arthroplasty Dept. of Orthop. Surg., Nihon Univ.	Noriyuki ENDO, et al558	Room 1
PS43-02	Influence of the Postoperative Flexion Gap Balance on Clinical Outcomes after Bi-cruciate Stabilized Total Knee Arthroplasty Dept. of Orthop. Surg., Tohoku Univ.	Masashi KOGUCHI, et al558	Room 2
PS43-03	The relationship of preoperative medial proximal tibial angle and co-lateral ligament balance in flexion when TKA is installed by mechanical-axis Eniwa Hospital	Yusuke NISHIO, et al558	Room 3
PS43-04	Validation of intraoperative predictors of flexion balance after BCS TKA Dept. of Orthop. Surg. Tohoku Univ.	Takashi AKI, et al559	Room 4
PS43-05	Gap evaluation during navigated TKA using a lateral approach for the valgus knee deformity Dept. of Orthop. Surg., Okayama Univ.	Takaaki HIRANAKA, et al559	Room 5
PS43-06	Investigate the osteotomy volume of posterior femoral condyle in TKA by pre-cut method for patients with OA and RA Dept. of Orthop. Surg., Hiratsuka Kyosai Hospital	Katsushi ISHII, et al559	Room 6

Poster 44 TKA Basic science • RA

Moderator: Atsushi NARITA

PS44-01	Predicting mechanical property of cancellous bone from image of bone cut surface of proximal tibia in total knee arthroplasty Department of Artificial Joints and Biomaterials, Hiroshima University, Hiroshima, Japan	Masakazu ISHIKAWA, et al559	Room 7
PS44-02	Posterior Femoral Condylar Pre-cut in Total Knee Arthroplasty in Patients with Rheumatoid Arthritis Dept. of Orthop. Surg., Hiratsuka Kyosai Hosp.	Kagayaki SAHARA, et al560	Room 8
PS44-03	Short-term Results of Total Knee Arthroplasty Using a Tibial Short Extension Stem in Patients with Rheumatoid Arthritis Dept. of Orthop. Surg., Faculty of Med., Saga Univ.	Satomi NAGAMINE, et al560	Room 9
PS44-04	Patient-based outcome score is important for TKA postoperative satisfaction in RA patients Dept. of Orthop. Surg., Shiga Univ. of Med. Sci.	Kosuke KUMAGAI, et al560	Room 10
PS44-05	Bioelectrical Impedance analysis after hip and knee arthroplasty Dept. of Orthop. Surg., Saga Univ.	Yohsuke MATSUMURA, et al560	Room 11

Room 12
Digital Poster

Day 1 Feb.25(Fri.)	Poster 45 TKA PF joint		Moderator: Hitoshi WAKAMA
Day 2 Feb.26(Sat.)	PS45-01	Evaluation of PF axial tilting angle with Anatomic patellar in ATTUNE TKA Yamaguchi Red Cross Hospital	Hidehiko KIDO, et al561
Room 1	PS45-02	Effect of Femoral Anteroposterior Position on Nonresurfaced Patella in Bi-cruciate Stabilized TKA Dept. of Orthop. Surg. Tohoku Univ.	Kentaro ITO, et al561
Room 2	PS45-03	Total knee arthroplasty for knee osteoarthritis with permanent patellar dislocation: A case report Dept. of Orthop. Surg., Hamana Hosp.	Michio OIKAWA, et al561
Room 3	PS45-04	A Case of Constrained Total Knee Arthroplasty for Multiple Ligament Knee Injuries Associated with Dislocation of the Knee Dept. of Orthop. Surg., Kyoto City Hosp.	Kensaku KAKEHI, et al561
Room 4	Poster 46 TKA Pain / Bleeding management 1		Moderator: Takao ISHII
Room 5	PS46-01	Relationship between ABO Blood Type and the Amount of Blood Loss following Total Knee Arthroplasty Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine	Yoshinori TAKASHIMA, et al562
Room 6	PS46-02	Evaluation of the effect of multidrug pain management on renal function in TKA patients Dept. of Orthop. Asakusa Hosp.	Tomohiro HAMAHATA, et al562
Room 7	PS46-03	The transition of Hemoglobin and Albumin in Blood after Total Knee Arthroplasty Dept. of Orthop. Surg., Bange Kosei General Hosp.	Tadashi KIKUCHI, et al562
Room 8	PS46-04	Examination of postoperative blood loss with cement, cementless, and hybrid fixation in TKA Kurobe City Hospital	Ryo UESHIMA, et al562
Room 9	PS46-05	Effect of 2-hour and 6-hour drainage clamping after total knee arthroplasty Dept. of Orthop. Surg., Yamanashi Univ.	Go GOTO, et al563
Room 10	Poster 47 TKA Pain / Bleeding management 2		Moderator: Shu KOBAYASHI
Room 11	PS47-01	Pain relief effect of additional cocktail injection the day after surgery in TKA-Aiming to reduce local anesthesia poisoning- Dept. of Orthop, Surg., Saiseikai Toyama Hosp.	Hideto FUJII, et al563
Room 12	PS47-02	Effectiveness of Knee Croissant for Perioperative Bleeding in Patient Undergoing Total Knee Arthroplasty Tajimi City Hosp. Dept. of Orthop. Surg.	Shuhei NAGAI, et al563
Digital Poster	PS47-03	Postoperative blood loss in cementless TKA and cemented TKA Dept. of Orthop. Surg., Osaka General Hosp. of West Japan Railway Company	Shintaro TAKAHASHI, et al563

PS47-04	Effect of antithrombotic drug on bleeding after total knee arthroplasty Dept. of Orthop. Surg., Minato redcross hosp.	Hiroshi ASANO, et al564	Day 1 Feb.25(Fri.)
PS47-05	Efficacy and Safety of Tourniquet and/or Intravenous Tranexamic Acid in Total Knee Arthroplasty Department of Orthopedic Surgery, Unuma Institute of Community Medicine, Niigata University Medical and Dental Hospital, Niigata, Japan	Hisashi MERA, et al564	Day 2 Feb.26(Sat.)
PS47-06	Evaluation of clinical pathway for primary knee arthroplasty Dept. of Orthop. Surg., Okayama Red Cross Hosp.	Toru TAKAGI, et al564	Room 1

Poster 48 TKA Rotation position • alignment 1

Moderator: Koji TAKAYAMA

PS48-01	Evaluation of the References for Rotational Alignment of the Tibial Component in Total Knee Arthroplasty Hanwa Joint Reconstruction Center, Hanwa Daini Senboku Hospital	Yuichi KISHIMURA, et al564	Room 2
PS48-02	Influence of the assessment of the patella tendon attachment on the reference axis of tibial rotational alignment in TKA Dept. of Orthop. Surg., Tokyo Medical Univ.	Taro UEHARA, et al565	Room 3
PS48-03	The assessment of reference axis for tibial rotational axial component alignment with postoperative computed tomography Dept. of Orthop. Surg., Oita Univ.	Hiroya AKASE, et al565	Room 4
PS48-04	Evaluation of the rotational alignment of the tibia component in TKA Shiraniwa Hospital Dept. Orthopaedic Surg.	Takahiro TOMITA, et al565	Room 5
PS48-05	Angle accuracy of KA-TKA tibial osteotomy is improved by using tibial varus angle confirmation device (VAR3Line) and X-ray image Ibaraki Prefectural Central Hospital	Hiroshi HAYASHI, et al565	Room 6

Poster 49 TKA Rotation position • alignment 2

Moderator: Norishige IIZAWA

PS49-01	Evaluation of the Change in Coronal Alignment after Total Knee Arthroplasty Uwajima city Hosp.	Akito ITO, et al566	Room 7
PS49-02	Relationship between limb alignment by CPAK classification and soft tissue balance in kinematically aligned TKA Dept. of Orthop. Surg., Hiroshima Prefectural Hospital	Mitsuhiro NAKAMURA, et al566	Room 8
PS49-03	Medial and Lateral Stability after Total Knee Arthroplasty by Kinematic or Mechanical Alignment Technique Dept. of Orthop. Surg., Sunagawa City Medical Center	Yuji YAMAMURA, et al566	Room 9
PS49-04	Distribution of functional phenotype in knee OA and investigation before and after TKA operation by Kinematic Alignment Dept. of Orthop. Surg., Sapporo Medical Univ.	Kazushi HORITA, et al566	Room 10
PS49-05	Results of restricted KA TKA using PSI Dept. Orthop. Surg., Yamagata Saisei Hosp.	Shigenobu FUKUSHIMA, et al567	Room 11

Digital Poster

Day 1 Feb.25(Fri.)	Poster 50 Image assessment for TKA · UKA Planning		Moderator: Shinichiro NAKAMURA
Day 2 Feb.26(Sat.)	PS50-01	Longitudinal reduction of Medial proximal tibial angle -20 years cohort study- Dept. of Orthop. Surg., University of Nagoya, Nagoya, Japan	Shinya ISHIZUKA, et al567
Room 1	PS50-02	Influence of Femoral Lateral Bowing on Postoperative Lower Limb Alignment and Mid-term Clinical Outcome in Total Knee Arthroplasty Dept. of Orthop. Surg., University of Nagoya, Nagoya, Japan	Shinya ISHIZUKA, et al567
Room 2	PS50-03	Accuracy of femoral component coronal plane alignment in TKA with intramedullary rod and femoral head marker by three-dimensional evaluation Joint Reconstruction Center of Dept. of Orthop. Surg., Central Japan International Medical Center	Shigeo KANAMORI, et al567
Room 3	PS50-04	Evaluation of Posterior Tibial Slope in Total Knee Arthroplasty Dept. of Orthop. Surg., Chiba Rosai Hosp.	Hideo IMAI, et al568
Room 4	PS50-05	Comparison of the Accuracy in 2D and 3D Templating in TKA Dept. of Orthop. Surg., Gifu Univ.	Ryo KOBAYASHI, et al568
Room 5	PS50-06	The usefulness of Xray Film for preoperative Planning of TKA Dep. of Orthop. Surg., Yaotokushukai General Hosp.	Kiyoshi HASEGAWA, et al568
Room 6	Poster 51 THA Navigation Robot 1		Moderator: Fumio SUKEZAKI
Room 7	PS51-01	Evaluation of installation accuracy of total hip arthroplasty with CT-based navigation performed for osteoarthritis after osteotomy around the hip Yokohama Minamikyousai Hospital, Arthroplasty Center	Toshihisa KAJIWARA, et al568
Room 8	PS51-02	Comparison of the Accuracy of Cup Position between Mako Robotic-arm and CT-based navigation Hip Arthroplasty Diagnostic Imaging Center Kumamotokinou Hosp.	Chihiro HAYAI, et al569
Room 9	PS51-03	Accuracy of Leg Length Measurement for Hip Align Navigation system in Lateral Total Hip Arthroplasty Dept. Orthop., Univ. of Occupational and Environmental health	Hitoshi SUZUKI, et al569
Room 10	PS51-04	Comparison of 3 simple navigation products in THA Dept. of Orthop. Surg., National Defense Medical College	Hiroki KOBAYASHI, et al569
Room 11	PS51-05	Accuracy of full hydroxyapatite compaction stem implanted using CT-based navigation Niigata Hip Joint Center, Kameda Daiichi Hospital	Kunihiko TOKUNAGA, et al569
Room 12	PS51-06	Accuracy of Cup Positioning with the Portable Imageless Navigation System "Naviswiss" - Comparison with Different Registrations - Dept. of Medical Materials for Musculoskeletal Reconstruction, Okayama Univ. Graduate School of Medicine, Dentistry and Pharmaceutical Sciences	Kazuki YAMADA, et al570
Digital Poster			

Poster 52 THA Navigation Robot 2

Moderator: Nobuo NAKAMURA

- | | | |
|---------|---|-----------------------|
| PS52-01 | Accuracy in Acetabular Cup Placement Using Digital Alignment Guide with Smartphone Application in Total Hip Arthroplasty
Dept. Orthop. Surg., Hata prefectural Hosp. Dai OHIRA, et al570 | Day 1
Feb.25(Fri.) |
| PS52-02 | Accuracy of acetabular cup placement using Intellijoint HIP in total hip arthroplasty
Department of Orthopedic Surgery, Kawasaki Medical school Yoichi INOUE, et al570 | Day 2
Feb.26(Sat.) |
| PS52-03 | Evaluation of cup angle using intellijoint HIP in total hip arthroplasty
Dept. of Orthop. Surg., Japanese Red Cross Kyoto Daini Hospital Yasuto FUKUI, et al570 | Room 1 |
| PS52-04 | Examination of The Usefulness of Hip Grid Drone (MDM) in Anterolateral Supine Approach THA
Dept. Orthop. Surg., Kumamoto Univ. Kozo MATSUSHITA, et al571 | Room 2 |
| PS52-05 | Proposal of Accurate Cup Placement Procedure during Total Hip Arthroplasty in the Lateral Decubitus Position
Dept. of Orthop. Surg.,
Univ. of Occupational and Environmental Health Manabu TSUKAMOTO, et al571 | Room 3 |
| PS52-06 | Effect of the change in pelvic tilt before and during THA using portable navigation on accuracy in cup alignment
Dept. of Restorative Medicine of Neuro-Musculoskeletal System,
Graduate School of Medical Sciences, Kanazawa Univ. Atsushi TANINAKA, et al571 | Room 4 |

Poster 53 THA Navigation Robot 3

Moderator: Keiichiro UESHIMA

- | | | |
|---------|---|---------|
| PS53-01 | Comparison of Accuracy of Cup Position using between Portable Navigation Naviswiss and Fluoroscopic Imaging in THA in Lateral Position
Dept. of Otrhop. Surg., Nara Medical Univ. Yoshinobu UCHIHARA, et al571 | Room 5 |
| PS53-02 | Evaluation of the accuracy of acetabular cup orientation using Naviswiss, the portable navigation system in developmental dysplasia of the hip
Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine Yuichi KURODA, et al572 | Room 6 |
| PS53-03 | Accuracy of cup placement using HipAlign or alignment guide for the total hip arthroplasty in the lateral decubitus position
Dept. of Orthop. Surg., Mie GMC. Tetsuya HATTORI, et al572 | Room 7 |
| PS53-04 | Lateral Position THA Assisted by AR hip Navigation System
Dept. of Orthop. Surg., Aichi Kosenen Kainan Hosp. Atsushi IMAMURA, et al572 | Room 8 |
| PS53-05 | Accuracy of Cup Angle with Optimized Positioning System in Total Hip Arthroplasty
Dept. of Orthop. Surg., Tokyo Metropolitan Police Hospital Takuma OZEKI, et al572 | Room 9 |
| PS53-06 | Accuracy of the Cup Angle with Intellijoint Hip in Total Hip Arthroplasty
Dep. of Orthopedic Surgery,
Osaka City University Graduate School of Medicine Takuya TACHIBANA, et al573 | Room 10 |

Day 1
Feb.25(Fri.)Day 2
Feb.26(Sat.)

Room 1

Room 2

Room 3

Room 4

Room 5

Room 6

Room 7

Room 8

Room 9

Room 10

Room 11

Room 12

Digital Poster

Day 1 Feb.25(Fri.)	Poster 54 THA Navigation • Robot 4		Moderator: Koichi NAKAGAWA
Day 2 Feb.26(Sat.)	PS54-01	Accuracy of cup positioning using optical portable navigation in total hip arthroplasty in supine position Dept. of Orthop. Surg., Konan Kosei Hosp.	Toshiaki OKURA, et al573
Room 1	PS54-02	Accuracy of cemented femoral stem alignment in revision total hip arthroplasty using CT-based navigation Dept. of Orthop. Surg., Univ. of Toyama	Toshihito HIRAIWA, et al573
Room 2	PS54-03	The accuracy of acetabular cup orientation during THA with a CT-based navigation system for an inexperienced orthopedics surgeon Dept. of Orthop. Surg., Dokkyo Medical Univ. Saitama medical center	Tetsuya TACHIBANA, et al573
Room 3	PS54-04	Experience of Intellijoint navigation system for THA in ALS approach Dept. of Orthop. Surg., Kagawa Rosai Hosp.	Hiroaki KAODTA, et al574
Room 4	PS54-05	Accuracy of acetabular cup positioning in lateral decubitus total hip arthroplasty using optical portable navigation Intellijoint HIP Joint Surgery Center, Chiba Medical Center, Hospital Organization	Isao ABE, et al574
Room 5	PS54-06	Cement total hip arthroplasty in lateral decubitus position with Naviswiss for hip osteoarthritis after femoral trochanteric fracture : A case report Dept. of Orthop. Surg., Shiroyama Hosp.	Tomohiko MURAKAMI.....574
Room 6	Poster 55 THA Revision (Cup)		Moderator: Toshihisa KAJIWARA
Room 7	PS55-01	Postoperative results of revision total hip arthroplasty with allograft and KT plate Dept. of Orthop. Surg., The Jikei Univ. School of Medicine	Ayano AMAGAMI, et al574
Room 8	PS55-02	Revision total hip arthroplasty using Kerboul-type acetabular reinforcement device Dept. of Orthop. Surg., Chubu Rosai Hosp.	Kazuya MAKIDA, et al575
Room 9	PS55-03	The use of Burch-Schneider™ cage for the cup revision THA cases Kawasaki Medical School, Bone and Joint Surg.	Ryosuke KIKUOKA, et al575
Room 10	PS55-04	A case of revision THA with severe bone defect on the acetabular side Nagareyama central hospital	Tatsuro SAKURAI, et al575
Room 11	PS55-05	Short-term results of K-T Plate for acetabular defects Dept. of Orthop., Showa univ. Fujigaoka Hosp.	Minoru WATANABE, et al575
Room 12	PS55-06	Revision total hip arthroplasty with allogenic bone graft using KT plate Yamaguchiken Saiseikai Shimonoseki General Hospital Dept. of Orthop.	Takenobu FUJISAWA, et al576
Digital Poster	Poster 56 THA Complications (includes DVT • PE)		Moderator: Toshinori MASAOKA
	PS56-01	Comparison of subsidence between fit-and-fill and tapered-wedge stem after total hip arthroplasty in Dorr type C femurs Dept. Orthop. Surg., Kyushu Univ.	Satoshi IKEMURA, et al576

PS56-02	Iliopsoas Impingement following Direct Anterior Approach Total Hip Arthroplasty Dept. of Orthop. Surg., Kushiro Rosai Hosp. Takuma KATO, et al576	Day 1 Feb.25(Fri.)
PS56-03	The Treatment of Osteoporosis for Patients Who Have THA in Our Hospital Dept. of Orthop. Surg., Japanese Red Cross Musashino Hosp. Shigeru MURASAWA, et al576	Day 2 Feb.26(Sat.)
PS56-04	Revision total hip arthroplasty for ischiofemoral impingement due to excessive stem antetorsion : a case report Dept. of Orthop. Surg., Ryukyu Univ. Takanori YONAMINE, et al577	Room 1
PS56-05	A case of femoral nerve palsy after polyethylene liner exchange Dept. of Orthop. Surg., Nagano Matsushiro General Hosp. Shinya NAKANISHI, et al577	Room 1
PS56-06	A case report: a compartment syndrome occurred in popliteus muscle after primary total hip arthroplasty Matsudo City General Center Hosp. Dept. Orthop. Surg. Peng HE, et al577	Room 2
PS56-07	A short term outcome of prevention of venous thromboembolization by using elastic bandage Division of Comprehensive Musculoskeletal Medicine, Niigata Univ. Norio IMAI, et al577	Room 3

Poster 57 THA Infection 1

Moderator: Yuji KISHIMOTO

PS57-01	Application of continuous local antibiotics perfusion for MRSA infected THA: a case report Dept. of Reha. Yamagata Univ. Yuya TAKAKUBO, et al578	Room 4
PS57-02	A case report; drug-induced encephalopathy in the patient infected total hip arthroplasty Dept. of Orthop. Surg., Nagoya Univ. Kenya IWASE, et al578	Room 5
PS57-03	Clinical outcomes of DAIR for late periprosthetic joint infection in our hospital Dept. of Orthop. Surg., Tamagawa Hosp. Kei SATO, et al578	Room 6
PS57-04	The risk factors of nasal colonization before arthroplasty Nishinomiya-kaisei Hosp. Atsushi FUKUMOTO, et al578	Room 7
PS57-05	Five patients who underwent total hip arthroplasty for adult septic hip arthritis Japanese Red Cross Saitama Hosp. Naoto KAMINAGA, et al579	Room 8
PS57-06	A Case of Septic Arthritis of the Hip Treated with THA Using Custom Made Articulating Spacer Embedded in ALAC Dept. of Orthop. Surg., Tokyo Univ. Yota KIN, et al579	Room 9
PS57-07	Outcome of two-stage revision total hip arthroplasty for delayed periprosthetic joint infection Dept. of Orthop. Surg., Showa Univ. Yasushi YOSHIKAWA, et al579	Room 10

Poster 58 THA Infection 2

Moderator: Yoichi OHTA

PS58-01	A Case of Two-stage Revision of a Prosthetic Hip Joint Infection with Preservation of a Well-Fixed Femoral Stem Konan Kosei Hospital Ryo NAKASHIMA, et al579	Room 11
---------	---	---------

Digital Poster

Day 1 Feb.25(Fri.)	PS58-02	Two-stage revision arthroplasty for chronic periprosthetic hip infections Dept. of Orthop. Surg., Kagoshima Univ. Yusuke FUJIMOTO, et al580
Day 2 Feb.26(Sat.)	PS58-03	Usefulness of the Neutrophil-lymphocyte Ratio in Early Prediction of Surgical Site Infection After Total Hip Arthroplasty Dept. of Orthop. Surg., Akita Univ. Shun IGARASHI, et al580
Room 1	PS58-04	Two Very Old Patient's Cases of Late Periprosthetic Infection after Total Hip Arthroplasty Dept. of Rehab. Med., Tokyo Dental College Ichikawa General Hosp. Hiraku HOTTA, et al580
Room 2	PS58-05	A case of fever and pain in the extremities after total hip arthroplasty that required differentiation from infection Nissan Koseikai Tamagawa Hosp. Tomoaki UEMICHI, et al580
Room 3	PS58-06	Two Cases of Suppurative Hip Arthritis Treated with Two-stage Total Hip Arthroplasty Dept. of Orthop. Surg., Kawaguchi Municipal Medical Center Yosuke SANO, et al581
Room 4	PS58-07	Experience of Two cases of Impaired Wound Healing after Total Joint Arthroplasty in Our Department Dept. of Orthop. Surg., Rakuwakai Otowa Hospital Gen-Ichiro SUZUKI, et al581
Room 5	Poster 59 THA Postoperative dislocation · Wear Moderator: Yukio NAKAMURA	
Room 6	PS59-01	Early results of revision using Dual Mobility bearing for recurrent dislocation after THA Dept. of Orthop. Surg., Wajokai Eniwa Hosp. Takayuki HONDA, et al581
Room 7	PS59-02	Long term result of a case of constrained THA for ankylosing spondylitis patient with 40 years after hip arthrodesis Shimura Hosp. Hideaki MURATA.....581
Room 8	PS59-03	A case report: anterior dislocation after total hip arthroplasty on sagittal-pelvic malalignment Dept. of Orthopedics Nishinokyo Hospital Kohei NAITO, et al582
Room 9	PS59-04	Ceramic head fracture in ceramic-on-polyethylene total hip arthroplasty Tokyo Metropolitan Health and Hospitals Corporation Ohkubo Hospital Toshie SASAKI, et al582
Room 10	PS59-05	Middle-term clinical outcomes of total hip arthroplasty with PMPC-grafted highly cross-linked polyethylene liners Asama General Hosp. Atsushi MADACHI, et al582
Room 11	PS59-06	A case of dislodgement of polyethylene liner 8 years after total hip arthroplasty Osaka Red Cross Hosp. Orthop. Surg. Hiroki KONISHI, et al582
Room 12	Poster 60 Periprosthetic fracture in THA Moderator: Satoshi NAKASONE	
Digital Poster	PS60-01	A case of total femoral arthroplasty for supracondylar femur fracture after periprosthetic fracture Saitama Medical Center Tetsu YAMASHITA, et al583
	PS60-02	Analysis of Periprosthetic Fractures of the Femur in our Hospital Dept. Orthop. Surg., Kurobe City Hosp. Ayano TOKUNAGA, et al583

PS60-03	Vancouver type B2 periprosthetic femoral fractures treated with a long-cemented stem Kimitsu Chuo Hospital Dept. Orthop. Surg. Yasuhiro FURIHATA, et al583	Day 1 Feb.25(Fri.)
PS60-04	Results of treatment for periprosthetic femoral fracture at our hospital Dept. of Orthop. Surg., Nagano red cross Hosp. Hiroaki IDO, et al583	Day 2 Feb.26(Sat.)
PS60-05	Outcome of surgical treatment for periprosthetic femoral fracture in our hospital Dept. of Orthop. Surg., Chutoen General Medical Center Hiroyuki YOKOI, et al584	Room 1

Poster 61 THA Pelvis inclination • spine alignment

Moderator: Katsufumi UCHIYAMA

PS61-01	Sagittal Plane Pelvic Tilt in Hip Arthroplasty of The Lateral Decubitus Position Dept. of Orthop. Surg., Showa Univ. Yuki USUI, et al584	Room 2
PS61-02	Examination of preoperative factors that cause perception of leg length discrepancy in after THA Dept. of Orthop. Surg., Graduate School of Medicine, Nagoya Univ. Genta TAKEMOTO, et al584	Room 3
PS61-03	The amount of change of the cementless cup alignment using X-ray in supine position: minimum 18 years observation Dept. of Orthop. Surg., Kanazawa Medical University Mingliang CHEN, et al584	Room 4
PS61-04	Interrelationships of Abnormal Pelvic Motion Among Supine, Standing, and Sitting Positions Dept. of Orthop. Surg., Yamanashi Univ. Tomoyuki ASHIZAWA, et al585	Room 5
PS61-05	Repeated THA posterior dislocation after spinal deformity correction: a case report Dept. of Orthop. Surg., Japanese Red Cross Okayama Hosp. Yoshiaki MIYAKE, et al585	Room 6
PS61-06	A post-THA case in which the anatomical anteversion of the cup appeared to change depending on the CT imaging posture Dept. of Orthop. Surg., Narita Red Cross Hosp. Takeshi SUZUKI, et al585	Room 7
PS61-07	Assessment of spinopelvic alignment after total hip arthroplasty following arthrodesis National Hospital Organization Osaka Minami Medical Center Shinichi MATSUMOTO.....585	Room 8

Poster 62 THA Postoperative therapy • rehabilitation

Moderator: Kenta MATSUDA

PS62-01	Factors Affecting Activity At 3 Months Postoperatively In Patients After Total Hip Arthroplasty Physical Function Factors At Hospital Discharge Dept. of Rehabilitation Yamaguchi Prefectural Grand Medical Center Kohei SHIGA, et al586	Room 9
PS62-02	Temporal changes of JHEQ and Physical function after direct anterior approach total hip arthroplasty Dept. of Rehab., Keiyu Orthop. Hosp. Chika ONODA, et al586	Room 10
PS62-03	Questionnaire survey on pain three months after total hip arthroplasty Dept. of rehabilitation Hosp. Fukuokamirai Satoshi KUROGI, et al586	Room 11
PS62-04	Evaluation of function at discharge after direct anterior approach total hip arthroplasty Dept. of Rehabil., Keiyu orthop. Hosp. Takatoshi KANEKO, et al586	Room 12
PS62-05	6 months after total hip arthroplasty at our hospital, recovery of ROM and muscle strength and examination of FJS-12 Dept. of Rehabilitation, Daiyukai General Hosp. Mikio ANDO, et al587	Digital Poster

Day 1 Feb.25(Fri.)	PS62-06	Withdrawn	
Day 2 Feb.26(Sat.)	PS62-07	A Report on the Trend of Muscle Strength in Effect of Rehabilitation Intervention after Simultaneous Bilateral THA Using Cement Stems Dept. of Reha., Nagoya City Midori Municipal Hosp.	Yuki SUMI, et al587
Room 1	Poster 63 THA Pain / bleeding management 1		Moderator: Shogo MARUYAMA
Room 2	PS63-01	Prospective study of the effect of periarticular multidrug cocktail therapy on rehabili after THA Dept. of Rehabilitation, Hakodate Central General Hosp.	Eri TAKEDA, et al587
Room 3	PS63-02	Comparison of the effects between peri and intra-articular injection following total hip arthroplasty Dept. of Orthop. Surg., Saga Univ.	Akira HASHIMOTO, et al588
Room 4	PS63-03	Is the closed suction drainage needed after the elective hip surgery? Dept. of Orthop. Surg., Kyushu Univ.	Taishi SATO, et al588
Room 5	PS63-04	The effect of intravenous tranexamic acid in primary total hip arthroplasty Murase Hosp.	Shinichi MIYAZAKI, et al588
Room 6	Poster 64 THA Pain / bleeding management 2		Moderator: Kazumasa MIYATAKE
Room 7	PS64-01	The Effects of Multimodal Analgesia on Postoperative Rehabilitation and Length of Hospital Stay after Total Hip Arthroplasty Dept. of Pharmacy, Saiseikai Utsunomiya Hosp.	Chiaki ISHIKAWA, et al588
Room 8	PS64-02	Correlation between patient-based evaluation and the number of days that the patient can walk with a single cane after THA Kawasaki Univ.	Kyosuke HIBI, et al589
Room 9	PS64-03	Total hip arthroplasty without autologous blood transfusion Dept. of Orthop. Surg., Yamagata Saisei Hosp.	Hiroharu OKI, et al589
Room 10	PS64-04	A case of factor-XIII-deficiency-induced massive haemorrhage during direct anterior approach in total hip arthroplasty Dept. of Orthop. Surg., Toranomon Hosp.	Yukari WATANABE, et al589
Room 11	Poster 65 THA Case report / Difficult case 1		Moderator: Shunsuke KAWANO
Room 12	PS65-01	Severe lumbar radiculopathy after direct anterior total hip arthroplasty : a case report Joint Replacement Center of Ogori Daiichi General Hosp.	Atsunori TOKUSHIGE, et al589
Digital Poster	PS65-02	A Case of 18 Years Observation after Bilateral Total Hip Arthroplasty in a Patient with Osteopetrosis Dept. of Orthop. Surg., Tokushima Univ.	Kouhei OTA, et al590

PS65-03	A case of bipolar hip arthroplasty with strut allograft for postoperative failure of metastatic subtrochanteric femoral fracture from breast cancer Dept. of Orthop. Surg., Japanese Red Cross Aichi Medical Center Nagoya Daini Hosp. Taiki KUSANO, et al590	Day 1 Feb.25(Fri.)
PS65-04	A case of total hip arthroplasty in two stages for traumatic osteoarthritis with nonunion of femoral shaft fracture Dept. of Orthop. Surg., Tohoku Univ. Hosp. Satoshi AKIMOTO, et al590	Day 2 Feb.26(Sat.)
PS65-05	THA for the patients of hip osteoarthritis with intertrochanteric fractures. Report of two cases Dept. of Orthop. Mihara Medical associations Shinji YASUHARA, et al590	Room 1
PS65-06	A case report of ipsilateral iliopsoas and quadriceps paralysis after polyethylene liner and femoral head exchange in revision hip arthroplasty Tsukuba Memorial Hosp. Mami MIZUKUSA, et al591	Room 2

Poster 66 THA Case report / Difficult case 2

Moderator: Hideki FUJII

PS66-01	A case of metal-on-metal psudotumor enlarged even after articular surface replacement, which resulted systemic circulation problem Dept. of Orthop. Surg. Narashino Daiichi Hosp. Shigeru MITSUHASHI, et al591	Room 3
PS66-02	A case of postoperative infection of acetabular fracture followed by hip replacement surgery Dept. of Trauma. and Reconst. Surg., Fukushima medical university Masayuki ITO.....591	Room 4
PS66-03	Pseudotumor by adverse reactions to metal debris in the patient with central dislocation of cementless THA: a case report Dept. of Orthop. Surg., Hokkaido Univ. Tomohiro SHIMIZU, et al591	Room 5
PS66-04	A Case Report of Revision THA after 56 years from an Acrylic Hemiarthroplasty Dept. of Orthop. Surg., Showa Univ. Fujigaoka Hosp. Mai KUROKI, et al592	Room 6
PS66-05	Cup-in-Cup Technique Using Avantage Acetabular System to Manage Recurrent Anterior Dislocation After Total Hip Arthroplasty: a Case Report Sagamihara National Hospital Yoshio TODA, et al592	Room 7
PS66-06	Intra-Acetabular Protrusion of the Femoral Artery During Total Hip Arthroplasty: A Case Report Dept. of Orthop. Surg., Saiseikai Utsunomiya Hosp. Hiroki KANEKO, et al592	Room 8
PS66-07	Acetabular cup removal at high risk of vascular and organ injury requiring multi-disciplinary intervention Dept. of Ortop. Surg., Jikei Univ. Kasiwa Hosp. Tetsuya TAKEUCHI, et al592	Room 9

Poster 67 THA Case report / Difficult case 3

Moderator: Yoko MIURA

PS67-01	A Case Report of Total Hip Arthroplasty for a Quadriceps Contracture -A patient with History of Quadriceps Injection in Infancy Dept. of Orthop. Surg., Yokohama Asahi General Hosp. Masashi TSUCHIDA, et al593	Room 10
---------	--	---------

Day 1
Feb.25(Fri.)Day 2
Feb.26(Sat.)

Room 1

Room 2

Room 3

Room 4

Room 5

Room 6

Room 7

Room 8

Room 9

Room 10

Room 11

Room 12

Digital Poster

Day 1 Feb.25(Fri.)	PS67-02	Pseudoaneurysm of the external iliac artery after acetabular impaction bone grafting with metal mesh in revision hip arthroplasty Dept. Orthop. Surg., Gifu Municipal Hosp. Takatoshi YAMAMOTO, et al593
Day 2 Feb.26(Sat.)	PS67-03	A case report of improvement after osteoarthritis and total hip arthroplasty for atypical femoral fracture Dept. of Orthopaedic Surg., Japanese Red Cross Saitama Hosp. Kensei TAMURA, et al593
Room 1	PS67-04	A case of revision THA in which sciatic nerve palsy was avoided by the use of intraoperative MEP monitoring Toyokawa city hospital Tatsuhiko KANEKO, et al593
Room 2	PS67-05	A Case of Revision for Chronic Expanding Hematoma 7 Years after Total Hip Arthroplasty Dept. of Orthop. Surg., Chiba Univ. Yusuke TEZUKA, et al594
Room 3	PS67-06	A case report of femoral neck fracture who underwent THA with residual deformity after multiple fractures of femur and tibia Dept. of Orthop. Surg., Hachioji Sannou Hosp. Michio WATANABE.....594
Room 4	Poster 68 THA Case report / Difficult case 4 Moderator: Koya KAMIKAWA	
Room 5	PS68-01	Stem fracture after primary THA with femoral shortening osteotomy for Crowe4 dislocated hip dysplasia. A case report Joint replacement centre, Tajimi shimin Hosp. Ayumu TANAKA, et al594
Room 6	PS68-02	Total Hip Arthroplasty for Blade Perforation after Intramedullary Nail for Femoral Intertrochanteric Fracture: Case Report Kurashiki Central Hospital Satoru KOUMOTO, et al594
Room 7	PS68-03	THA with Dual Mobility Cup to posterior hip dislocation fracture in middle age: A case report Komaki city Hosp. Yuki ISOBE, et al595
Room 8	PS68-04	Impingement Resulting in Femoral Notching and Adverse Reaction to Metal Debris After Dual Mobility Total Hip Arthroplasty Dept. of Orthop. Surg., Osaka city general Hosp. Shuhei UENO, et al595
Room 9	PS68-05	A case of pyogenic hip arthritis associated with ipsilateral iliopsoas bursitis Kishiwada City Hosp. Orthop. Keiji IMANISHI, et al595
Room 10	PS68-06	Rapidly Progressive Pseudotumor and Osteolysis After Metal-on-Polyethylene Total Hip Arthroplasty: A Case Report Dept. of Orthop. Surg., Saiseikai Utsunomiya Hosp. Yuta FUKASE, et al595
Room 11	Poster 69 THA Case report / Difficult case 5 Moderator: Yasuhiko KAWAGUCHI	
Room 12	PS69-01	Central dislocation of the hip associated with acetabular and femoral neck fracture treated by total hip arthroplasty: A case report Naka Orthop. Tetsuya KIMURA, et al596
Digital Poster		

PS69-02	A case of femoral stem aseptic loosening due to debonding of the porous coating from taper wedge short stem Dept. of Orthopaedics, Chiba Medical Center, National Hospital Organization	Tomotaka MORIKAWA, et al596	Day 1 Feb.25(Fri.)
PS69-03	A case of total hip arthroplasty for osteoarthritis of the hip long after trochanteric hip fracture National Hospital Organization Okayama Medical Center	Norifumi UMEHARA, et al596	Day 2 Feb.26(Sat.)
PS69-04	A Case Of Primary THA Performed Without Reduction And Fixation For a Displaced Old Acetabular Transverse Fracture Wakayama Medical Univ. Orthop.	Ryo MIYAKE, et al596	Room 1
PS69-05	A case of total hip arthroplasty for screw cutout 12 years after internal fixation of femoral neck fracture Dept. of Orthop. Surg., Odawara Municipal Hosp.	Daisuke KAWASHIMA, et al597	Room 2
PS69-06	Total hip arthroplasty using DAA after previous rotational acetabular osteotomy Dept. of Orthop. Surg., Juntendo Univ. Urayasu Hosp.	Kei SANO, et al597	Room 3

Poster 70 THA Patient's satisfaction

Moderator: Mitsuyoshi YAMAMURA

PS70-01	Effect of Juzentaihoto on total hip arthroplasty: randomized controlled trial Dept. of Orthop. Surg., Yokohamashintoshi noushinkeigeka Hosp.	Masashi TAKASHIMA, et al597	Room 4
PS70-02	Identification of Factors Affecting Patient Satisfaction after THA Using Patient-Reported Outcome Measures Dept. of Orthop. Surg., Osaka Saiseikai Nakatsu Hosp.	Shingo MAEDA, et al597	Room 5
PS70-03	The relationship between total hip arthroplasty and locomotive syndrome Dept. of Orthop. Surg., Kanazawa Univ.	Takaaki OHMORI, et al598	Room 6
PS70-04	Differences of two-year longitudinal changes of locomotive syndrome between patients treated with total hip arthroplasty and total knee arthroplasty Dept. of Orthop. Surg., Univ. of Yamanashi	Nao ABE, et al598	Room 7
PS70-05	Does the use of computed navigation further improve postoperative patient satisfaction in total hip arthroplasty? Dept. of Orthop. Surg., Kanagawa Rehabilitation Hosp.	Ryuichi SATO, et al598	Room 8

Poster 71 THA · Others

Moderator: Toru NISHIWAKI

PS71-01	Outcomes of total hip arthroplasty in professional dancers Tamagawa Hospital	Akimasa KIMURA, et al598	Room 9
PS71-02	Changes in the destructive hip morphology of rheumatoid arthritis during total hip arthroplasty Dept. of Orthop. Surg., Kyushu Univ.	Hidetoshi TSUSHIMA, et al599	Room 10
PS71-03	Total hip arthroplasty in young adult patients under 30 years of age Dept of Orthop. Surg., Kawasaki Medical School	Hirosuke ENDO, et al599	Room 11
PS71-04	The difference of the anatomy between the cases with well-developed false acetabulum and cases without false acetabulum Dept. of Orthop. Surg., Osaka Univ. Hosp.	Yuki MAEDA, et al599	Room 12

Day 1 Feb.25(Fri.)	PS71-05	Comparison of sports participation and affecting factors in young and elderly people after total hip arthroplasty Dept. of Orthop. Surg., Aichi Medical Center Nagoya Daiichi Hospital	Keiji OTAKA, et al599
Day 2 Feb.26(Sat.)	PS71-06	Effects of Preoperative Physical Activity and Function on Hospital Length of Stay after Total Hip Arthroplasty Dept. of Rehabilitation, Yamaguchi Prefectural Grand Medical Center	Naho EGUCHI, et al600
Room 1	PS71-07	Total joint surgeries in the patients with rheumatoid arthritis in 2004 - 2019 Department of Rehabilitation, Yamagata University Faculty of Medicine, Yamagata, Japan	Yuya TAKAKUBO, et al600
Room 2	Poster 72 BHA Outcomes · Approach 1		Moderator: Takahisa SATO
Room 3	PS72-01	The Examination Of Braking Hip Joint Internal Rotation With ConjoinedTendon Preserving Posterior Approach Higashisumiyoshi Morimoto Hosp. Orthop. Surg.	Kentaro FUKUYAMA, et al600
Room 4	PS72-02	Does Twice Rehabilitation Intervention for Post-BHA Patients Improve Postoperative ADL TOSHIBA RINKAN HOSPITAL Joint Reconstruction Center	Hiromi YORIOKA, et al600
Room 5	PS72-03	Withdrawn	
Room 6	PS72-04	Study of varus placement and stem subsidence of bipolar hip arthroplasty for femoral neck fracture Dept. of Orthop. Surg., Kamagaya General Hosp.	Ryo HIROSHIMA, et al601
Room 7	PS72-05	Short-term Results of Hip Arthroplasty with Avenir Complete Stem Dept. of Orthop. Sendai Medical Association Hosp.	Junichi KAMIZONO, et al601
Room 8	PS72-06	Short-term outcomes of total hip arthroplasty vs bipolar hip arthroplasty for displaced femoral neck fractures Dept. of Orthop. Surg., Tokyo Rinkai Hospital	Fumihiro MUKASA, et al601
Room 9	Poster 73 BHA Outcomes · Approach 2		Moderator: Satoshi NAKASONE
Room 10	PS73-01	The long term results of two patients with unipolar hip arthroplasty for idiopathic osteonecrosis of the femoral head Dept. of Orthop. Surg., Yuuai Medical Center	Moritaka NAGAYAMA, et al602
Room 11	PS73-02	Hip Arthroplasty for Femoral Neck Fractures in Our Hospital in Recent Nine Years Dept. of Orthop. Surg. Kensei Hosp.Tsugaruhoken medical coop.	Tomohiko NASU, et al602
Room 12	PS73-03	A short-term comparison of results in bipolar hip arthroplasty with different cementless stems for femoral neck fractures in elderly patients Dept. of Orthop. Surg., Numazu City Hospital	Shin YOSHIMURA, et al602
Digital Poster	PS73-04	A case report :Progressive subluxation after femoral head prosthetic replacement of femoral neck fracture Dept. of Orthop. Surg., Nasu Red Cross Hosp.	Iwao SEKIMOTO, et al602
	PS73-05	the experiments of treatments for femoral neck fracture with ERP approach BHA Orthop. Japanese Red Cross Society Wakayama Medical Center, Japan	Takeshi FURUKAWA.....603

PS73-06 Comparison of Bipolar hip arthroplasty (BHA) approaches for femoral neck fractures-
Posterior approach VS conjoint tendon preserved posterior approach (CPP)-
Dept. of Orthop. Surg., Osaka Saiseikai Nakatsu hosp. Shiro OKAZAKI, et al603

PS73-07 Experience of using RotexTable by the DAA inexperienced surgeon
Japanese Red Cross Hadano Hosp. Shunsuke HIRAIISHI, et al603

Poster 74 TKA • UKA Navigation • Robot 1

Moderator: Keinosuke RYU

PS74-01 Evaluation of accuracy of components orientation in Robotic-Assisted TKA utilizing the
ROSA Knee System in initial 10 cases
Dept. of Orthop. Surg., Aichi Koseiren Kainan Hosp. Yuka MUKOFUJIWARA, et al603

PS74-02 Examination of introductory complications due to total knee arthroplasty using
handheld robotic-assisted technology NAVIO
The Dept. of Orthop. Surg., Nihon Univ. Masahiko YANAGISAWA, et al604

PS74-03 No difference in early postoperative walking ability between robot-assisted BCR-TKA
and BCS-TKA Comparison by gait analysis using 3D accelerometer
Ichinomiya Onsen Hosp, Dept. of Rehabilitation Kazuki AMEMIYA, et al604

PS74-04 The Evaluation of Intraoperative Kinematic of PS-mobile TKA Using Imageless
Navigation System
Kagoshima Nanpuh Hospital Joint Reconstruction Center Hideyuki KAWABATA, et al604

PS74-05 A comparative study of implant placement in TKA using a robotically assisted surgical
system
Dept. of Orthop. Surg., St.Marianna Univ. Takashi KOTANI, et al604

PS74-06 Usefulness of navigation in saggital plane in posterior stabilized total knee arthroplasty
for severe medial type osteoarthritis of the knee
Dept. of Orthop. Surg., Kitasato Univ. Medical Center Shoichiro TAKEI, et al605

Poster 75 TKA • UKA Navigation • Robot 2

Moderator: Ayumu TANAKA

PS75-01 The difference between validated knee alignment using iASSIST during Total Knee
Arthroplasty and actual alignment after implantation
Dept. of Orthop. Surg. Konan Medical Center Shinsuke KIHARA, et al605

PS75-02 Usefulness of navigation in cruciate-retaining total knee arthroplasty for relatively mild
Varus deformity of osteoarthritis of the knee
Dept. of Orthop. Surg., Kitasato Univ. Medical Center Shoichiro TAKEI, et al605

PS75-03 Investigation of the change in ligamentous balance by posterior cruciate ligament
resection with using intraoperative measurement in robot-assisted TKA
Dept. of Orthop. Surg., Gifu Univ. Hiroki YOSHIOKA, et al605

PS75-04 Loosening of Tracker Pin during Navigation TKA
Dept. Orthop. Surg., Kobe City West Hospital Shigeru NISHIGUCHI, et al606

PS75-05 Radiographic Comparison of Kinematic Alignment Total Knee Arthroplasty with and
without Image free Navigation
Dept. of Orthop. Surg., Nagoya Univ. Hideki HIRAIWA, et al606

Day 1 Feb.25(Fri.)	PS75-06	Use of a navigation system for knee arthroplasty after high tibial osteotomy: a case report Dept. of Orthop. Surg., Showa Univ. Koto Toyosu Hosp. Masataka OTA, et al606
Day 2 Feb.26(Sat.)	Poster 76 TKA・UKA Navigation・Robot 3 Moderator: Katsuaki YANAGISAWA	
Room 1	PS76-01	Operation trouble in the 100 arthroplasty cases with Robotic assist surgery Dept. of Orthop. Surg., Keio Univ. Shu KOBAYASHI, et al606
Room 2	PS76-02	Femoral and Tibial Bone Resection Error from the Intra-operative Planning in Robotic-arm assisted Total Knee Arthroplasty Dept. of Orthop. Surg. and Joint Surg. Centre, Takatsuki General Hosp. Yoshihito SUDA, et al607
Room 3	PS76-03	Influence of preoperative alignment on evaluation of the soft-tissue balance with the NAVIO robotics-assisted surgery system in Bi-cruciate stabilized TKA Dept. of Orthop. Surg., Tokushima Univ. Keizo WADA, et al607
Room 4	PS76-04	Correlation between Intra-operative Kinematics and Postoperative Flexion Range of Motion in Total Knee Arthroplasty using Navigation System Dept. of Rehabilitation, Kawamura Orthop., Kawamura Medical Medical Corporation Sou KUMAGAI, et al607
Room 5	PS76-05	Comparison of Component Alignment with and without Robotically Assisted Technique in TKA Dept. of Orthop. Surg., Toyama Univ. Hayato MINE, et al607
Room 6	PS76-06	Accuracy of NAVIO robot-assisted total knee arthroplasty Dept. of Orthop. Surg., Nihon Univ. Itabashi hosp. Junichiro KAN, et al608
Room 7	PS76-07	Reproducibility for gap balance before and after unicompartmental knee arthroplasty using NAVIO Robot Dept. of Orthop Surg., NTT West Tokai Hosp. Yoshinori SANO, et al608
Room 8	Poster 77 TKA Case report / Difficult case 1 Moderator: Mitsuhiko KUBO	
Room 9	PS77-01	Long-term clinical results of a case of 12 joints reconstruction for mutilans type psoriatic arthritis Shimura Hospital Hideaki MURATA.....608
Room 10	PS77-02	Bilateral fracture of the unresurfaced patella after simultaneous bilateral total knee arthroplasty: Dept. of Orthop. Surg., Nippon Medical School Musashi Kosugi Hospital Hiroaki SHIRAO, et al608
Room 11	PS77-03	Total Knee Arthroplasty in severe limitation of range of motion due to heterotopic ossification: A case report Kitachiba Makuhari Clinic Kan TAKASE, et al609
Room 12	PS77-04	Nonunion of the distal femur in super elderly patient treated with Orthopaedic Salvage System.:A case report Dept. of Orthop. Surg., National Hospital Organization, Beppu Medical Center Yousaku SATO, et al609
Digital Poster	PS77-05	A case of coxitis knee undergoing total knee arthroplasty following total hip arthroplasty for ankylosed hip Dept. of Orthop. Surg., Zenshukai Hosp. Keiichi HAGIWARA, et al609

Poster 78 TKA Case report / Difficult case 2

Moderator: Yoshiyuki OKAMOTO

- PS78-01 A case of simultaneous osteotomy and TKA for osteoarthritis of the knee after femoral malunion
Department of Orthopaedic surgery, Jichi University, Tochigi, Japan Yuji KANAYA, et al609
- PS78-02 Total knee arthroplasty used with quadriceps turndown approach -3 cases-
Shin-Kaminokawa Hospital Kenzo TAKATOKU, et al610
- PS78-03 Total knee arthroplasty for Hoffa fracture with osteoarthritis :a case report
Japanese Red Cross Aichi Medical Center Nagoya Daini Hospital Masatoshi HARUTA, et al610
- PS78-04 One-stage TKA for A Femoral Supracondylar Fracture with End-stage Knee Osteoarthritis : A Case Report
Dept. of Orthop. Surg., Todachuo General Hosp. Mitsuru MORISHIMA, et al610
- PS78-05 Knee osteoarthritis with patella alta after reconstruction of patella tendon rupture treated with total knee arthroplasty: A case report
Dept. of Orthop. Surg., Nihon Univ. Yutaka SANO, et al610
- PS78-06 A case of total knee arthroplasty for 15 years after bilateral anterior cruciate ligament reconstruction
Dept. of Intelligent Orthopaedic System Development,
Okayama University Graduate School of Medicine Dentistry and
Pharmaceutical Sciences Shinichi MIYAZAWA, et al611

Poster 79 TKA Case report / Difficult case 3

Moderator: Tsutomu KAWANO

- PS79-01 Total knee arthroplasty with patient-specific instrumentation to correct severe valgus deformity in a patient with hereditary multiple exostoses
Dept. of Orthop. Surg., Osaka Univ. Hosp. Urara SASAKI, et al611
- PS79-02 A Case Report of Insufficiency Fracture of the Tibial Plateau in Systemic Sclerosis Treated by Elective Total Knee Arthroplasty
Dept. of Orthop. Surg., Tokushima Prefectural Central Hosp. Michihiro TAKAI, et al611
- PS79-03 A case of PFA in the treatment of patella instability with femoral trochlea dysplasia
Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ. Michiru MORIYA, et al611
- PS79-04 Varus instability after TKA: a case report
Dept. of Orthop. Surg., Itami City Hosp. Kosuke SAKATA, et al612
- PS79-05 A Very Rare Case of Total Knee Arthroplasty for Medial Osteoarthritis with a Giant Intraosseous Ganglion
Dept. of Orthop. Surg., Ota Memorial Hosp. Yusuke ANDOH, et al612

Poster 80 TKA・UKA Postoperative therapy・Rehabilitation 1

Moderator: Masakatsu SAITOH

- PS80-01 Effects of changes in catastrophic thinking before and after TKA on pain improvement up to 3 months after surgery
Dept. of Rehabilitation, Eniwa Hosp. Masaaki KOMATSU, et al612

Day 1
Feb.25(Fri.)Day 2
Feb.26(Sat.)

Room 1

Room 2

Room 3

Room 4

Room 5

Room 6

Room 7

Room 8

Room 9

Room 10

Room 11

Room 12

Digital Poster

Day 1 Feb.25(Fri.)	PS80-02	Short-term Results of Aquatic Physiotherapy after Knee Arthroplasty Kitamura Hospital, Dept. Orthop. Surg.	Atsushi NARITA, et al612
Day 2 Feb.26(Sat.)	PS80-03	Sarcopenia Influences Prolonged Pain after Total Knee Arthroplasty Dept. of Rehab. Funabashi Orthop. Clinic	Yuta SHIBUYA, et al613
Room 1	PS80-04	Does preoperative catastrophic thinking affect physical function after Kinematic alignment TKA surgery Dept. of Rehabilitation, Yamaguchi Prefectural Grand Medical Center	Ayano ENOEDA, et al613
Room 2	PS80-05	Factors Associated with Difficulty in Ascending Steps One Month after Total Knee Arthroplasty Department of Rehabilitation, Onishi Hospital	Takanari YOSHII, et al613
Room 3	PS80-06	Functional characteristics of female patients with better ambulatory ability than healthy female 1 year after total knee arthroplasty Rehabilitation Unit, Kyoto University Hospital	Ryota HAMADA, et al613
Room 4	Poster 81 TKA・UKA Postoperative therapy・Rehabilitation 2		Moderator: Masahiro ONUMA
Room 5	PS81-01	Functional Factors Influencing the Early Step-down Method after Total Knee Arthroplasty Department of Rehabilitation, Onishi Hospital	Yoshihiro KISHIMOTO, et al614
Room 6	PS81-02	Effect of Home Exercise Practice Rate for Knee Joint Function at 1 Month after Total Knee Arthroplasty Dept. of Rehab. Funabashi Orthop. Clinic	Wataru IWASAKI, et al614
Room 7	PS81-03	Prolonged recovery after TKA surgery in type 2 diabetes mellitus is associated with poor improvement of rectus femoris muscle quality Dept. of Rehabilitation, Kindai Univ. Hospital.	Masashi WAKINO, et al614
Room 8	PS81-04	Relationship between Therapist Proficiency and Postoperative Outcomes in Rehabilitation of Total Knee Arthroplasty Dept. of Rehabilitation, Tohoyao Hosp.	Mako IWASHITA, et al614
Room 9	PS81-05	Swelling around the knee after total knee Arthroplasty affects postoperative performance Toshiba Rinkan Hospital Joint Reconstruction Center	Naoto ICHIKAWA, et al615
Room 10	PS81-06	Trend of Muscle Strength and Pain Over Time from Discharge after Ipsilateral Total Hip Arthroplasty and Total Knee Arthroplasty Dept. of Reha., Nagoya City Midori Municipal Hosp.	Youta OMORI, et al615
Room 11	PS81-07	Perioperative dental examination status of patients who underwent hip or knee Arthroplasty National Center for Global Health and medicine	Takayuki YAMAMOTO, et al615
Room 12	Poster 82 TKA・UKA Postoperative therapy・Rehabilitation 3		Moderator: Yoshikazu TSUNEIZUMI
Digital Poster	PS82-01	Knee swelling and motor function up to 3 months postoperatively in patients after total knee arthroplasty Dept. of Rehabilitation, Tsukazaki Hosp.	Kunihiro ONISHI, et al615

PS82-02	A single case study of hinge type total knee arthroplasty in a patient with hypertonic genu recurvatum Dept. of Rehabilitation, Toho Yao Hosp. Goro MATSUDA, et al616	Day 1 Feb.25(Fri.)
PS82-03	Differences in postoperative activity in patients after total knee arthroplasty and around knee osteotomy Katsuragi Hosp. Takafumi FUJII, et al616	Day 2 Feb.26(Sat.)
PS82-04	Chronic Postsurgical Pain in Unicompartmental Knee Arthroplasty and High Tibial Osteotomy - incidence of Chronic Postsurgical Pain and Characteristics by Procedure - Funabashi Orthop. Ichikawa Clinic Kazuhide KITADA, et al616	Room 1
PS82-05	Changes in Knee Extensor Strength after Unicompartmental Knee Arthroplasty~Studying Focus on Compared with after Total Knee Arthroplasty~ Toyookachuo Hosp. Dept. of Rehabilitation Shunsuke SHIMOSAWA, et al616	Room 2
PS82-06	The relationship with knee swelling and knee function after total knee arthroplasty Dept. of Rehabilitation. Toyooka Chuo Hosp. Ryusuke ITO, et al617	Room 3

Poster 83 TKA・UKA Biomechanics

Moderator: Yuki YAMAUCHI

PS83-01	Moble bearing in Oxford UKA is more likely to dislocate with smaller femur component and thicker bearing Department of Orthopaedic Surgery and Joint Surgery Centre, Takatsuki General Hospital Takafumi HIRANAKA, et al617	Room 4 Room 5
PS83-02	Effects of Intraoperative Soft Tissue Balancing on the Postoperative <i>In-vivo</i> Kinematics in a Medial-Pivot TKA Dept. of Orthop. Surg., Kumamoto Kaiseikai Hospital Eiichi NAKAMURA, et al617	Room 6
PS83-03	Investigation of Factors Related to Kneeling after TKA and UKA Dept. of Reha, Anshin Hosp. Syun MATSUDA, et al617	Room 7
PS83-04	The fall prediction using 30-second chair-rise test on six months after TKA is correlated with deficiency of knee extensor strength Rehabilitation Dept. Katsuragi Hosp. Ouekai Medical Corporation Shinya SEO, et al618	Room 8
PS83-05	Changes in knee extension lag after total knee arthroplasty Niigata Medical Center Department of Rehabilitation Hiroshi WATANABE, et al618	Room 9
PS83-06	Role of clinical engineers in the field of orthopedic surgery Dept. of Clinical Engineering. Okayama Saiseikai Hosp. Seiya NISHIBEPPU, et al618	Room 10

Poster 84 TKA・UKA Elderly patients・Satisfaction 1

Moderator: Masahiro HASEGAWA

PS84-01	Complication and Invasion of TKA or UKA in patient for over 80 years of age Dept. of Orthop. Surg., Yamagata Prefecture Shinjo Hosp. Soichiro OKADA, et al618	Room 11 Room 12
PS84-02	The effect of changes in range of motion to Forgotten Joint Score in before and after knee arthroplasty Dept. of Rehabilitation, Toyooka Chuo Hosp. Yu KUDO, et al619	Digital Poster
PS84-03	Correlation between preoperative central sensitization and JKOM score at 1 year after TKA surgery Sasebo Kyosai Hospital Koki UEDA, et al619	

Day 1 Feb.25(Fri.)	PS84-04	About climbing stairs before and after total knee arthroplasty Dept. of Rehabilitation Medicine, Niigata Medical Centre Takeshi KABURAKI, et al619
Day 2 Feb.26(Sat.)	PS84-05	Minimal Clinically Important Difference In Forgotten Joint Score After Total Knee Arthroplasty Sonodakai Joint Replacement Center Hosp. Dept. of Rehabilitation Yuta YAGI, et al619
Room 1	Poster 85 TKA・UKA Elderly patients・Satisfaction 2 Moderator: Minoru MURATA	
Room 2	PS85-01	Questionnaire survey of patients by introducing "mymobility", an application that connects patients and hospitals, 2nd report Dept. of Orthop. Ward., Saiseikai Toyama Hosp. Masako MORITA, et al620
Room 3	PS85-02	Relationship Between Patient Satisfaction and Flexion Gap after Total Knee Arthroplasty Dept. of Orthop. Surg., Shinbeppu Hospital Yasuo HIGUMA, et al620
Room 4	PS85-03	The Effect of Anteroposterior Instability of the Knee on the Forgotten-Joint-Score12 after TKA Surgery Chugoku Rosai Hosp. Dept. of Rehabilitation Kenji IWAMI, et al620
Room 5	PS85-04	Correlation between Preoperative Muscle Mass of the Affected Limb and Postoperative Outcome in TKA and UKA Dept. of Orthop. Surg., Tottori Prefectural Central Hosp. Yumi HIRAHARA, et al620
Room 6	PS85-05	Patient satisfaction survey on the difference between Precut and Measured resection methods in PS-TKA Dept. of Orthop. Surg., Kyushu Rosai Hospital Tatsuya MORI, et al621
Room 7	Poster 86 TKA・UKA Outer anti-knee revision Moderator: Jun AIKAWA	
Room 8	PS86-01	A Case of Navigation-assisted Total Knee Arthroplasty for a Severe Valgus Knee Okayama Rosai Hospital Toshinori OMORI, et al621
Room 9	PS86-02	Experience in the Use of Bi-cruciate Substitute TKA for Lateral Knee Osteoarthritis Dept. of Orthop. Surg., Nihon Univ. Ryota FUJII, et al621
Room 10	PS86-03	Short-term clinical outcomes of a Persona Revision Knee System in Revision Total Knee Arthroplasty Dept. of Orthop. Surg., Tokyo Medical and Dental Univ. Hosp. Yusuke NAKAGAWA, et al621
Room 11	PS86-04	Clinical experience of revision total knee arthroplasty using Persona Constrained Condylar Knee Dept. of Orthop. Surg., Fujita Health Univ. Hideki DATE, et al622
Room 12	PS86-05	Recurrent Hemarthrosis after Unicompartmental Knee Arthroplasty Caused by Overhang of Anterior Tibia Component Anshin Hosp. Akihito SEKI, et al622
Digital Poster	PS86-06	A Case of Mechanical Loosening in Fixed Bearing UKA Caused by Cupping Wear of the Polyethylene Dept. of Orthop. Surg., Wajo-kai Sapporo Hosp. Hidetoshi HAMAGUCHI.....622

Poster 87 TKA・UKA Periprosthetic fracture		Moderator: SachiYuki TSUKADA	Day 1 Feb.25(Fri.)
PS87-01	Examination of the Usefulness of MotionLoc Screw for Periprosthetic Fractures after Total Knee Arthroplasty in Our Hospital Okayama Saiseikai General Hospital	Yuki OKAWA, et al622	Day 2 Feb.26(Sat.)
PS87-02	Salvage surgery for severe arthrofibrosis of femoral fracture after total knee arthroplasty using megaprosthesis and quadricepsplasty Dept. of Orthop. Surg., Jikei Univ.	Naoya ESAKI, et al623	Room 1
PS87-03	Periprosthetic Fractures Through Tracking Pin Sites Following Computer Navigated Unicompartmental Knee Arthroplasty Nishinomiya Kaisei Hosp.	Hiroki MIYA, et al623	Room 2
PS87-04	Treatment for femoral condylar fracture after total knee arthroplasty Dept. of Orthop. Surg., Fujita Health Univ.	Yosuke KANEKO, et al623	Room 3
PS87-05	4 cases of tibial fracture after unicompartmental knee arthroplasty National Center for Global Health and Medicine	Yozo KATSURAGAWA, et al623	Room 4
PS87-06	A medialization of cutting block for varus tibia cut increases the fracture risk in Oxford unicompartmental knee arthroplasty Department of Orthopaedic Surgery and Joint Surgery Centre, Takatsuki General Hospital	Takafumi HIRANAKA, et al624	Room 5
Poster 88 UKA Outcomes・Surgical techniques 1		Moderator: Daisuke HAMADA	Room 6
PS88-01	Unicompartmental knee arthroplasty for residual pain after high tibial osteotomy Kagawa Saiseikai Hosp.	Ryosuke TANAKA, et al624	Room 7
PS88-02	Preliminary Results of Mako UKA Wajo-kai Eniwa Hosp.	Daisuke TANAKA, et al624	Room 8
PS88-03	Comparison of cost-effectiveness and indication between UKA and HTO Dept. of Orthop., Saitama Medical Center, Saitama Medical Univ.	Haruhiko NAKAMURA, et al624	Room 9
PS88-04	Results of Oxford unicompartmental knee arthroplasty with extension loss at 1 year follow up Dept. of Orthop. Surg., Mitsui Memorial Hosp.	Jinso HIROTA.....625	Room 10
PS88-05	Clinical Results of Hybrid Oxford UKA Dept. of Orthop. Surg. and Joint Surg. Centre, Takatsuki General Hosp.	Akira SAITOH, et al625	Room 11
Poster 89 UKA Outcomes・Surgical techniques 2		Moderator: Shigeki ASADA	Room 12
PS89-01	Relationship between component installation angle and clinical results in UKA Dept. of Orthop. Surg., Hiroshima Prefectural Akitsu Hospital	Toshihiko GOTO.....625	Digital Poster
PS89-02	Clinical Result Between Unicompartmental Knee Arthroplasty And High Tibial Osteotomy with Forgotten Joint Score 12 Mie Prefectural General Medical Center	Yoshio HATTORI, et al625	

Day 1 Feb.25(Fri.)	PS89-03	Correlation between postoperative alignment change in medial UKA to clinical results Juko Memorial Hospital Yusuke KAWAMURA, et al626
Day 2 Feb.26(Sat.)	PS89-04	Examination of the Relationship Between Patient Stance Evaluation Using FJS-12 after Unicompartmental Knee Arthroplasty and Component Placement Angle Kansai Medical University Hiroshi SHIKATA, et al626
Room 1	PS89-05	Ingenuity of Tibial Osteotomy in UKA Using a Portable Navigation System Dept. of Orthop. Surg., Shiga University of Medical Science, Shiga, Japan Yasutaka AMANO, et al626
Room 2	PS89-06	Intraoperative direct reference for tibial posterior slope in medial UKA Dept. of Orthop. Surg., Kindai University Akihiro MORITAKE, et al626
Room 3	Poster 90 UKA Alignment • Rotation Moderator: Shigeshi MORI	
Room 4	PS90-01	Postoperative joint line alteration of medial distal femur after Oxford unicompartmental knee arthroplasty Dept. of Orthop. Surg., Takatsuki General Hosp. Akira SAITOH, et al627
Room 5	PS90-02	Clinical effect of the valgus positioning of the femoral component in fixed-bearing unicompartmental knee arthroplasty Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine Kensuke ANJIKI, et al627
Room 6	PS90-03	Pre-operative valgus stress test is useful for predicting post-operative coronal alignment in unicompartmental knee arthroplasty Dept. of Orthop. Surg., Kawaguchi Kogyo General Hosp. Toru TAKAHASHI, et al627
Room 7	PS90-04	The rotational axis of tibial component in unicompartmental knee arthroplasty Dept. of Orthop. Surg., Disaster Medical Center. Yosuke KURODA, et al627
Room 8	PS90-05	The relationship of medial joint line change and limb alignment change in medial unicompartmental arthroplasty Dept. of Orthop. Surg., Kochi Univ. Natsuki SUGIMURA, et al628
Room 9	PS90-06	Direct reference to the medial tibial plain in UKA can reproduce the patient-specific posterior tilt Sakurakai. Hosp. Nobuhisa SHOKAKU, et al628
Room 10	PS90-07	Varification of medialization of femoral implants by UKA with gap technique Kansai Medical University Kuzuha Hospital Keishi KATSUMOTO, et al628
Room 11	Poster 91 Shoulder replacement surgery 1 Moderator: Ryosuke KAKINOKI	
Room 12	PS91-01	A Case of Rotator Cuff Tear Arthropathy Associated with a Giant Acromioclavicular Joint Ganglion Department of Orthopedics, Kagoshima University Graduate School of Medicine Shingo MAESAKO, et al628
Digital Poster	PS91-02	Preoperative demonstration using the 3D bone model for reverse shoulder arthroplasty in cases of glenoid defect and deformity Dept. of Orthop. Yamagata Univ. Faculty of Medicine Issei YUKI, et al629
	PS91-03	Postoperative outcomes of RSA in rheumatoid arthritis Dept. of Orthop. Surg., Shinseikai Toyama Hospital Satoru OHTA629

PS91-04	Reverse angle technique for reverse shoulder arthroplasty Department of Orthopaedics, Kaisei Hospital	Jun KAWAMATA, et al629	Day 1 Feb.25(Fri.)
PS91-05	Short-term Results of Reverse Shoulder Arthroplasty(RSA) : Comparison of Inlay, Onlay Stem and BIO-RSA Dept. of Orthop. Keiyu Orthopaedic Hosp.	Yuzuru YAMAMOTO, et al629	Day 2 Feb.26(Sat.)
PS91-06	Evaluation of gap tension affecting reduction in reverse shoulder arthroplasty Dept. of Orthop. Surg., Gifu Univ.	Nobuo TERABAYASHI, et al630	Room 1

Poster 92 Shoulder replacement surgery 2

Moderator: Tomoya MANAKA

PS92-01	Clinical results of reverse shoulder arthroplasty for cuff tear arthropathy with impairment of the deltoid muscle Mazda Hosp.	Masayoshi DEIE, et al630	Room 2
PS92-02	Total Shoulder Arthroplasty Combined with Superior Capsular Reconstruction: A Case Report Dept. of Orthop. Surg., Yamauchi Hosp.	Kenji KAWASHIMA, et al630	Room 3
PS92-03	3D simulation range of motion comparison between medialized RSA and lateralized RSA Izumiotu Municipal Hospital	Ryuichi YAMASHITA, et al630	Room 4
PS92-04	Clinical results of delayed arthroplasty for the treatment of comminuted proximal humeral fractures Center of Joint Replacement and Endoscopic Surgery of Upper Extremity, Hokushin Orthopaedic Hosp.	Shintaro YAMANE, et al631	Room 5
PS92-05	A case report of shoulder periprosthetic fracture treated with oncologic shoulder prosthesis Department of Orthopaedics, Kagawa University	Shingo YOSHITAKE, et al631	Room 6
PS92-06	A case of reverse shoulder arthroplasty for anterior shoulder instability after closed reduction of a dislocated glenoid fracture Dept. of Orthop. Surg., National Hospital Organization Saitama Hospital	Yuki YOSHIDA, et al631	Room 7
PS92-07	Reverse shoulder arthroplasty in patients with Parkinson disease Mazda Hospital	Chikara WATANABE, et al631	Room 8

Poster 93 Other replacement arthroplasties

Moderator: Kazuya KANEDA

PS93-01	Investigation of snow shoveling after total ankle arthroplasty Dept. of Orthop. Surg., Hiraka General Hosp.	Shuichi CHIDA, et al632	Room 9
PS93-02	Modified Antero-lateral Approach for Total Ankle Arthroplasty Dept. of Orthop. Surg. Graduate School of Medicine, Osaka Univ.	Yuki ETANI, et al632	Room 10
PS93-03	Treatment and clinical results of alumina ceramic prosthesis for Hallux Rigidus Laketown Orthopedic Hospital	Masato OGAWA, et al632	Room 11
PS93-04	Total ankle arthroplasty through a lateral transfibular approach for osteoarthritis of the ankle Dept. of Orthop. Surg., Yamagata Univ.	Akemi SUZUKI, et al632	Room 12

Digital Poster

Day 1 Feb.25(Fri.)	PS93-05	Results of Silicone MP Arthroplasty for Rheumatoid Finger Dept. Orthop. Surg., Kindai Univ. Faculty of Med.	Kazuhiro OTANI, et al633
Day 2 Feb.26(Sat.)	Poster 94 Custom-made implants • Implants for bone tumor surgery		Moderator: Kunihiko NUMOTO
Room 1	PS94-01	Clinical results of proximal femur resection and reconstruction with interlocking stem for metastatic bone tumor Dept. of Orthop. Surg., The Jikei Univ.	Tetsuo HAYAMA, et al633
Room 2	PS94-02	Total femoral replacement performed on elderly people; Two cases of report Dept. of Orthop. Surg., Tokyo Dental College Ichikawa General Hospital	Ueki ANAZAWA, et al633
Room 3	PS94-03	Operative Treatment Strategy for Metastatic Proximal Femur Tumor -Endoprosthesis with Preserving Greater Trochanter Contributes to Maintaining patient quality of life - Dept. of Orthop. Surg., St. marianna Univ.	Toru KASAI, et al633
Room 4	PS94-04	Short-term results of Megaprosthesis with Compression device Div. of Orthop. Surg., Univ. of Miyazaki	Masaru HIYOSHI, et al634
Room 5			
Room 6			
Room 7			
Room 8			
Room 9			
Room 10			
Room 11			
Room 12			
Digital Poster			