

Program of the 52nd Annual Meeting of the Japanese Society for Spine Surgery and Related Research

The First Day—April 13 (Thursday)

Room 1

Symposium 1

8 : 10~9 : 40

Moderators : **H. Yamada**
N. Hosogane

Adult Spinal Deformity: Assessment and Treatment for the Better

- 1-1-S1-1 Concept of Sagittal Spinal Alignment Based on Resident Examination Results: Obuse Study ...107
M. Uehara, et al., Dept. of Orthop. Surg., Shinshu Univ. School of Medicine
- 1-1-S1-2 Predicting Implant-Related Complications of Adult Spinal Deformity Surgery A Comparison of
Machine Learning and Risk Stratification Models107
M. Yagi, et al., Dept. of Orthop. Surg., Keio Univ.
- 1-1-S1-3 Effects of physical therapy for chronic low back pain associated with adult spinal deformity:
Exercice is medicine108
K. Watanabe, et al., Dept. of Orthop. Surg., Niigata Univ., Niigata Rehabilitation Hosp.
- 1-1-S1-4 Considering the Problems of Pre- and Postoperative ADL Assessment for Adult Spinal Deformity
.....108
Y. Yamato, et al., Dept. of Geriatric Musculoskeletal Health, Hamamatsu Univ. School of Medicine
- 1-1-S1-5 The key to success and future prospects of short segment fusion for adult spinal deformity.....109
H. Moridaira, et al., Dept. of Orthop. Surg., Dokkyo Medical Univ.
- 1-1-S1-6 Advantages and Problems of Percutaneous Correction with LIF and All PPS for Adult Spinal
Deformity109
T. Harada, et al., Spine Center, Rakuwakai Marutamachi Hosp.

Kakuchi-Nisshin Symposium 1

9 : 50~11 : 20

Moderators : **S. Imagama**
K. Watanabe

Challenging Spinal Deformity: Get to the point of the Treatment

- 1-1-KS1-1 Time, place and occasion for EOS treatment -Cast & brace~growth friendly surgery~final
fusion-110
T. Tsuji, Dept. of Orthop. & Spine surg., Toyota Kosei Hosp.

1-1-KS1-2	Current status of growth friendly surgeries in treatment of early-onset scoliosis: what we have learned after a decade of experience110
	T. Suzuki, et al. , National Hosp. Organization Kobe Medical Center
1-1-KS1-3	Investigation and advance of the surgical treatment for neuromuscular scoliosis111
	M. Miyagi, et al. , Dept. of Orthop. Surg., Kitasato Univ.
1-1-KS1-4	The status of treatment for congenital scoliosis with rib anomaly111
	K. Watanabe , Dept. of Orthop. Surg., Keio Univ.
1-1-KS1-5	Surgical treatment for neurofibromatosis and Marfan syndrome112
	S. Inami, et al. , Dept. of Orthop. Surg., Dokkyo Medical Univ.

Luncheon Seminar 1

11 : 40~12 : 40

Moderator : **M. Tanaka**

1-1-LS1-1	Lateral Lumbar Interbody Fusion using Expandable Lateral Interbody Spacer112
	H. Terai, et al. , Dept. of Orthop. Surg., Osaka Metropolitan Univ. Graduate School of Medicine

Keynote Lecture

13 : 45~14 : 15

Moderator : **H. Taneichi**

1-1-KL-1	Break of dawn in Japanese spinal surgery113
	Y. Nohara , Laketown Orthop. Hosp.

Congress Presidential Lecture

14 : 15~14 : 45

Moderator : **M. Nakamura**

1-1-PL-1	Grasp the essence of the spine surgery and take steps forward!113
	H. Taneichi , Dept. of Orthop. Surg., Dokkyo Medical Univ.

Special Lecture

14 : 50~15 : 20

Moderator : **H. Taneichi**

1-1-SL-1	Current Status and Prospects of Industrial Robots -Some Hints for Medical Robots-114
	Y. Inaba , FANUC Corporation

Kakuchi-Nisshin Symposium 2

15 : 25~16 : 55

Moderators : H. Murakami

H. Uei

Metastatic Spine Tumor: How and What can we treat?

- 1-1-KS2-1 The usefulness of multidisciplinary treatment (liaison treatment) from the viewpoint of the actual condition of spinal metastasis114
K. Nakanishi, et al., Dept. of Orthop. Surg., Kawasaki Medical School
- 1-1-KS2-2 Multidisciplinary Treatment for Metastatic Spinal Tumors115
H. Katagiri, et al., Div. of Orthop. Oncology, Shizuoka Cancer Center
- 1-1-KS2-3 Stereotactic body radiotherapy -goals of new approach115
K. Ito, Dept. Radiation Oncol., Tokyo Metropolitan Komagome Hosp.
- 1-1-KS2-4 Surgical outcome of palliative surgery for spinal metastases116
K. Kakutani, et al., Div. of Spine Surg., Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine
- 1-1-KS2-5 Surgical Metastasectomy in the Spine: Its Significance and Indications116
S. Kato, et al., Graduate School of Medical Science, Kanazawa Univ.

Researches Initiated by JSSR2023 1

17 : 05~17 : 35

Moderators : H. Haro

K. Hida

Board Certification System for Spine Surgery Subspecialty

- 1-1-RS1-1 Current Status and Future Prospects of the Spine and Spinal Cord Surgery Specialty Program117
M. Nakamura, et al., Dept. of Orthop. Surg., Keio Univ.
- 1-1-RS1-2 The past, the present and the future of Japanese spine surgery specialty board: From the standpoint of neurosurgery117
T. Takami, et al., Dept. of NeuroSurg., Osaka Medical and Pharmaceutical Univ., Neurospinal Society of Japan

Researches Initiated by JSSR2023 2

17 : 45~19 : 20

Moderators : **H. Hashizume**
T. Kanemura

1-1-RS2-1	Big Data Opens Up the Future of the Japanese Society for Spine Surgery and Related Research118	118
	<i>H. Haro, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medical Science, Univ. of Yamanashi	
1-1-RS2-2	The Current Status and Prospects of JSSR-DB118	118
	<i>H. Arima, et al.</i> , JSSR Database Committee	
1-1-RS2-3	Nationwide perioperative complication survey for spine surgery: Case registry data report of the JSSR119	119
	<i>M. Machino, et al.</i> , Dept. of Orthop./Rheumatology, Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ., Database committee	
1-1-RS2-4	Investigation of the complications of cervical total disc replacement -An analysis of JSSR nationwide registry.....119	119
	<i>T. Yoshii, et al.</i> , Dept. of Orthop. and Spinal Surg., Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.	
1-1-RS2-5	Comparison of the cost-effectiveness of pharmacological treatments for patients with cervicobrachial symptoms120	120
	<i>N. Wakao, et al.</i> , Dept. of Orthop. Surg., National Center for Geriatrics and Gerontology	
1-1-RS2-6	JSSR Research Project: Construction of the evidence about exercise therapy for kyphotic spine in elderly patients (Interim Report)120	120
	<i>H. Terai, et al.</i> , Dept. of Orthop. Surg., Osaka Metropolitan Univ. Graduate School of Medicine	
1-1-RS2-7	Introduction of New Projects of the Clinical Outcomes Committee121	121
	<i>J. Takahashi, et al.</i> , Dept. of Orthop. Surg., Shinshu Univ.	

Room 2

Overseas Invited Lecture 1

8 : 10~9 : 10

Moderator : **M. Nakamura**

1-2-OIL1-1	Association sagittal imbalance and frailty in osteoporotic vertebral fracture121	121
	<i>Y. Choi</i> , Kwangju Christian Hosp., Gwangju, Korea	
1-2-OIL1-2	Outcomes of stand-alone anterior lumbar interbody fusion (ALIF) technique122	122
	<i>CH. Jeon, et al.</i> , Dept. of Orthop. Surg., Ajou Univ. Medical Center, Suwon, Korea	

Kakuchi-Nisshin Seminar 1

9 : 20~10 : 20

Moderator : **M. Ito**

- 1-2-KNS1-1 The choice of surgical approaches and techniques for the multilevel cervical myelopathy122
B. YU, Dept. of Spine Surg., Pekin Univ. Shenzhen Hosp., Shenzhen, China
- 1-2-KNS1-2 Degenerative Cervical Myelopathy: Time for surgeons to look beyond the operating theatre ...123
B. Davies, Univ. of Cambridge/Cambridge Univ. Hosp./Myelopathy.org., Cambridge, UK

Kakuchi-Nisshin Seminar 2

10 : 30~11 : 30

Moderators : **T. Kanemura**

N. Nakamura

- 1-2-KNS2-1 The Lateral MIS Anterior Column Release Procedure (ACR)123
J. Uribe, et al., Dept. of Neurological Surg., Barrow Neurological Institute, Phoenix AZ
- 1-2-KNS2-2 Variation of global sagittal alignment parameters according to gender, pelvic incidence and age
.....124
Y. Charles, et al., Dept. of Spine Surg., Univ. of Strasbourg, Strasbourg, France

Kakuchi-Nisshin Seminar 3

11 : 40~12 : 40

Moderators : **K. Watanabe**

N. Hosogane

- 1-2-KNS3-1 The Growing Spine with Scoliosis: The Journey from Early Onset to Graduation124
S. Shah, Nemours Children's Health, Wilmington, DE, USA
- 1-2-KNS3-2 The role of Enabling Technology in Complex Spine Surgery; Utilization of intra-operative CT
scanning and navigation to improve accuracy, safety, and speed125
J. Lowenstein, Morristown Medical Center/NYU Langone Health, Morristown, NJ, USA

Afternoon Seminar 1

15 : 25~16 : 55

Moderator : **Y. Matsuyama**

Latest Information from Experts on the Prevention of Complications in Spinal Procedures

- 1-2-AS1-1 SSI prevention update on Spinal surgery125
K. Yamada, et al., Nakanoshima Orthop. /Orthop. Surg., Sensory and Motor System Medicine,
Surgical Sciences, Graduate School of Medicine, The Univ. of Tokyo/OrthoSupport

- 1-2-AS1-2 My Idea of Effective Hemostasis in Spine Surgery126
H. Nakashima, Dept. of Orthop./Rheumatology, Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.

Invited Lecture 1

17 : 05~18 : 05

Moderator : **H. Moridaira**

- 1-2-IL1-1 Medical research management based on "Ethical Guidelines for Medical and Biological Research Involving Human Subjects"126
N. Uesugi, Comprehensive Research Facilities for Advanced Medical Science., Dokkyo Medical Univ.

Overseas Invited Lecture 2

18 : 15~19 : 15

Moderator : **Y. Matsuyama**

- 1-2-OIL2-1 Direct reduction of high-grade lumbosacral spondylolisthesis with anterior cantilever technique -surgical technique note and preliminary results-127
C. Lee, Taichung Veterans General Hosp., Taiwan
- 1-2-OIL2-2 Modic changes: Have we misunderstood them all along? Insights from multimodal imaging ...127
S. Rajasekaran, et al., Dept. of Orthop., Trauma & Spine Surg., Ganga Hosp., Coimbatore, India

Room 3

Main Theme 1

8 : 10~9 : 00

Moderator : **H. Nagashima**

Problems of Osteoporosis Associated with Spine Surgery

- 1-3-M1-1 Effects of short-term administration of romosozumab on bone formation on cancellous and cortical bone of the ilium128
K. Sawakami, et al., Dept. of Orthop. Surg., Tominiga-Kusano Hosp.
- 1-3-M1-2 Algorithm of opportunistic screening for osteoporosis using thoracolumbar computed tomography scans128
M. Furuya, et al., Dept. of Orthop. Surg., Osaka Rosai Hosp.
- 1-3-M1-3 Does present fracture of adjacent vertebral body reduce adjacent vertebral body fracture after BKP?129
K. Matsumoto, et al., Dept. of Orthop. Surg., Nihon Univ.

1-3-M1-4	Clinical efficacy of Hounsfield units measured by lumbar computer tomography in 5-year outcomes of lumbar spine surgery129 <i>H. Taniwaki, et al.</i> , Scoliosis Center Dept. of Pediatric Orthop. Surg., Osaka City General Hosp.
1-3-M1-5	Evaluation of bone structure in thoracic vertebra of upper adjacent vertebra after spinal deformity surgery.130 <i>T. Ikeda, et al.</i> , Dept. of Orthop. Surg., Kindai Univ. Faculty of Medicine
1-3-M1-6	Effect of bone bridging on fracture morphology and surgical outcomes in thoracic to lumbar spine fractures in the elderly.130 <i>M. Furukawa, et al.</i> , Dept. of Orthop. Surg. Murayama medical center

Kakuchi-Nisshin Debate 1

9 : 20~10 : 20

Moderator : **D. Togawa**

Approach the Essence of the Treatment -Osteoporotic Vertebral Fracture BKP vs MIST

1-3-KD1-1	How far can BKP go in osteoporotic vertebral fractures?131 <i>S. Takahashi, et al.</i> , Dept. of Orthop. Surg., Osaka Metropolitan Univ. Graduate School of Medicine
1-3-KD1-2	Lateral access corpectomy for osteoporotic vertebral collapse -Correct choice of surgical method, procedure and technique-131 <i>M. Ishihara, et al.</i> , Dept. of Orthop. Surg., Kansai Medical Univ. Hosp.

Main Theme 2

10 : 40~11 : 30

Moderator : **K. Takeshita**

Frailty, Sarcopenia, Locomotive Syndrome

1-3-M2-1	Erector spinae fatty degeneration and multifidus atrophy are Risk Factors for Adult Spinal Deformity Progression132 <i>K. Nagata, et al.</i> , Dept. of Orthop. Surg., Wakayama Medical Univ.
1-3-M2-2	Relationship between adjacent vertebral fracture after balloon kyphoplasty and trunk muscle132 <i>N. Sumiyoshi, et al.</i> , Dept. of Orthop. Surg., Matsuyama Red Cross Hosp.
1-3-M2-3	Effects of locomotion training on the spine-pelvis-lower extremity alignment in locomotive syndrome: a prospective>2-year cohort study133 <i>T. Yurube, et al.</i> , Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine
1-3-M2-4	Evaluation of locomotive functional improvement after surgery for lumbar spinal canal stenosis133 <i>Y. Yamada, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medical Sciences, Kanazawa Univ.

1-3-M2-5	Is nutritional status related to the development of the locomotive syndrome? A longitudinal study based on resident health examinations134 T. Matsumoto, et al. , Dept. of Orthop./Rheumatology, Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.
1-3-M2-6	The prevalence and characteristics of Sarcopenia and Dynapenia in patients with osteoporosis134 Y. Tanaka, et al. , Dept. of Orthop. Surg., Kitasato Univ.

Luncheon Seminar 2

11 : 40~12 : 40		Moderator : M. Yamazaki
1-3-LS2-1	Basic strategies for innovative medical technologies: approach to large funds135 H. Sudo , Dept. of Orthop. Surg., Hokkaido Univ.	

Main Theme 3-1

15 : 25~16 : 15		Moderator : T. Yoshii
Novel Technology for Diagnosis and Treatment of Spine Diseases - AI -		
1-3-M3-1-1	Development of AI Algorithm for Automatic Cobb Angle Measurement in spinal deformities135 S. Kato, et al. , Dept. of Orthop. Surg., Keio Univ.	
1-3-M3-1-2	Three-dimensional depth sensor imaging with AI to identify scoliosis: a prospective cohort study about accuracy of test with underwear.136 Y. Ishikawa, et al. , Dept. of Orthop. Surg., Faculty of Medicine and Graduate School of Medicine, Hokkaido Univ.	
1-3-M3-1-3	Differentiating magnetic resonance images of pyogenic spondylitis and spinal Modic change using a convolutional neural network136 T. Mukaihata, et al. , Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.	
1-3-M3-1-4	Investigation of the utility of 3D images of lumbosacral nerve roots created using AI technology in clinical practice137 D. Ukeba, et al. , Dept. of Orthop. Surg., Faculty of Medicine and Graduate School of Medicine, Hokkaido Univ.	
1-3-M3-1-5	Development of an AI-Based Prediction Model for Prognosis after Cervical Spine Injury -JASA Multicenter Study of 1512 Cases-137 S. Ito, et al. , Dept. of Orthop./Rheumatology, Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.	

- 1-3-M3-1-6 Evaluation of the lumbar spinal nerve activity by the femoral and lateral femoral cutaneous nerve stimulation method by magnetoneurography138
H. Higashikawa, et al., Dept. of Orthop. and Spinal Surg., Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.

Afternoon Seminar 2

16 : 20~17 : 20

Moderator : **M. Hoshino**

- 1-3-AS2-1 Efficacy and safety of balloon kyphoplasty including vertebral body stenting for osteoporotic vertebral fractures138
A. Minamide, Spine Center, Dept. of Orthop. Surg., Dokkyo Medical Univ. Nikko Medical Center

Kakuchi-Nisshin Debate 2

17 : 25~18 : 25

Moderator : **K. Sairyo**

Approach the Essence of the Treatment -Foraminal Stenosis MED vs PETLIF

- 1-3-KD2-1 Our strategies for Microendoscopic decompression surgery for lumbar foraminal stenosis139
S. Murata, et al., Dept. of Orthop. Surg., Wakayama Medical Univ.
- 1-3-KD2-2 Indications for PETLIF (Full-endoscopic Transforaminal Lumbar Interbody Fusion) for the treatment of intervertebral foraminal stenosis139
K. Nagahama, et al., Dept. of Orthop. Surg., Sapporo Endoscopic Spine Surg. Clinic, Dept. of Orthop. Surg., Faculty of Medicine and Graduate School of Medicine, Hokkaido Univ.

Main Theme 3-2

18 : 30~19 : 20

Moderator : **T. Saito**

Novel Technology for Diagnosis and Treatment of Spine Diseases - Navigation -

- 1-3-M3-2-1 Is robotics more accurate than navigation?: a propensity score matching analysis of adolescent idiopathic scoliosis patients.140
T. Akazawa, et al., Dept. of Orthop. Surg., St. Marianna Univ. School of Medicine
- 1-3-M3-2-2 Application of DICOM 3DCG Viewer to enhance anatomical understanding for blood vessels running around lumbar spine140
T. Hikata, et al., Dept. of Orthop. Surg., Kitasato Univ Kitasato Insti Hosp.
- 1-3-M3-2-3 An Experience of PPS using with 3D C-arm and Navigation: A Novel Reference Frame for LLIF using with OEC 3D C-arm and Curve2 Navigation141
N. Manabe, et al., Dept. of Orthop. Surg., East Maebashi Orthop. Hosp.

1-3-M3-2-4	Regional distribution of computed tomography attenuation across the lumbar endplate141 <i>K. Segami, et al.</i> , Dept. of Orthop. Surg., Fujigaoka Hosp., Showa Univ.
1-3-M3-2-5	Verification of pullout strength of double endplates penetrating screw (DEPS) technique using finite element method142 <i>T. Takeuchi, et al.</i> , Dept. of Orthop. Surg., Kyorin Univ.,
1-3-M3-2-6	Efficacy of Smart Glasses for Percutaneous Pedicle Screw Insertion142 <i>Y. Hiranaka, et al.</i> , Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine

Room 4

English Presentation Award 1

8 : 10~9 : 00

Moderator : **M. Takahata**

AI (Artificial Intelligence)

1-4-EPA1-1	Screening for Spinal Disease by Clinically Oriented Gait Analysis Using Deep Learning143 <i>Y. Moriguchi, et al.</i> , Medical Center for Translational and Clinical Research, Osaka Univ.
1-4-EPA1-2	Artificial neural networks for the detection of odontoid fracture by KNIME analytics platform143 <i>W. Liawrungrueang</i> , Dept. of Orthop., School of Medicine, Univ. of Phayao, Phayao, Thailand
1-4-EPA1-3	AI prediction of AIS progression by Integrating 2D radiographs and 1D clinical data144 <i>J. Cheung, et al.</i> , Dept. of Orthop. and Traumatology, The Univ. of Hong Kong
1-4-EPA1-4	Automated identification of pedicle screw-based instrumentation using convolutional neural networks on plain radiographs of spine144 <i>W. Hsiung, et al.</i> , Dept. of Orthop., Taipei Veterans General Hosp.
1-4-EPA1-5	Bimodal Artificial Intelligence Differentiating Spinal Tumors based on Integrated Magnetic Resonance Imaging and Patient Information145 <i>K. Kita, et al.</i> , Dept. of Artificial Intelligence Diagnostic Radiology, Osaka Univ., Osaka, Japan
1-4-EPA1-6	Development of Artificial Intelligence to Predict DXA Bone Density from Lumbar Spine CT Images145 <i>T. Fujimori, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ.

English Presentation Award 2

9 : 20~10 : 10

Moderator : **S. Kato**

Prognosis

1-4-EPA2-1	Long-term effects of diffuse idiopathic skeletal hyperostosis on physical function: a longitudinal analysis146 <i>S. Li, et al.</i> , Orthop. Surg., Hamamatsu Univ. School of Medicine, Hamamatsu, Japan
------------	--

1-4-EPA2-2	Association of inflammation, ectopic bone formation, and sacroiliac joint variation in ossification of the posterior longitudinal ligament146 T. Nguyen, et al. , Dept. of Orthop. Surg., Univ. of Toyama
1-4-EPA2-3	Assessment of cervical myelopathy risk in OPLL patients with spinal cord compression based on segmental dynamic versus static factors147 Z. He, et al. , Dept. of Orthop. Surg., Faculty of Medicine, Univ. of Toyama, Toyama, Japan
1-4-EPA2-4	Osteoporotic vertebral fracture patients with poor prognostic MRI findings have poor nutritional status147 T. Yasuda, et al. , Dept. of Orthop. Surg., Iwata city Hosp.
1-4-EPA2-5	Decreased psoas muscle area is a prognosticator for 90-day survival in patients undergoing surgical treatment for spinal metastasis148 M. Hu, et al. , Dept. of Orthop., National Taiwan Univ. Hosp., Taipei, Taiwan
1-4-EPA2-6	Clinical significance of the prognostic nutritional index in patients who underwent surgery for spinal metastasis148 S. Kim, et al. , Dept. of Orthop. Surg., Seoul Saint Mary's Hosp., The Catholic Univ. of Korea

English Presentation Award 3

10 : 40~11 : 30

Moderator : **N. Nagoshi**

Cervical Spine

1-4-EPA3-1	A Meta-Analysis of Stand-alone Cage and Anterior Cervical Plate in the Treatment of Cervical Degenerative Disease149 I. Wiguna , Dept. of Orthop. and Traumatology, Univ. of Udayana
1-4-EPA3-2	Surgical Complications and Incomplete Canal Widening of the Vertebral Body Sliding Osteotomy to Treat Cervical Myelopathy149 S. Cho, et al. , Dept. of Orthop. Surg., Ilsan Paik Hosp., Univ. of Inje, Gyeonggido, Republic of Korea
1-4-EPA3-3	Blunt Cerebrovascular Injury in the Elderly with Spinal Cord Injury -JASA Multicenter Study-150 H. Suzuki, et al. , Dept. of Orthop. Surg., Graduate School of Medicine, Yamaguchi Univ.
1-4-EPA3-4	Prediction of problematic spasticity in early phase of spinal cord injury: A prospective cohort study150 K. Yokota, et al. , Dept. of Orthop. Surg., Spinal Injuries Center
1-4-EPA3-5	Does dysphagia cause pneumonia following acute traumatic cervical spinal cord injury?151 T. Hayashi, et al. , Dept. of Orthop. Surg., Spinal Injuries Center, Fukuoka, Japan
1-4-EPA3-6	Perioperative complications and medical costs associated with epidemic preventive management after SCI surgery during the COVID-19 pandemic151 H. Ushirozako, et al. , Dept. of Orthop. Surg., Hokkaido Spinal Cord Injury Center, Bibai, Japan

Luncheon Seminar 3

11 : 40~12 : 40

Moderator : **K. Otani**

Usefulness of Low-dose Standing Whole-body Stereoradiography System and New Platform.

- 1-4-LS3-1 Clinical significance of biplanar slot-scanning full body stereoradiography152
K. Hasegawa, et al., Niigata Spine Surgery Center
- 1-4-LS3-2 Examining the roles of low-dose stereoradiography systems in Spine Surgery and its challenges for implementation152
N. Kawakami, Ichinomiyanishi Hospital

English Presentation Award 4

15 : 25~16 : 15

Moderator : **D. Sakai**

Basic Research/Translational Research

- 1-4-EPA4-1 Papaverine as a neuroprotection drug for spinal cord injury targeting on blood-spinal cord barrier protection153
Y. Suzuki, et al., Dept. of Orthop. Surg., Faculty of Medicine and Graduate School of Medicine, Hokkaido Univ.
- 1-4-EPA4-2 Progenitor cells derived from iliac crest autograft survive, induce endochondral ossification, and contribute to lumbar fusion153
T. Oyaizu, et al., Dept. of Orthop., Dept. of Orthop. Surg., Graduate school of Tokyo Medical and Dental Univ.
- 1-4-EPA4-3 Multilayer Electrospun-Aligned Fibroin/Gelatin Implant for Annulus Fibrosus Repair: An in vitro and in vivo evaluation154
C. Chen, et al., Dept. of Orthop. Surg., National Taiwan Univ. College of Medicine and National Taiwan Univ. Hosp., Taipei, Taiwan
- 1-4-EPA4-4 Normative values of quantitative sensory testing (QST), pressure pain thresholds (PPT), in Asian population154
H. Suzuki, et al., Dept. of Orthop. Surg., Graduate School of Medicine, Yamaguchi Univ.
- 1-4-EPA4-5 Ethnic variation in cervical spine canal dimensions155
J. Baker, et al., Dept. of Surg., Univ. of Auckland, Auckland, New Zealand
- 1-4-EPA4-6 Withdrawn

Afternoon Seminar 3

16 : 20~17 : 20

Moderator : **K. Yokosuka**

Lumbar Interbody Fusion

- 1-4-AS3-1 Lumbar degenerative disorders in super aging society: the potential of novel treatments156
N. Fujita, Dept. of Orthop. Surg., Fujita Health Univ.
- 1-4-AS3-2 Development and Clinical Application of silver-containing hydroxyapatite (Ag-HA) coated cages
156
T. Morimoto, Dept. of Orthop. Surg., Saga Univ.

English Presentation Award 5

17 : 30~18 : 20

Moderator : **H. Shigematsu**

AIS

- 1-4-EPA5-1 Immediate versus gradual brace weaning for adolescent idiopathic scoliosis: A randomized
 controlled trial157
J. Cheung, et al., Dept. of Orthop. and Traumatology, The Univ. of Hong Kong
- 1-4-EPA5-2 The utility of the Proximal Humerus Ossification System (PHOS) for brace weaning in AIS157
J. Cheung, et al., Dept. of Orthop. and Traumatology, The Univ. of Hong Kong
- 1-4-EPA5-3 C7 Central Line Is an Important Parameter for the UIV Selection in Lenke 5 Adolescent
 Idiopathic Scoliosis (AIS) Patients158
W. Chung, et al., Dept. of Orthop. Surg., NOCERAL, Faculty of Medicine, Universiti Malaya, Kuala
 Lumpur, Malaysia
- 1-4-EPA5-4 Coronal imbalance in selective thoracic fusion for AIS is determined by curve overcorrection...158
J. Cheung, et al., Dept. of Orthop. and Traumatology, The Univ. of Hong Kong
- 1-4-EPA5-5 Clinical decision making is affected by directed or non-directed standing postures in adolescent
 idiopathic scoliosis159
J. Cheung, et al., Dept. of Orthop. and Traumatology, The Univ. of Hong Kong
- 1-4-EPA5-6 The Prevalence and Distribution of Narrow Dysplastic and Fully Corticalized Pedicles (6494) in
 AIS Patients with Major Main Thoracic Curves159
C. Chiu, et al., Dept. of Orthop. Surg., NOCERAL, Faculty of Medicine, Universiti Malaya

English Presentation Award 6

18 : 30~19 : 20

Moderator : **H. Ueda**

Outcome; Infeciton, ASD

- 1-4-EPA6-1 Incidence of surgical site infection following lateral lumbar interbody fusion compared with posterior lumbar interbody fusion160
S. Masuda, et al., Dept. of Orthop. Surg., Graduate School of Medicine, Kyoto Univ.
- 1-4-EPA6-2 Minimally Invasive Surgery vs. Open Surgery for Infectious Spondylodiscitis: A Meta-Analysis160
I. Arimbawa, et al., Dept. of Orthop. and Traumatology, Univ. of Udayana
- 1-4-EPA6-3 Medical complications following adult spinal deformity correction in patients with autoimmune disease: A 2-year follow-up161
R. Madelar, et al., Dept. of Orthop., Hamamatsu Univ. School of Medicine
- 1-4-EPA6-4 Operative outcomes of adult spinal deformity correction using the 5-item modified frailty index161
R. Madelar, et al., Dept. of Orthop., Hamamatsu Univ. School of Medicine
- 1-4-EPA6-5 3D Computed Tomography Analysis of Vertebral Column Length and Spinal Canal Length After Corrective Surgeries of Adult Spinal Deformities162
H. Dinh, et al., Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine
- 1-4-EPA6-6 Lateral Lumbar Interbody Fusion adjacent to Pedicle Subtraction Osteotomy Reduces Mechanical Complications Requiring Revision Surgery162
J. Ahn, et al., Dept. of Orthop. Surg., Bucheon St. Mary's Hosp., College of Medicine, The Catholic Univ. of Korea

Room 5

Free Papers 1

8 : 10~9 : 00

Moderator : **H. Kanno**

ASD Pathology 1

- 1-5-F1-1 Effect of nutritional status on spinal sagittal alignment and back pain in osteoporosis patients163
A. Kuroda, et al., Dept. of Orthop. Surg., Kitasato Univ.
- 1-5-F1-2 Radiographic evaluation of spinal deformity in cases of trunk and lower limb muscle weakness.163
J. Tsumura, et al., Dept. of Orthop. Surg., Asahikawa Medical Univ.
- 1-5-F1-3 Relationship among sagittal whole body alignment/standing balance/health-related quality of life and skeletal muscle mass164
S. Hatsushikano, et al., Niigata Spine Surg. Center

- 1-5-F1-4 Prevention of progression of posterior pelvic tilt with back strengthening exercise and the effect on quality of life164
M. Hongo, et al., Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine
- 1-5-F1-5 Detection of cognitive decline by spinal posture assessment in health exam for the general older population.165
S. Ikegami, et al., Dept. of Orthop. Surg., Shinshu Univ.
- 1-5-F1-6 The effect of age-related low vision on Global Spinal Alignment -Yakumo Study-165
S. Ito, et al., Dept. of Orthop./Rheumatology, Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.

Free Papers 2

9 : 20 ~ 10 : 10

Moderator : **J. Katayanagi**

ASD Pathology 2

- 1-5-F2-1 Prediction of the standing pelvic parameters using anatomical pelvic parameters in healthy Japanese166
M. Ohashi, et al., Div. of Orthop. Surg., Dept. of Regenerative and Transplant Medicine, Niigata Univ. Graduate School of Medical and Dental Sciences
- 1-5-F2-2 Does lower Sagittal Touched Vertebra reflect worsening of spinopelvic alignment over years?166
Y. Mihara, et al., Dept. of Orthop. at Nagoyakyouritu Hosp.
- 1-5-F2-3 The Roussouly classification and characteristics of sagittal alignment of healthy volunteers167
M. Sakamoto, et al., Kyoto City Hosp.
- 1-5-F2-4 Characteristics of spinal balance and skeletal muscle mass in Parkinson's disease -From the database of Parkinson's disease patients-167
H. Matsui, et al., Dept. of Orthop. Surg., National Center for Geriatric and Gerontology
- 1-5-F2-5 Spinal parameters and acetabular anteversion on standing position in adult spinal deformity surgery168
I. Kawamura, et al., Dept. of Orthop. Surg., Graduate School of Medical and Dental Sciences, Kagoshima Univ.
- 1-5-F2-6 Mid-term results and spinal alignment after spinal deformity surgery for adults over 80 years old ~5-year follow-up cases after surgery168
K. Kusano, et al., Dept. of Orthop. Surg., Kudanzaka Hosp.

Free Papers 3

10 : 40~11 : 30

Moderator : **M. Hongo**

ASD Diagnosis & Conservative Treatment

- 1-5-F3-1 Dysregulation of inflammatory pathways in adult spinal deformity patient with frailty169
T. TABATA, et al., Dept. of Orthop. Surg., Keio Univ.
- 1-5-F3-2 Deep vein thrombosis and pulmonary embolism after posterior correction surgery for adult spinal deformity169
S. Mizobuchi, et al., Dept. of Orthop. Surg., Kochi Medical School, Kochi Univ.
- 1-5-F3-3 How Effective is Therapeutic Exercise for Low Back Pain in ASD patients?170
T. Endo, et al., Aizu Medical Center, Fukushima Medical Univ. Dept. Of Spinal Surg.
- 1-5-F3-4 Prevention of GERD recurrence ten years after adult spinal deformity corrective surgery170
T. Hasegawa, et al., Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine
- 1-5-F3-5 Effectiveness of Different Exercise Therapy Interventions for Chronic Low Back Pain Patients with Spinal Deformity.171
M. Nakagawa, et al., Spine Care Center, Wakayama Medical Univ. Kihoku Hosp.
- 1-5-F3-6 Comparative Study of Locomotive Syndrome Characteristics of Adult Spinal Deformity and Lumbar Spinal Canal Stenosis171
T. Ohba, et al., Dept. of Orthop. Surg., Graduate School of Medical Science, Univ. of Yamanashi

Luncheon Seminar 4

11 : 40~12 : 40

Moderator : **Y. Kawaguchi**

- 1-5-LS4-1 The future of regenerative medicine for spinal cord injury172
H. Kumamaru, Kyushu Univ. Beppu Hosp.

Free Papers 4

15 : 25~16 : 15

Moderator : **T. Banno**

ASD Surgery 1

- 1-5-F4-1 Clinical outcomes of corrective fusion in the patients with Parkinson's disease -Comparison with degenerative kyphoscoliosis.172
Y. Yamato, et al., Dept. of Geriatric Musculoskeletal Health, Hamamatsu Univ. School of Medicine
- 1-5-F4-2 Are older patients who underwent corrective fusion surgery for adult spinal deformity willing to undergo same surgery again in the future?173
S. Tsutsui, et al., Dept. of Orthop. Surg., Wakayama Medical Univ.

1-5-F4-3	Postoperative Symptom Improvement and Disability of Activities of Daily Living after Adult Spinal Deformity Surgery for -Age Differences173 H. Arima, et al. , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine
1-5-F4-4	Change of PI and pelvic parameters in spino-pelvic fusion for ASD174 N. Tanaka, et al. , Dept. of Orthop. Surg., Graduate School of Medical Science, Univ. of Yamanashi
1-5-F4-5	Does Sagittal Touched Vertebra of L1 or higher reflect maintenance of upper lumbar lordosis and HRQOL over years?174 Y. Mihara, et al. , Dept. of Orthop. at Nagoyakyouritu Hosp.
1-5-F4-6	Effect of lumbosacral fusion surgery on activities of daily living (ADL)175 Y. Tani, et al. , Dept. of Orthop. Surg., Kansai Medical Univ.

Afternoon Seminar 4

16 : 20~17 : 20

Moderator : **Y. Kotani**

1-5-AS4-1	Evolution from preoperative CT navigation to robot-assisted spine surgery in a hybrid operating room175 J. Takahashi, et al. , Dept. of Orthop. Surg., Shinshu Univ.
-----------	--

Free Papers 5

17 : 30~18 : 20

Moderator : **A. Hiyama**

ASD Surgery 2

1-5-F5-1	Risk factors and incidence of rod breakage at the lumbosacral junction in adult spinal deformity surgery176 T. Sakuma, et al. , Dept. of Orthop. Surg., Seirei Sakura Citizen Hosp.
1-5-F5-2	Limitations of a S2-alar-iliac screw176 B. Otsuki, et al. , Dept. of Orthop. Surg., Graduate School of Medicine, Kyoto Univ.
1-5-F5-3	Failure of S2-alar-iliac screw pelvic fixation: the incidence and risk factors177 Y. Nagamoto, et al. , Dept. of Orthop. Surg., Osaka Rosai Hosp.
1-5-F5-4	Lumbosacral versus floating fusion for adult spinal deformity: a multicenter study of 2-year follow-up with propensity score matching177 Y. Kagami, et al. , Anjo Kosei Hosp.
1-5-F5-5	Characteristics of distal junctional failure requiring revision after adult spinal deformity surgery178 Y. Ishikawa, et al. , Akita Kousei Medical Center

- 1-5-F5-6 Analysis of stress distribution on S1 pedicle and iliac fixation screw in adult spinal deformity correction using finite element model178
H. Tachi, et al., Dept. of Orthop. Surg., Faculty of Medicine and Graduate School of Medicine, Hokkaido Univ.

Free Papers 6

18 : 30~19 : 20

Moderator : **T. Kobayashi**

ASD Surgery 3

- 1-5-F6-1 Frequency and Validation of Mechanical Complication (MC) after Adult Spinal Deformity Surgery Using the GAP Score179
T. Kanto, et al., Dept. of Orthop. Surg., Dokkyo Medical Univ.
- 1-5-F6-2 Risk factor and satisfaction analysis of PJK following adult spinal deformity surgery with thoracopelvic fusion179
Y. Kinoshita, et al., Dept. of Orthop. Surg., Osaka Metropolitan Univ. Graduate School of Medicine
- 1-5-F6-3 Factors associated with the revision surgery for proximal junctional failure180
S. Ushio, et al., Dept. of Orthop. Surg., Kudanzaka Hosp.
- 1-5-F6-4 Survival analysis of rod fracture injury in adult spinal deformity surgery patients: a longitudinal study of frequency and risk180
H. Konuma, et al., Dept. of Orthop. Surg., Dokkyo Medical Univ. Saitama Medical Center
- 1-5-F6-5 Residual global coronal malalignment does not affect the clinical outcome in adult symptomatic lumbar deformity surgery181
M. Yagi, et al., Dept. of Orthop. Surg., Keio Univ.
- 1-5-F6-6 Type of anchor at upper instrumented vertebra does not affect the incidence of proximal junctional failure in adult spinal deformity surgery181
K. Maruo, et al., Dept. of Orthop. Surg., Hyogo College of Medicine

Room 6

Free Papers 7

8 : 10~9 : 00

Moderator : **T. Takebayashi**

Chemoneucleolysis

- 1-6-F7-1 Relationship between the Effectiveness of condoliase injection and Preoperative MRI: Focusing on the Signal of Prolapsed Medullary Nuclei182
K. Fukutake, et al., Dept. of Orthop. Surg., Toho Univ. (Omori)
- 1-6-F7-2 Investigation of pain relief time by condoliase treatment for lumbar disc herniation.182
H. Sawada, et al., Dept. of Orthop. Surg., Nihon Univ.

- 1-6-F7-3 Changes in intervertebral disc and cartilage endplates after 3 months of intradiscal enzyme injection therapy -Analysis using UTE method-.....183
A. Tsukamoto, et al., Dept. of Orthop. Surg., Sapporo Medical Univ.
- 1-6-F7-4 Chemonucleolysis with condoliase for treatment of painful lumbar disc herniation -A study for intervertebral disc degeneration-.....183
Y. Takahashi, et al., Dept. of Orthop. Surg., Keio Univ.
- 1-6-F7-5 Risk factors for poor outcomes after condoliase treatment for lumbar disc herniation184
Y. Takahashi, et al., Dept. of Orthop. Surg., Osaka Rosai Hosp.
- 1-6-F7-6 Comparison of FED, Condoliase, LOVE and MED for symptomatic lumbar disc herniation184
M. Morimoto, et al., Dept. of Orthop., Institute of Health Biosciences, Univ. of Tokushima Graduate School

Free Papers 8

9 : 20~10 : 10

Moderator : **T. Sakai**

Lumbar Endoscopic Surgery 1

- 1-6-F8-1 Risk factors of spinal epidural hematoma after lumbar endoscopic surgery and impact on 1-year patient-reported Outcomes185
H. Nakamoto, et al., Dept. of Orthop. Surg., Inanami Spine and Joint Hosp.
- 1-6-F8-2 Does continuation of antiplatelet medication affect the surgical outcomes after minimally invasive lumbar posterior decompression surgery?185
Y. Sawada, et al., Dept. of Orthop. Surg., Osaka Metropolitan Univ. Graduate School of Medicine
- 1-6-F8-3 Cases of Multiple Lumbar Endoscopic Surgery: Comparison of Symptoms Disappeared and Remaining after the First Surgery186
K. Murakami, et al., Saiseikai Wakayama Hosp.
- 1-6-F8-4 Minimally invasive spine surgery reduces stress on operating room staff and shortens overtime186
S. Hirai, et al., Dept. of Orthop. Surg., National Sagamihara Hosp.
- 1-6-F8-5 Improvement of low back pain in microendoscopic decompression surgery for lumbar spinal stenosis and preoperative predictive factors187
R. Taiji, et al., Dept. of Orthop. Surg., Wakayama Medical Univ.
- 1-6-F8-6 Microendoscopic decompression surgery (ME-MILD) for lumbar spinal canal stenosis -The technical tips and long-term clinical results-187
M. Nagae, et al., Dept. of Orthop., Graduate School of Medical Science, Kyoto Prefectural Univ. of Medicine

Free Papers 9

10 : 40~11 : 30

Moderator : **H. Hashizume**

Lumbar Endoscopic Surgery 2

- 1-6-F9-1 The influence of iliac height and posterior pelvic overhang in Outside-in Transforaminal FED at L5/S1188
T. Ogawa, et al., Hikone Municipal Hosp.
- 1-6-F9-2 Outcomes of full-endoscopic foraminotomy for lumbosacral junction foraminal stenosis188
T. Hori, et al., Dept. of Orthop. Surg., Kurobe City Hosp.
- 1-6-F9-3 Comparison of micro-endoscopic lumbar decompression with posterior interbody fusion for lumbar lateral stenosis189
Y. Ishihara, et al., Asao General Hosp. Spine Center
- 1-6-F9-4 One-year results of 190 cases with LSCS at L4/5 with decompression surgery alone (comparison by degree of degenerative spondylolisthesis)189
T. NAKAGAWA, et al., Dept. of Orthop. Surg., Sendai Orthop. Hosp.
- 1-6-F9-5 Clinical results of lumbar endoscopic unilateral laminectomy for bilateral decompression for lumbar spinal stenosis of elderly patients190
K. Yoshikane, Dept. of Orthop. Surg., Kitakyushu Municipal Medical Center
- 1-6-F9-6 The advantages of multiple intervertebral endoscopic surgery compared to multiple intervertebral direct surgery190
M. Yamada, Dept. of Orthop. Surg., Asakusa Hosp.

Luncheon Seminar 5

11 : 40~12 : 40

Moderator : **Y. Haruhisa**

- 1-6-LS5-1 XR technologies in spinal surgery and AR guided imageless surgery: its usefulness in childhood and aged deformity patients191
D. Sakai, Dept. of Orthop. Surgery, Tokai Univ. School of Medicine

Free Papers 10

15 : 25~16 : 15

Moderator : **T. Iida**

ASD LLIF

- 1-6-F10-1 Clinical and radiologic effects of OLIF51 in surgical treatment of adult spinal deformity191
Y. Kotani, et al., Dept. of Orthop. Surg., Kansai Medical Univ. Medical Center

- 1-6-F10-2 Associations of Two-staged Surgery with Systemic Perioperative Complications in Lateral Lumbar Interbody Fusion for Adult Spinal Deformity192
S. Masuda, et al., Dept. of Orthop. Surg., Graduate School of Medicine, Kyoto Univ.
- 1-6-F10-3 Examination of effectiveness of measures for coronal imbalance in CMIS for adult spinal deformity192
N. Ono, et al., Dept. of Orthop. Surg., Kansai Medical Univ.
- 1-6-F10-4 Risk factors for poor acquisition of segmental lordosis in anterior column realignment193
M. Ishihara, et al., Dept. of Orthop. Surg., Kansai Medical Univ. Hosp.
- 1-6-F10-5 Lateral interbody release via transpsoas approach for autofused vertebrae in adult spinal deformity193
M. Takami, et al., Dept. of Orthop. Surg., Wakayama Medical Univ.
- 1-6-F10-6 Postoperative fusion rate at each level after corrective surgery using LIF in patients with adult spinal deformity194
K. Takimura, et al., Meijo Hosp.

Afternoon Seminar 5

16 : 20~17 : 20

Moderator : **T. Shimizu**

- 1-6-AS5-1 Surgical Anatomy and Techniques for Hemostatic Management in Cervical and Thoracic Spine Surgery194
M. Takahata, Dept. of Orthop. Surg., Faculty of Medicine and Graduate School of Medicine, Hokkaido Univ.

Free Papers 11

17 : 30~18 : 20

Moderator : **Y. Aoki**

LLIF

- 1-6-F11-1 Does postoperative LLIF subsidence reduce indirect decompression effect? -Study on L4/5 single intervertebral fusion-195
Y. Kono, et al., Chiba Central Medical Center, Spine Center
- 1-6-F11-2 Analysis of bone union within LLIF cages: Autologous iliac bone+beta-TCP versus autologous iliac bone+DBM195
M. Chazono, et al., Dept. of Orthop. Surg., Utsunomiya National Hosp.
- 1-6-F11-3 Comparative study of perioperative blood loss between XLIF and MIS-TLIF for single level interbody fusion196
K. Aburakawa, et al., Dept. of Orthop. Surg., Aomori Prefectural Central Hosp.

1-6-F11-4	Comparison of LLIF and TLIF for lower adjacent segment disease after L3-5 floating fusion ···196 F. Arizumi, et al. , Dept. of Orthop. Surg., Hyogo College of Medicine
1-6-F11-5	The evaluation of indirect decompression after oblique lateral interbody fusion using intraoperative myelography ···········197 T. Hozumi, et al. , Dept. of Orthop. Surg., Kimitsu Chuo Hosp.
1-6-F11-6	Examination of age-dependent differences in postoperative outcomes of XLIF for lumbar degenerative ···········197 A. IKEURA, et al. , Dept. of Orthop. Surg., Kansai Medical Univ. Medical Center

Free Papers 12

18 : 30~19 : 20

Moderator : **K. Matsudaira**

Multicenter Study

1-6-F12-1	Characteristics of lumbar vertebral body shape in patients with lumbar surgery ·······198 T. Yoshihara, et al. , Dept. of Orthop. Surg., Saga Univ.
1-6-F12-2	Quantitative measurements of hip abduction strength and knee flexion strength in lumbar surgery patients ·········198 Y. Hatakeyama, et al. , Dept. of Orthop. Surg., Akita Red Cross Hosp.
1-6-F12-3	Body composition in non-older patients with degenerative lumbar spine disease -Comparison with healthy volunteers- ·········199 M. Tanaka, et al. , Dept. of Orthop. Surg., Juntendo Univ. Nerima Hosp.
1-6-F12-4	Factors associated with improvement in tibialis anterior weakness due to lumbar degenerative disease ·········199 Y. Imajo, et al. , Dept. of Orthop. Surg., Yamaguchi Univ. Graduate School of Medicine
1-6-F12-5	Effectiveness of surgical intervention in patients with spinal degenerative diseases with anxiety or depression 1 year postoperatively ·········200 T. Sada, et al. , Dept. of Orthop. Surg., Nara City Hosp.
1-6-F12-6	Timing of surgery in spinal cord disease with urinary retention ·········200 D. Sakuma, et al. , Dept. of Orthop. Surg., Graduate School of Medical and Dental Sciences, Kagoshima Univ.

Room 7

Free Papers 13

8 : 10 ~ 9 : 00

Moderator : **T. Tsuji**

Global Alignment

- 1-7-F13-1 Clinical results of unilateral total facetectomy without instrumentation for spinal tumors.....201
Y. Matsubayashi, et al., Orthop. Surg., Sensory and Motor System Medicine, Surgical Sciences, Graduate School of Medicine, The Univ. of Tokyo
- 1-7-F13-2 The effect of age-adjusted sagittal alignment on the result of decompression surgery for the lumbar spinal stenosis201
M. Kawai, et al., Dept. of Orthop. Surg., Keio Univ.
- 1-7-F13-3 Change in spinal alignment after posterior decompression in lumbar spinal stenosis surgery ...202
T. USHIMAKI, et al., Dept. of Orthop., Juntendo Univ.
- 1-7-F13-4 Does preoperative sagittal imbalance affect the clinical outcomes in short-segment lumbar interbody fusion?202
Y. Shimamura, et al., Spine Center, Hakodate Central General Hosp.
- 1-7-F13-5 Changes in spinal sagittal alignment and center of gravity sway after lumbar intervertebral fusion for lumbar degenerative spondylolisthesis203
T. Mizouchi, et al., Spine Center, Dept. of Surg., Niigata Central Hosp.
- 1-7-F13-6 Risk factors on standing spinopelvic parameters for vertebral body slippage in patients with lumbar degenerative spondylolisthesis203
S. Matsuya, et al., Dept. of Orthop. Surg., Tohoku Rosai Hosp.

Free Papers 14

9 : 20 ~ 10 : 10

Moderator : **Y. Abe**

New Technology (AI & AR)

- 1-7-F14-1 Development of AI software to support quantitative diagnosis of vertebral fracture using low dose CT scan for lung cancer screening204
E. Nakamura, et al., Dept. of Orthop. Surg., School of Medicine, Univ. of Occupational and Environmental Health
- 1-7-F14-2 Development of a new diagnostic imaging system for lumbar vertebral fracture by AI using smartphone images.....204
T. Morisako, et al., Miyoshi Central Hosp.

- 1-7-F14-3 Application of augmented reality navigation-guided microscopic surgery for spinal cord tumor205
F. Tezuka, et al., Dept. of Orthop., Institute of Biomedical Sciences, Tokushima Univ. Graduate School
- 1-7-F14-4 3D morphological analysis of Kambin's triangle based on full-endoscopic transforaminal approach using lumbar nerve root images created by AI205
K. Yamada, et al., Dept. of Orthop. Surg., Faculty of Medicine and Graduate School of Medicine, Hokkaido Univ.
- 1-7-F14-5 Development of software for automatic sizing and placement of pedicle screws in posterior corrective and fusion surgery for scoliosis206
K. Watanabe, et al., Dept. of Orthop. Surg., Keio Univ.
- 1-7-F14-6 Machine learning web application for predicting functional outcomes in patients with spinal cord injury following inpatient rehabilitation206
S. Maki, et al., Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.

Free Papers 15

10 : 40~11 : 30

Moderator : **T. Akazawa**

New Technology (Robotic Surgery & Navigation)

- 1-7-F15-1 Consideration of the difficult cases about pedicle screw insertion assisted by navigated spinal robot.....207
Y. Nagatani, et al., Dept. of Orthop. Surg., Konan Kosei Hosp.
- 1-7-F15-2 Examination of learning curves and problems in the introduction of spine surgery support robots207
K. Kawashima, et al., Dept. of Orthop. Surg., Kansai Medical Univ. Hosp.
- 1-7-F15-3 Learning curve of robotic spine surgery -The early experience and problem-208
K. Yamashita, et al., Dept. of Orthop., Institute of Biomedical Sciences, Tokushima Univ. Graduate School
- 1-7-F15-4 The Operation Time, Screw Placement Time and Fluoroscopy Time for Robotic-assisted Spine Surgery208
Y. Torii, et al., Dept. of Orthop. Surg., St. Marianna Univ. School of Medicine
- 1-7-F15-5 Patient-specific template-guided screw placement using cortical bone trajectory technique for improving perioperative outcomes209
K. Matsukawa, et al., Dept. of Orthop. Surg., Murayama Medical Center
- 1-7-F15-6 Initial Experiences of a Next-Generation Augmented Reality-based navigation "ClarifEye"209
K. Ishii, et al., Dept. of Orthop. Surg., International Univ. of Health and Welfare

Luncheon Seminar 6

11 : 40~12 : 40

Moderator : **Y. Nakagawa**

- 1-7-LS6-1 Surgical treatment of cervical radiculopathy: indications and limitations of full-endoscopic posterior cervical foraminotomy210
K. Ohmori, Center for Spinal Surgery, Nippon Koukan Hosp.

Free Papers 16

15 : 25~16 : 15

Moderator : **K. Saita**

OPLL/OYL (Pathology)

- 1-7-F16-1 Bone turnover markers in patients with thoracic ossification of the posterior longitudinal ligament.210
K. Sasaki, et al., Dept. of Orthop. Surg., The Univ. of Tokyo Hosp., The Univ. of Tokyo
- 1-7-F16-2 Predictive biomarkers of ossification progression in patients with cervical ossification of the posterior longitudinal ligament211
K. Katsumi, et al., Spine Center, Dept. of Orthop. Surg., Niigata Central Hosp.
- 1-7-F16-3 Association of dyslipidemia with the development of symptomatic ossification of the posterior longitudinal ligament211
S. Fukada, et al., Spine Center, Hakodate Central General Hosp.
- 1-7-F16-4 Usefulness of advanced glycation end-products for detecting ossification of the posterior longitudinal ligament in the thoracic spine212
T. Doi, et al., Dept. of Orthop. Surg., The Univ. of Tokyo Hosp., The Univ. of Tokyo
- 1-7-F16-5 Clinical characteristics of patients with cervical or thoracic myelopathy caused by ossification of the posterior longitudinal ligament.212
S. Ogihara, et al., Dept. of Orthop. Surg., Saitama Medical Center, Saitama Medical Univ.
- 1-7-F16-6 Patients with ossification of the posterior longitudinal ligament have increased whole-body bone density213
R. Fujita, et al., Dept. of Orthop. Surg., Faculty of Medicine and Graduate School of Medicine, Hokkaido Univ.

Afternoon Seminar 6

16 : 20~17 : 20

Moderator : **S. Inami**

- 1-7-AS6-1 Osteoporosis Management Strategies~A Review of Osteoporosis Treatment Options~.....213
S. Kamiishi, Kamiishi Spine Osteoporosis Clinic

Free Papers 17

17 : 30~18 : 20

Moderator : **K. Ando**

OPLL/OYL (Outcome)

- 1-7-F17-1 Characteristics of cervical spine alignment in patients more than 10 years after laminoplasty for OPLL214
N. Otomo, et al., Dept. of Orthop. Surg., International Univ. of Health and Welfare
- 1-7-F17-2 Investigation for factors causing poor surgical outcomes in patients with long-term follow-up after posterior surgery for cervical OPLL214
N. Otomo, et al., Dept. of Orthop. Surg., International Univ. of Health and Welfare
- 1-7-F17-3 The comparison between OPLL and CSM in terms of health-related quality of life: a prospective, multicenter study215
G. Uesugi, et al., Dept. of Orthop. and Spinal Surg., Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.
- 1-7-F17-4 Comparison of surgical outcomes of posterior cervical decompression between CSM and OPLL: A retrospective multicenter study of 814 cases215
S. Nori, et al., Dept. of Orthop. Surg., National Hospital Organization Tokyo Medical Center
- 1-7-F17-5 Postoperative paralysis after anterior decompression through a posterior approach for thoracic OPLL.216
K. Takahashi, et al., Dept. of Orthop. Surg., Tohoku Univ. Graduate School of Medicine
- 1-7-F17-6 Long-term results of posterior decompression fusion for thoracic posterior longitudinal ligament ossification216
J. Maruyama, et al., Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.

Free Papers 18

18 : 30~19 : 20

Moderator : **T. Maeda**

DISH

- 1-7-F18-1 Relationship between diffuse idiopathic skeletal hyperostosis and physical function in the general elderly population217
M. Uehara, et al., Dept. of Orthop. Surg., Shinshu Univ.
- 1-7-F18-2 Comparative study of ossification tendency and alignment in DISH and AS by matching age and sex. -A multicenter study-217
T. Takahashi, et al., Dept. of Orthop. and Spinal Surg., Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.

- 1-7-F18-3 The Prevalence and Characteristics of Diffuse Idiopathic Skeletal Hyperostosis (DISH): A Cross-Sectional Study of 1519 Japanese Individuals218
H. Ikuma, et al., Dept. of Orthop. Surg., Kagawa Prefectural Central Hosp.
- 1-7-F18-4 the predictive factor of corrective loss after posterior fixation for vertebral fracture of diffused idiopathic skeletal hyperostosis218
Y. Okada, et al., Dept. of Orthop. Surg., Chutoen General Medical Center
- 1-7-F18-5 Efficacy and limitation of BKP for osteoporotic vertebral fractures with DISH219
Y. Tsuchikawa, et al., Dept of Orthop Surg, JA Hiroshima General Hosp.
- 1-7-F18-6 Clinical outcomes of BKP for OVF with DISH219
H. Murata, et al., Shimura Hosp.

Room 8

Free Papers 19

8 : 10~9 : 00

Moderator : **Y. Hiraizumi**

Cervical Myelopathy (Diagnosis)

- 1-8-F19-1 Characteristics of gait disturbance in compression cervical myelopathy: gait analysis by severity220
T. Makino, et al., Div. of Orthop. Surg., Dept. of Regenerative and Transplant Medicine, Niigata Univ. Graduate School of Medical and Dental Sciences
- 1-8-F19-2 Differentiation of neurodegenerative disease from compression myelopathy using motor evoked potential220
N. Kamei, et al., Dept. of Orthop. Surg., Graduate School of Biomedical and Health Sciences, Hiroshima Univ.
- 1-8-F19-3 Do the improvement of numbness relate to somatosensory evoked potential recovery after surgery for cervical spondylotic myelopathy?221
S. Kawasaki, et al., Dept. of Orthop. Surg., Nara Medical Univ.
- 1-8-F19-4 A novel methods of evaluation of upper extremity function using tablet PC in cervical myelopathy patients221
T. Moroi, et al., Dept. of Orthop. Surg., Kyorin Univ.,
- 1-8-F19-5 Can Performance Tests Be an Indicator of Postoperative Satisfaction After Cervical Spine Surgery?222
K. Nagashima, et al., Dept. of Orthop. Surg., Yokohama Minami Kyosai Hosp.
- 1-8-F19-6 Studies in the Falls Efficacy Scale-International for patients with cervical compressive myelopathy: reliability, validity, and MCID222
H. Hirai, et al., Dept. of Orthop. Surg., Osaka Medical and Pharmaceutical Univ.

Free Papers 20

9 : 20 ~ 10 : 10

Moderator : **A. Kimura**

Myelopathy (Pathology)

- 1-8-F20-1 Frailty is a risk factor for poor surgical outcomes after posterior decompression surgeries in patients with cervical spondylotic myelopathy223
A. Umei, et al., Dept. of Orthop. Surg., National Defense Medical College
- 1-8-F20-2 The relationship between the pathology of cervical myelopathy and X-ray findings of the cervical spine.223
T. Niimura, et al., Dept. of Orthop. Surg., Yokohama Minami Kyosai Hosp.
- 1-8-F20-3 Prevalence of Cervical Canal Compression in Patients with Femoral Fracture224
H. Omi, et al., Omi Orthop. Clinic
- 1-8-F20-4 Validity of pyramidal signs in patients with cervical cord compression on MRI, using patients with lumbar canal stenosis as a control224
Y. Kato, et al., Dept. of Spine Surg., Nara prefecture General Medical Center
- 1-8-F20-5 Rates of degenerative spondylolisthesis of the thoracic spine among thoracic myelopathy patients225
J. Kusakabe, et al., Dept. of Orthop. Surg., Tohoku Central Hosp.
- 1-8-F20-6 Cervical radiculopathy without finger numbness225
M. Suzuki, et al., Dept. of Orthop. Surg., National Hosp. Organization Sendai Nishitaga Hosp.

Free Papers 21

10 : 40 ~ 11 : 30

Moderator : **A. Ono**

Upper Cervical Spine 1

- 1-8-F21-1 C1/2 facet slope in high cervical lesions in adult; comparison of "non-reducible severe kyphotic cases" and "non-kyphotic reducible cases"226
T. Shimizu, et al., Dept. of Orthop. Surg., Gunma Spine Center, Harunaso Hosp.
- 1-8-F21-2 Upper Cervical Spondylosis after mid-cervical laminoplasty.226
M. HOSHIYAMA, et al., Dept. of Orthop. Surg., JCHO Hoshigaoka Medical Center.
- 1-8-F21-3 Change in craniocervical sagittal alignment to adjust the forward gaze: a radiographical analysis227
K. Miyake, et al., Dept. of Orthop. Surg., Osaka Medical and Pharmaceutical Univ.
- 1-8-F21-4 Induction of remission in patients with rheumatoid arthritis leads to inhibition of the atlantoaxial subluxation and pelvic tilt.227
S. Honda, et al., Dept. of Orthop. Surg., Graduate School of Medicine, Kyoto Univ.

- 1-8-F21-5 Diagnosis of Atlantoaxial Rotatory Fixation228
Y. OSHITA, et al., Dept. of Orthop. Surg., Showa Univ. Northern Yokohama Hosp.
- 1-8-F21-6 Clinical Outcomes of surgical treatment for retro-odontoid pseudotumor.228
S. Komatsubara, et al., Dept. of Orthop. Surg., Kagawa Univ.

Luncheon Seminar 7

11 : 40~12 : 40

Moderator : **S. Okada**

- 1-8-LS7-1 Evidence of the trans-foraminal full-endoscopic spine surgery under local anesthesia229
K. Sairyō, Dept. of Orthop., Institute of Biomedical Sciences, Tokushima Univ. Graduate School

Free Papers 22

15 : 25~16 : 15

Moderator : **I. Oda**

Upper Cervical Spine 2

- 1-8-F22-1 Risks and outcomes of initial treatment for cervical odontoid process fractures in the elderly:
 JASA multicenter study229
N. Segi, et al., Dept. of Orthop./Rheumatology, Musculoskeletal and Cutaneous Surg., Program in
 Integrated Medicine, Graduate School of Medicine, Nagoya Univ.
- 1-8-F22-2 A review of odontoid fracture treatment over 15 years and the utility of the Grauer classification
230
H. Katoh, et al., Dept. of Orthop. Surg., Surgical Science, Tokai Univ.
- 1-8-F22-3 Study of Nonunion after Anterior Screw Fixation for Odontoid Fractures aged 65 years and older
230
K. Jimbo, et al., Dept. of Orthop. Surg., St marys Hosp.
- 1-8-F22-4 Clinical outcomes of atlanto-axial fusion by two major surgical methods; Magerl-Brooks and Goel-
 Harms.231
H. Terai, et al., Dept. of Orthop. Surg., Osaka Metropolitan Univ. Graduate School of Medicine
- 1-8-F22-5 Longitudinal changes of posterior allograft bone and factors affecting anterior/posterior bone fu-
 sion in posterior fixation of C1-2231
T. Yoshiyama, et al., Osaka Red Cross Hosp.
- 1-8-F22-6 Usefulness of surgery for Hangman's fractures in geriatric population -JASA multicenter study
232
A. Yunde, et al., Dept. of Orthop. Surg., Chiba Univ.

Afternoon Seminar 7

16 : 20~17 : 20

Moderators : **K. Sato**
K. Ishii

New Technologies and Future Outlook of Spine Surgery in the Hybrid OR

- 1-8-AS7-1 Current status and foresight of navigation technologies for spinal disorders232
K. Ishii, Dept. of Orthop. Surg., International Univ. of Health and Welfare Narita Hosp.
- 1-8-AS7-2 Effective use of hybrid operating room and introduction of robotic navigation to support spinal surgery233
K. Sato, et al., Dept. of Orthop. Surg., Japanese Red Cross Aichi Medical Center Nagoya Daini Hospital

Free Papers 23

17 : 30~18 : 20

Moderator : **K. Endo**

Cervical Spine Surgery (Laminoplasty)

- 1-8-F23-1 Surgical satisfaction of SKIP fixation in cervical laminoplasty233
K. Tamai, et al., Dept. of Orthop. Surg., Osaka Metropolitan Univ. Graduate School of Medicine
- 1-8-F23-2 What factors improve the neck pain after cervical vertebroplasty?234
Y. Suga, et al., Higashiosaka City Medical Center
- 1-8-F23-3 Factors contributed to the postoperative improvement of QOL in surgical outcome of cervical compressive myelopathy with mild severity234
M. Ozaki, et al., Dept. of Orthop. Surg., Keio Univ.
- 1-8-F23-4 Surgical Outcomes of Mild Cervical Compressive Myelopathy via Minimum Clinically Important Difference235
H. Hirai, et al., Dept. of Orthop. Surg., Osaka Medical and Pharmaceutical Univ.
- 1-8-F23-5 Comparison of postoperative improvement of muscle weakness between ASF and foraminotomy for cervical spondylotic radiculopathy235
H. Ishiguro, et al., Dept. of Orthop. Surg., National Hosp. Organization Osaka National Hosp.
- 1-8-F23-6 Cadaveric study of rotator cervicis and facet joint capsule to reduce surgical invasiveness in lateral exposure of posterior cervical spine236
K. Kitamura, et al., Dept. of Orthop. Surg., National Defense Medical College

Free Papers 24

18 : 30~19 : 20

Moderator : **N. Tanaka**

Cervical Spine Surgery (K-line)

- 1-8-F24-1 Surgical outcomes of spinal fixation for cervical ossification of the posterior longitudinal ligament236
N. Nagoshi, et al., Dept. of Orthop. Surg., Keio Univ.
- 1-8-F24-2 Surgical results of laminoplasty or posterior decompression and fusion for cervical spondylotic myelopathy with K-line (-)237
Y. Kasukawa, et al., Dept. of Rehabilitation Medicine, Akita Univ. Hosp.
- 1-8-F24-3 Dynamic factors influence the indication of laminoplasty for cervical spondylotic myelopathy using modified K-line237
T. TAMAOKA, et al., Japan Organization of Occupational Health and Safety Kobe Rosai Hosp.
- 1-8-F24-4 Safety margin assessment of the minimum distance between K-line and vertebral body (K-line brace height) for cervical spondylotic myelopathy238
M. Miyata, et al., Dept. of Orthop. Surg., National Hosp. Organization Kyoto Medical Center
- 1-8-F24-5 Segmental modified K-line on T2 weighted MRI can predict JOA recovery rate after posterior surgery for cervical spondylotic myelopathy238
N. YAMAGUCHI, et al., Dept. of Orthop. Surg., National Defense Medical College
- 1-8-F24-6 Surgical outcomes and complications of the patients with cervical compressive myelopathy and kyphotic deformity239
Y. Yukawa, et al., Spine Center, Nagoya Kyoritsu Hosp.

Room 9

Free Papers 25

8 : 10~9 : 00

Moderator : **H. Takahashi**

Spinal Metastasis (Management)

- 1-9-F25-1 The role of spine surgeon at outpatient department for spinal metastatic tumor. What kinds of knowledge do we need to prepare?239
H. Shigematsu, et al., Dept. of Orthop. Surg., Nara Medical Univ.
- 1-9-F25-2 Difference of spinal metastasis operation between pre- and post intervention by bone metastasis support240
K. Miura, et al., Dept. of Spine and Spinal Cord Surg., Nagaoka Red Cross Hosp.

- 1-9-F25-3 Could the cancer hospitals reduce complications after spinal surgery for metastatic spinal tumor compared with non-cancer hospitals?240
K. Yamada, et al., Dept. of Orthop. and Trauma Research, Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.
- 1-9-F25-4 Clinical feasibility of nutritional assessment of metastatic spinal tumor patient from unknown origin241
S. Sugita, et al., Dept. of Orthop. Surg., Tokyo Metropolitan Hosp., Komagome
- 1-9-F25-5 Preoperative Nutritional Status is an Indicator of Postoperative Performance Status Improvement in Patients with Metastatic Spinal Tumors241
T. Hideshima, et al., Dept. of Orthop. Surg., St. Marianna Univ. School of Medicine
- 1-9-F25-6 Frailty is a potential prognostic factor for patients with symptoms of metastatic spinal tumor as initial manifestation of malignancy242
K. Kitamura, et al., Dept. of Orthop. Surg., National Defense Medical College

Free Papers 26

9 : 20 ~ 10 : 10

Moderator : **M. Miyazaki**

Spinal Metastasis (Diagnosis & Treatment)

- 1-9-F26-1 Role of MRI Imaging Futures in differentiation of Spinal Hyperplastic Hematopoietic Bone Marrow and Bone Metastasis242
S. Ogiso, et al., Dept. of Orthop. Surg., Tokyo Metropolitan Komagome Hosp.
- 1-9-F26-2 Characteristics and risk factors of instrumentation failure following total en bloc spondylectomy243
T. Shimizu, et al., Dept. of Orthop. Surg., Graduate School of Medical Sciences, Kanazawa Univ.
- 1-9-F26-3 Is this true to improve the prognosis of the patients with malignant spinal cord compression?243
H. Shitozawa, et al., Science of Functional Recovery and Reconstruction, Okayama Univ. Graduate School of Medicine, Dentistry and Pharmaceutical Sciences
- 1-9-F26-4 Tumor-specific immunoenhancing effects of preoperative tumor-embolization for the patients with spinal metastasis244
R. Annen, et al., Dept. of Orthop. Surg., Graduate School of Medical Sciences, Kanazawa Univ.
- 1-9-F26-5 Does re-ossification after palliative radiotherapy for spinal bone metastases contribute to the maintenance of vertebral body height?244
M. Kito, et al., Dept. of Orthop. Surg., Shinshu Univ.
- 1-9-F26-6 Balloon kyphoplasty in the treatment of Multiple Myeloma of the spine: a 1-year retrospective evaluation245
T. Furuya, et al., National Hosp. Organization Disaster Medical Center

Free Papers 27

10 : 40~11 : 30

Moderator : **Y. Mikami**

Motion Analysis & Biomechanics

- 1-9-F27-1 Motion capture-based three-dimensional measurement of "cone of economy" in adult spinal deformity patients245
S. Kato, et al., Dept. of Orthop. Surg., The Univ. of Tokyo Hosp., The Univ. of Tokyo
- 1-9-F27-2 Three-dimensional gait analysis after corrective fusion surgery for adult spinal deformity246
H. Arima, et al., Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine
- 1-9-F27-3 Optimal placement of supplemental accessory rods to prevent rod fracture in a long spinopelvic fixation: an in vitro biomechanical study246
S. Tsutsui, et al., Dept. of Orthop. Surg., Wakayama Medical Univ.
- 1-9-F27-4 Comparison of fixation force of lower instrumented vertebrae between conventional and DEPS techniques using finite element method247
T. Takeuchi, et al., Dept. of Orthop. Surg., Kyorin Univ.,
- 1-9-F27-5 Is occasional ALL rupture with posterior correction procedure for ASD specific phenomenon when combined with LLIF? -comparison to PLIF-247
T. Imai, et al., Dept. of Orthop. Surg., Fujita Health Univ.
- 1-9-F27-6 Biomechanical analysis of four surgical procedures for the kyphotic cervical spine248
N. Nishida, et al., Dept. of Yamaguchi Univ. Graduate School of Medicine

Luncheon Seminar 8

11 : 40~12 : 40

Moderator : **K. Nishida**

- 1-9-LS8-1 The effectiveness and problems of multidisciplinary pain management for chronic pain and neuropathic pain248
S. Kosugi, Dept. of Anesthesiology, Keio Univ. School of Medicine

Free Papers 28

15 : 25~16 : 15

Moderator : **N. Hosono**

Cervical Spine Surgery Complications 1

- 1-9-F28-1 C5 palsy after cervical posterior longitudinal ligament ossification249
S. Egawa, et al., Dept. of Orthop. and Spinal Surg., Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.
- 1-9-F28-2 Impact of the preoperative cervical range of motion on C5 palsy after cervical laminoplasty249
Y. Usami, et al., Dept. of Orthop. Surg., Osaka Medical and Pharmaceutical Univ.

1-9-F28-3	Postoperative C5 (6, 7, 8) palsy in 1434 cases of anterior cervical spine surgery -A multicenter study250 H. Onuma, et al. , Dept. of Orthop. Surg., Saiseikai Kawaguchi General Hosp.
1-9-F28-4	Does Preoperative Polypharmacy impact on the occurrence of C5 Palsy after Cervical Lamino-plasty?250 E. Takasawa, et al. , Dept. of Orthop. Surg., Gunma Univ. Graduate School of Medicine
1-9-F28-5	Examination of risk factors for C5 palsy after cervical spondylotic myelopathy surgery in our hospital251 S. Takigami, et al. , Dept. of Orthop. Surg., Kobe Rosai Hosp.
1-9-F28-6	Precise evaluation of C4/5 foraminal stenosis is necessary for risk assessment of developing C5 palsy after cervical spine surgery.....251 R. Tanaka, et al. , Dept. of Orthop.Surg., Shizuoka Red Cross Hosp.

Free Papers 29

17 : 30~18 : 20

Moderator : **Y. Yukawa**

Cervical Spine Surgery Complications 2

1-9-F29-1	PSTS immediately after extubation is useful for predicting the course of PSTS after anterior cervical spine surgery252 T. Matsumoto, et al. , Dept. of Orthop. Surg., Osaka Rosai Hosp.
1-9-F29-2	Relation between retropharyngeal space after anterior cervical surgery and number of fusion levels252 S. Saito, et al. , Numazu City Hosp.
1-9-F29-3	Frequency and Risk Factors of Upper Airway Complications after Anterior Cervical Spine Surgery in a Multicenter Study -1434 Cases-253 M. Hashimoto, et al. , Dept. of Orthop. and Spinal Surg., Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.
1-9-F29-4	Complications in Anterior Decompression with Fusion for Ossification of Posterior Longitudinal Ligament and Cervical Spondylotic Myelopathy253 S. Morishita, et al. , Dept. of Orthop. and Spinal Surg., Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.
1-9-F29-5	A Multicenter Study of Dysphagia and Risk Factors after Anterior Cervical Spine Surgery -A Review of 1434 Patients254 M. Hashimoto, et al. , Dept. of Orthop. and Spinal Surg., Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.

- 1-9-F29-6 Factors associated with cerebrospinal fluid leakage after spine after anterior cervical decompression surgery254
S. Ushio, et al., Dept. of Orthop. Surg., Kudanzaka Hosp.

Free Papers 30

18 : 30~19 : 20

Moderator : **H. Miyamoto**

Dropped Head Syndrome

- 1-9-F30-1 The relationship between clinical grading of dropped head syndrome and CBVA(Chin-brow vertical angle) at standing X-ray255
T. Ueshima, et al., Dept. of Orthop. Surg., Tokyo Medical Univ.
- 1-9-F30-2 Longitudinal assessment of cervical deformity and degenerative change in patients of dropped head syndrome.255
Y. Kudo, et al., Dept. of Orthop. Surg., Showa Univ.
- 1-9-F30-3 Establishment of a novel rehabilitation program for dropped head Syndrome: SHAiR program256
K. Ishii, et al., Dept. of Orthop. Surg., International Univ. of Health and Welfare
- 1-9-F30-4 The potential efficacy of serotonin noradrenaline reuptake inhibitor duloxetine in dropped head syndrome256
H. Funao, et al., Dept. of Orthop. Surg., School of Medicine, International Univ. of Health and Welfare
- 1-9-F30-5 Surgical strategy for dropped head syndrome and its outcome257
H. Miyamoto, et al., Dept. of Orthop. Surg., Kindai Univ. Faculty of Medicine
- 1-9-F30-6 Cervical X-ray classification in patients with dropped head syndrome257
K. Endo, et al., Dept. of Orthop. Surg., Tokyo Medical Univ.

Room 10

Hands-on Seminar 1

9 : 30~11 : 00

Moderator : **K. Ishii**

Speaker : **D. Sakai**

Cervical Disc Arthroplasty with Mobi-C: Hands-on Seminar

Hands-on Seminar 2

15 : 25~16 : 55

Moderator : **A. Matsumura**

Speaker : **Suken A Shah**

Correction Technique Using on New Rod Material for AIS Cases

Poster Room 1

Poster 1

17 : 30~18 : 05

Moderator : **T. Kobayashi**

ASD Alignment

- P-1-1 Assessment of spinopelvic mobility in patients undergoing total hip arthroplasty -Correlation of Δ SS with whole spinal alignment-258
T. Suzuki, et al., Dept. of Orthop. Surg., Yamagata Univ.
- P-1-2 Association between whole-body alignment compensation and Patient Reported Outcome in spinopelvic sagittal imbalance258
J. Ouchida, et al., Konan Kosei Hosp.
- P-1-3 Evaluation of Lumbar spine and hip ROM based on dynamic changes in sagittal spinopelvic alignment of normal volunteers.259
S. Soga, et al., Dept. of Orthop. Surg., Kyoto City Hosp.
- P-1-4 Spine and hip user can predict for proximal junctional kyphosis and hip osteoarthritis on adult spinal deformity surgery.259
T. Kozaki, et al., Dept. of Orthop. Surg., Wakayama Medical Univ.
- P-1-5 The relationship between spino-pelvic alignment and bone mineral density of femoral neck in adult spinal deformity.....260
N. Yoshie, et al., Dept. of Orthop. Surg., Hyogo College of Medicine
- P-1-6 Three-dimensional evaluation of dynamic spinal motion during flexion and extension for adult spinal deformity with degenerative scoliosis260
N. Takeura, et al., Dept. of Orthop., Graduate School of Medical Science, Kyoto Prefectural Univ. of Medicine
- P-1-7 Relationship between lumbar spinal flexibility and cervical spinal balance during gait.261
K. Sakashita, et al., Center for Innovative Medicine and Engineering, Univ. of Tsukuba

Poster 2

18 : 10~18 : 45

Moderator : **K. Nagata**

ASD Surgery (Complications)

- P-2-1 Effect of UIV fixation method on prevention of PJK after corrective surgery for adult spinal deformity.261
K. Nakamura, et al., Dept. of Orthop. Surg., Toho Univ.
- P-2-2 Upper instrumented vertebra fracture can be reduced by increasing occupancy rate of pedicle screw in vertebral body over 80%262
S. Oe, et al., Dept. of Geriatric Musculoskeletal Health, Hamamatsu Univ. School of Medicine
- P-2-3 The effect of BKP at UIV and UIV+1 on the incidence of proximal junctional kyphosis following adult spinal deformity surgery262
Y. Tani, et al., Dept. of Orthop. Surg., Kansai Medical Univ.
- P-2-4 Can Sub-Laminar Taping Prevent Occurrence of Proximal Junctional Kyphosis in the Posterior Long Fusion of Thoracolumbar Spine?263
C. Baito, Baito Orthop.Surg.Clinic
- P-2-5 Posterior column reconstruction can reduce rod breakage after 3 column osteotomy for adult spinal deformity263
Y. NAKAO, et al., Dept. of Orthop. Surg., Spine Center, Sanraku Hosp.
- P-2-6 Segmental lordosis and bone fusion rate at L5/S1 after lumbosacral multi-level intervertebral fusion264
K. Kawashima, et al., Dept. of Orthop. Surg., Kansai Medical Univ. Hosp.
- P-2-7 Risk factors for rod fracture in CMIS-multi rod for adult spinal deformity -Correction of LLL with PPS>8° is a risk factor-264
M. Ishihara, et al., Dept. of Orthop. Surg., Kansai Medical Univ. Hosp.

Poster Room 2

Poster 3

17 : 30~18 : 05

Moderator : **H. Endo**

ASD Pathology

- P-3-1 The Most Significant Factor Affecting Gait and Postural Balance in Patients' ADL Following Corrective Surgery for Adult Spine Deformity265
M. Tanaka, et al., Dept. of Orthop. Surg., Dept. of Orthop. Surg., Okayama Rosai Hosp.
- P-3-2 Gait dynamic balance assessment in adult spinal deformity patients using a two-point trunk motion measuring device.265
S. Ikegami, et al., Dept. of Orthop. Surg., Shinshu Univ.

- P-3-3 Relationship between anterior trunk tilt and pelvic femoral angle in patients with lumbar spinal kyphosis266
R. Fujita, et al., Dept. of Orthop. Surg., Tohoku Univ. Graduate School of Medicine
- P-3-4 Short-segment spinal fusion for chronic low back pain with bone marrow edema adjacent to the vertebral endplate in adult spinal deformity266
T. Nakamae, et al., Dept. of Orthop. Surg., Graduate School of Biomedical and Health Sciences, Hiroshima Univ.
- P-3-5 Influence of postoperative knee of osteoarthritis on Sagittal Lumbo-pelvic alignment267
H. KOKUFU, et al., Dept. of Orthop. Surg., Yokohama Municipal Citizen's Hosp.
- P-3-6 Does Sagittal Touched Vertebra level correlate with occurrences of lumbar spondylolisthesis?267
Y. Mihara, et al., Dept. of Orthop. at Nagoyakyouritu Hosp.
- P-3-7 The coronal offset of C7 is associated with uneven joint degeneration between right and left hips after spinal fusion268
T. Kawai, et al., Dept. of Orthop. Surg., Graduate School of Medicine, Kyoto Univ.

Poster 4

18 : 10~18 : 45

Moderator : **K. Kanzaki**

AIS Type 5

- P-4-1 Related factor analysis of self-image domain in Lenke type 5C AIS patients268
Y. Shoji, et al., Scoliosis Center, Dept. of Orthop. Surg., Osaka City General Hosp.
- P-4-2 Do clinical outcome vary with age in patients with Lenke type 5C?269
T. Banno, et al., Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine
- P-4-3 Surgical results of posterior correction and fusion surgery for adult patients with residual adolescent idiopathic scoliosis Lenke type 5269
R. Shibata, et al., Dept. of Orthop. Surg., Keio Univ.
- P-4-4 Influence of pelvic parameter on postoperative spinal alignment in AIS Lenke type 5 patient270
T. Kitagawa, et al., Dept. of Orthop. Surg., Keio Univ.
- P-4-5 Postoperative change in Lower Lumbar and Sacral parameters in Lenke 5C patients270
N. Tanaka, et al., Dept. of Orthop. Surg., Graduate School of Medical Science, Univ. of Yamanashi
- P-4-6 Incidence and Impact on Clinical Outcome of Proximal Junctional Kyphosis after Posterior Spinal Fusion for AIS Lenke type 5C271
H. Oba, et al., Dept. of Orthop. Surg., Shinshu Univ.
- P-4-7 Development of prebend rod in Lenke type 5 adolescent idiopathic scoliosis271
K. Ura, et al., Dept. of Orthop. Surg., Faculty of Medicine and Graduate School of Medicine, Hokkaido Univ.

Poster Room 3

Poster 5

17 : 30~18 : 05

Moderator : **Y. Nakamura**

ASD Surgery 1

- P-5-1 The pathology of coronal malalignment above UIV after corrective fusion surgery for degenerative lumbar scoliosis272
K. Nagata, et al., Dept. of Orthop. Surg., Wakayama Medical Univ.
- P-5-2 Evaluation of intraoperative coronal alignment using Computer-Assisted Rod Bending System in adult spinal deformity surgery272
T. Takeuchi, et al., Dept. of Orthop. Surg., Kyorin Univ.
- P-5-3 The Study of S2 Alar-Iliac Screw Loosening after Adult Spinal Deformity Surgery273
T. Tsukui, et al., Gunma Spine Center, Harunaso Hosp.
- P-5-4 Dual SAI screw is an effective technique for the prevention of distal instrumentation failure in elderly patients with kyphoscoliosis273
A. Wada, et al., Dept. of Orthop. Surg., Toho Univ. School of medicine
- P-5-5 Comparison of anterior corpectomy with posterior fixation vs. 3 column osteotomy for osteoporotic vertebral fracture274
S. Takahashi, et al., Dept. of Orthop. Surg., Osaka Metropolitan Univ. Graduate School of Medicine
- P-5-6 Lateral access corpectomy with ALL deep layer release for kyphotic deformity after osteoporotic vertebral fracture274
M. Ishihara, et al., Dept. of Orthop. Surg., Kansai Medical Univ. Hosp.
- P-5-7 Examination of the amount of bending back after rod application in CMIS for adult spinal deformity275
M. Ishihara, et al., Dept. of Orthop. Surg., Kansai Medical Univ. Hosp.

Poster 6

18 : 10~18 : 45

Moderator : **H. Sudo**

AIS Surgery 1

- P-6-1 Accuracy of pedicle screw placement using a three-dimensional patient-specific guide in adolescent idiopathic scoliosis surgery275
K. Maruo, et al., Dept. of Orthop. Surg., Hyogo College of Medicine
- P-6-2 Postoperative dynamic change of coronal balance correlates to shoulder balance behavior after selective thoracic fusion for Lenke 1C curves276
M. Ishikawa, et al., Spine and Spinal Cord Center, Makita General Hosp.

- P-6-3 Changes in cervical spine sagittal alignment after surgery for adolescent idiopathic scoliosis Lenke type 1 and 2 curves276
K. Mori, et al., Dept. of Orthop. Surg., Shiga Univ. of Medical Science
- P-6-4 Does XR (Extended Reality) improve the accuracy of the pedicle screw insertion?.....277
S. Obata, et al., Dept. of Orthop. Surg., The Jikei Univ. School of Medicine
- P-6-5 Autofusion at Costovertebral Joints after Posterior Fusion for Adolescent Idiopathic Scoliosis -CT at 10 years after surgery277
M. Ryu, et al., Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine
- P-6-6 Surgical outcomes of the Dual Rod Translation in Adolescent Idiopathic Scoliosis -a new surgical strategy for optimal sagittal alignment-278
A. Matsumura, et al., Scoliosis Center, Dept. of Orthop. Surg., Osaka City General Hosp.
- P-6-7 Accuracy of pedicle screw insertion using navigation for idiopathic scoliosis surgery278
S. Katsumi, et al., Dept. of Orthop. Surg., The Jikei Univ. School of Medicine

Poster Room 4

Poster 7

17 : 30~18 : 05

Moderator : **T. Nakajima**

ASD Surgery 2

- P-7-1 Examination of release achievement criteria for intervertebral bony fusion by LLIF279
M. Ishihara, et al., Dept. of Orthop. Surg., Kansai Medical Univ. Hosp.
- P-7-2 PI change and mechanical complication in spino-pelvic fusion279
N. Tanaka, et al., Dept. of Orthop. Surg., Graduate School of Medical Science, Univ. of Yamanashi
- P-7-3 Results and indications for short fusion in corrective surgery for adult spinal deformity.280
Y. Onishi, et al., Dept. of spine and orthop. surg., Japanese Red Cross Medical center
- P-7-4 Change in sagittal alignment after short fusion with or without lumbosacral junction for the treatment of adult spinal deformity280
A. Muramoto, et al., KARIYA TOYOTA General Hosp.
- P-7-5 Approach side selection and complications in lateral lumbar interbody fusion for adult spinal deformity with degenerative scoliosis281
R. Takatori, et al., Dept. of Orthop., Graduate School of Medical Science, Kyoto Prefectural Univ. of Medicine
- P-7-6 Surgiflo hemostatic matrix can reduce intraoperative blood loss during posterior instrumented spinal surgery for adult spinal deformity281
H. Takahashi, et al., Dept. of Orthop. Surg., Dept. of Orthop. Surg., Faculty of Medicine, Univ. of Tsukuba

- P-7-7 Sagittal Imbalance may lead to higher risks of Vertebral Compression Fractures and Disc Degeneration -A Finite Element Analysis282
K. Matsumoto, et al., Dept. of Orthop. Surg., Nihon Univ.

Poster 8

18 : 10~18 : 45

Moderator : **R. Sugawara**

AIS Surgery 2

- P-8-1 Short-term results of spinous process-sparing posterior spinal fusion for adolescent idiopathic scoliosis Lenke type 1282
H. Oba, et al., Dept. of Orthop. Surg., Shinshu Univ.
- P-8-2 Comparison of the difference in the correction of Lenke type-1 curves between Hybrid construct and pedicle screw fixation.283
K. Uotani, et al., Science of Functional Recovery and Reconstruction, Okayama Univ. Graduate School of Medicine, Dentistry and Pharmaceutical Sciences
- P-8-3 To what extent is scoliosis altered by intraoperative paraspinous muscle dissection: an investigation in thoracolumbar scoliosis283
K. Minato, et al., Div. of Orthop. Surg., Dept. of Regenerative and Transplant Medicine, Niigata Univ. Graduate School of Medical and Dental Sciences
- P-8-4 CT-based evaluation of vertebral rotation by Coplanar procedure for adolescent idiopathic scoliosis284
T. Fujiwara, et al., Dept. of Musculoskeletal Surg., Dept. of Multimodality Therapy for Cancer, Mie Univ. Graduate School of Medicine
- P-8-5 Nonstructural thoracic curve and coronal balance of Lenke type 5 adolescent idiopathic scoliosis284
T. Mieda, et al., Dept. of Orthop. Surg., Gunma Univ. Graduate School of Medicine
- P-8-6 Does vertebral body morphology of idiopathic scoliosis relate to pedicle screw deviation ?285
M. Ikejiri, et al., Dept. of Orthop. Surg., Nara Medical Univ.
- P-8-7 The effect of anterior circumferential disc release for severe thoracic scoliosis285
C. Iwai, et al., Dept. of Advanced Joint Reconstructive Surg., Gifu Univ.

Poster Room 5

Poster 9

17 : 30~18 : 05

Moderator : **A. Shinohara**

ASD Surgery 3

- P-9-1 Surgical results of adult spinal deformity surgery in patients over 75 years old286
N. Nishino, et al., Dept. of Orthop. Surg., Tokyo Women's Medical Univ., Yachiyo Medical Center
- P-9-2 Short segment correction surgery of spinal deformity for elderly adult286
S. Terayama, et al., Dept. of Orthop. Surg., Shunyoukai Central Hosp.
- P-9-3 Outcomes of spinal fusion for adult spinal deformity with severe thoracolumbar or lumbar scoliosis (>50 degrees)287
M. Ohashi, et al., Div. of Orthop. Surg., Dept. of Regenerative and Transplant Medicine, Niigata Univ. Graduate School of Medical and Dental Sciences
- P-9-4 Surgical strategy and validation for residual deformity of AIS with severe degenerative changes and fusion.....287
S. Tanida, et al., Dept. of Orthop. and Spine Surg., Shiga General Hosp.
- P-9-5 The characteristics of spinopelvic morphology of lumbar degenerative scoliosis and the relationship between scoliosis and hip joint disease288
I. Senoo, et al., Dept. of Orthop. Surg., Asahikawa Medical Univ.
- P-9-6 HRQOL evaluation of adult spinal deformity after corrective surgery more than 5 years postoperatively288
H. Taniwaki, et al., Scoliosis Center Dept. of Pediatric Orthop. Surg., Osaka City General Hosp.
- P-9-7 Impact of degeneration of paravertebral muscle on clinical outcome in nonelderly patients with adult spinal deformity surgery.....289
Y. Morita, et al., Dept. of Orthop./Rheumatology, Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.

Poster 10

18 : 10~18 : 45

Moderator : **T. Maruyama**

AIS & Pediatric Spine Disorders

- P-10-1 Clinical Outcomes of Posterior Fusion for Atlantoaxial Instability (AAI) in Children with Non-Down Syndrome289
Y. Hiranaka, et al., Dept. of Orthop. Surg., Kobe Medical Center
- P-10-2 Surgical treatment for scoliosis in cerebral palsy -preliminary report-290
T. Tsuji, et al., Dept. of Orthop. & Spine surg., Toyota Kosei Hosp.

P-10-3	Asymmetry of upper limb skeletal muscle in Lenke type 1A adolescent idiopathic scoliosis290 T. Ohba, et al. , Dept. of Orthop. Surg., Graduate School of Medical Science, Univ. of Yamanashi
P-10-4	Lumbar Spondylolysis Associated with Adolescent Idiopathic Scoliosis is More Common in the Upper Lumbar Level than Usual291 T. Sunami, et al. , Dept. of Orthop. Surg., Univ. of Tsukuba
P-10-5	The initial corrective effect of Cheneau brace in adolescent idiopathic scoliosis291 D. Urayama, et al. , Tokyo Shinjuku Medical Center
P-10-6	Validity of Risser grade on whole standing spine Xp.....292 T. MUI, et al. , Dept. of Orthop. Surg., Nara Medical Univ.
P-10-7	About intraoperative bleeding amount of idiopathic scoliosis in our hospital -Focusing on the relationship with blood type-292 K. Ota, et al. , Dept. of Orthop. Surg., Toyota Kosei Hosp.

Poster Room 6

Poster 11

17 : 30~18 : 05

Moderator : **D. Takeuchi**

Cervical Spine Injury

P-11-1	Case study of multiple cervical dislocation fractures.....293 K. Nakayama, et al. , Dept. of Orthop. Surg., Tsukuba medical center hosp
P-11-2	A comparison of unilateral and bilateral facet dislocations of the cervical spine293 T. Miyashita, et al. , Spine Center, Matsudo City General Hosp.
P-11-3	Efficiency of Long Lateral Mass Screws for Cervical Spinal Cord Injury294 K. Nakanishi, et al. , Dept. of Orthop. Surg., Kawasaki Medical School
P-11-4	Investigation of cervical spine motion during opening while wearing a cervical orthosis294 K. Sanada, et al. , Dept. of Orthop. Surg., Fukuoka Univ.
P-11-5	A study of atlantoaxial rotatory fixation treated with Glisson's traction295 T. Gaja, et al. , Dept. of Orthop. Surg., Okinawa Prefectural Nanbu Medical Center and Children's Medical Center
P-11-6	Outcome and perioperative complications of cervical dislocation fractures with diffuse idiopathic hyperostosis (DISH)295 T. Taoka, et al. , Dept. of Orthop. Surg., Kobe Red Cross Hosp.
P-11-7	Effects of cervical soft tissue injury on cervical spine instability.....296 N. Nishida, et al. , Dept. of Yamaguchi Univ. Graduate School of Medicine

Poster 12

18 : 10~18 : 45

Moderator : **M. Kanamori**

Spinal Metastasis Treatment 1

- P-12-1 Usefulness of multidisciplinary medical care for thoracic and lumbar metastases296
M. Kawasaki, et al., Pain Management Center/Dept. of Rehabilitation, NHO Shikoku Medical Center for Children and Adults
- P-12-2 The institutional multidisciplinary board for bone metastasis for spinal cord injury caused by spinal metastasis.297
T. Hirai, et al., Dept. of Orthop. and Spinal Surg., Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.
- P-12-3 The apparent and true decline in Performance Status in patients with metastatic spinal tumors with skeletal-related events.297
M. Miura, et al., Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.
- P-12-4 Consideration of patients with emergency treatments for spinal paralysis by metastasis after starting the cancer board for bone metastasis298
I. Baba, et al., Dept. of Orthop. Surg., Osaka Medical and Pharmaceutical Univ.
- P-12-5 Orthopaedic interventions for spinal metastases can improve both ADL and QOL of cancer patients with no ambulation ability298
M. Hirahata, et al., Dept. of Orthop. Surg., Teikyo Univ.
- P-12-6 Early postoperative mortality and preoperative nutritional status of patients with metastatic spinal tumors at our hospital299
Y. Takahashi, et al., Dept. of Orthop Surg, Tokyo Dental college Ichikawa General Hosp.
- P-12-7 The effectiveness of preoperative arterial embolization for metastatic spinal tumors299
S. Fujiwara, et al., Dept. of Orthop. Surg., Tottori Univ.

Poster Room 7

Poster 13

17 : 30~18 : 05

Moderator : **T. Hasegawa**

OPLL/OYL

- P-13-1 Distribution of ossified lesions in the whole spine of cervical OPLL patients: The multicenter cross-sectional study JOSL study300
T. Hirai, et al., Dept. of Orthop. and Spinal Surg., Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.

- P-13-2 Prevalence of spinal ligament ossification and locomotive function in middle-aged and elderly community residents300
H. Nakashima, et al., Dept. of Orthop./Rheumatology, Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.
- P-13-3 Prevalence of locomotive syndrome and surgical outcome in patients with cervical myelopathy301
M. Kobayashi, et al., Dept. of Orthop. Surg., Graduate School of Medical Sciences, Kanazawa Univ.
- P-13-4 The growth pattern of cervical ossification of the posterior longitudinal ligament after posterior decompression and fusion301
J. HASHIMOTO, et al., Dept. of Orthop. and Spinal Surg., Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.
- P-13-5 Analysis of factors associated with favorable functional outcome of surgery for thoracic ossification of the ligamentum flavum302
S. Yoshida, et al., Dept. of Neurosurg., Saitama Medical Center
- P-13-6 Analysis of the gut microbiota in thoracic ossification of the posterior longitudinal ligament302
T. Morimoto, et al., Dept. of Orthop. Surg., Saga Univ.
- P-13-7 The development of Achilles and plantar tendon ossification is associated with ossification of the posterior longitudinal ligament303
T. ENDO, et al., Dept. of Orthop. Surg., Faculty of Medicine and Graduate School of Medicine, Hokkaido Univ.

Poster 14

18 : 10~18 : 45

Moderator : **N. Kamei**

Spinal Metastasis Treatment 2

- P-14-1 A study of Vertebral body fracture after stereotactic body radiotherapy for spinal tumors303
M. Fujiwara, et al., Dept. of Orthop. Surg., Tokyo Metropolitan Komagome Hosp.
- P-14-2 Epidemiology of metastatic spinal tumors in our hospital304
K. ISHIHARA, et al., Miyazaki prefectural Nobeoka Hosp.
- P-14-3 An investigation of metastatic spinal tumors in our hospital -Relationship of primary lesion and spinal instability neoplastic score-304
Y. Konno, et al., Dept. of Orthop. Surg., Yamagata Univ.
- P-14-4 Verification of factors required palliative spinal surgery for metastatic spinal tumor305
N. Masumoto, et al., Dept. of Orthop. Surg., School of Medicine, Univ. of Occupational and Environmental Health

- P-14-5 Risk factors for wound dehiscence after spinal metastasis surgery and a new approach to prevention -Curved Skin Incision-305
K. Miyazaki, et al., Dept of Orthop Surg, Kobe Univ. Graduate School of Medicine
- P-14-6 Risk factors for non-healing wounds after spinal metastasis surgery306
Y. Shiraiishi, et al., Dept. of Orthop., Jichi Medical Univ.
- P-14-7 Retrospective evaluation of early deaths relative to the modified Tokuhashi score in patients with spinal metastases.306
S. Tokeshi, et al., Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.

Poster Room 8

Poster 15

17 : 30~18 : 05

Moderator : **S. Maki**

New Technology (AI & Diagnosis)

- P-15-1 Short-term results of spinal cord stimulation using Differential Target Multiplexed programming307
N. Higashiyama, et al., Dept. of spinal Surg., Akita Cerebrospinal and Cardiovascular Center
- P-15-2 Development of artificial intelligence for automatic measurement of the cervical spine X ray307
T. Fujimori, et al., Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ.
- P-15-3 Evaluation of surgical indications for full endoscopic discectomy at L5/S level using 3D lumbar nerve MRI images created with AI308
K. Yamada, et al., Dept. of Orthop. Surg., Faculty of Medicine and Graduate School of Medicine, Hokkaido Univ.
- P-15-4 Development of Predictive Model for Prolonged Hospital Stay after Decompression Surgery for Lumbar Spinal Canal Stenosis308
M. Yagi, et al., Dept. of Orthop. Surg., Keio Univ.
- P-15-5 Relationship between DASH questionnaire and conventional evaluation methods in cervical spine disorders309
H. Funao, et al., Dept. of Orthop. Surg., School of Medicine, International Univ. of Health and Welfare
- P-15-6 The deterioration of cervical kyphosis during neck flexion after laminoplasty affects the surgical outcome of CSM309
M. Funaba, et al., Dept. of Orthop. Surg., Yamaguchi Univ. Graduate School of Medicine
- P-15-7 Establishment of deep learning algorithm to detect severe cord compression in the cervical radiography310
K. Tamai, et al., Dept. of Orthop. Surg., Osaka Metropolitan Univ. Graduate School of Medicine

Poster 16

18 : 10~18 : 45

Moderator : **H. Toyoda**

Spinal Metastasis Prognosis

- P-16-1 Prognostic factors after palliative surgery for patients with spinal metastasis: comparison of predicted and actual survival310
H. Nakajima, et al., Dept. of Orthop. and Rehabilitation Medicine, Unit of Surg., Div. of Medicine, Faculty of Medical Sciences, Univ. of Fukui
- P-16-2 How accurately can prognostic scoring system predict survival for spinal metastasis?311
Y. Ishikawa, et al., Dept. of Orthop. Surg., Niigata City General Hosp.
- P-16-3 Evaluation of life expectancy of patients with spinal metastatic disease311
Y. Ichihara, et al., JCHO Tokuyama Central Hosp.
- P-16-4 Life prognosis predicted from MRI findings and blood examinations for surgical indication of multiple myeloma312
R. Sasaoka, et al., Dept. of Orthop. Surg., Seichokai FUCHU Hosp.
- P-16-5 Spinal Decompression and Fixation with Percutaneous Pedicle Screws Reduces Risk of Death within 3 Months after Surgery in Spinal Metastases312
M. Paku, et al., Dept. of Orthop. Surg., Kansai Medical Univ. Hosp.
- P-16-6 Prognostic impact of trunk muscle mass in patients with spinal metastasis from prostate cancer313
Y. Okamura, et al., Dept. of Orthop. Surg., Yodogawa Christian Hosp.
- P-16-7 A small psoas major muscle area was associated with a short overall survival in patients with spinal metastases313
S. Dohzono, et al., Dept. of Orthop. Surg., Yodogawa Christian Hosp.

The Second Day—April 14 (Friday)

Room 1

Kakuchi-Nisshin Symposium 3

9 : 10~10 : 40

Moderators : **M. Nakamura**
K. Nishida

Basic Research to Find the Essential Pathology

- 2-1-KS3-1 Basic research for lumbar spinal canal stenosis315
N. Fujita, Dept. of Orthop. Surg., Fujita Health Univ.
- 2-1-KS3-2 Causal relationship between OPLL and visceral obesity315
M. Takahata, et al., Dept. of Orthop. Surg., Faculty of Medicine and Graduate School of Medicine, Hokkaido Univ.
- 2-1-KS3-3 Clinical basic research to elucidate the pathophysiology of spinal cord injury316
K. Kobayakawa, et al., Dept. of Orthop. Surg., Clinical Medicine, Graduate School of Medical Sciences, Kyushu Univ.
- 2-1-KS3-4 Basic research on osteoporosis and sarcopenia316
N. Miyakoshi, Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine
- 2-1-KS3-5 Genetic Epidemiology Analysis Enabling Clarifying Pathophysiology and Predicting Development and Progression of Spinal Diseases317
C. Terao, Lab for Statistical and Translational Genetics, RIKEN IMS, Shizuoka General Hosp., Univ of Shizuoka

Invited Lecture 2

11 : 00~12 : 00

Moderator : **M. Yamazaki**

- 2-1-IL2-1 Cybernics Medical Innovation for Healthy Future Society~[Cybernetics] x [Regenerative Medicine/Pharmaceuticals], IoH/IoT, C-Cloud~317
Y. Sankai, Faculty of Engineering, Information and Systems/CCR/F-MIRAI, Univ. of Tsukuba, CYBERDYNE Inc.

Luncheon Seminar 9

12 : 10~13 : 10

Moderator : **H. Murakami**

- 2-1-LS9-1 Toward Secure Interbody Fusion -From Physical to Biological Fixation-318
Y. Arai, et al., Dept. of Orthop., Saiseikai Kawaguchi General Hosp.

Luncheon Seminar 18

13 : 20~14 : 20

Moderator : **N. Hosogane**

- 2-1-LS18-1 Effectiveness of fenestrated screw for patients with osteoporotic spine318
T. Yoshii, Tokyo Medical and Dental Univ. Graduate School of Medicine

Cultural Lecture

14 : 30~15 : 15

Moderator : **H. Taneichi**

- 2-1-CL-1 The power to listen to the voice of the heart319
M. Yamane, Motoyo Yamane Office Co. Ltd.

Kakuchi-Nisshin Symposium 4

15 : 25~16 : 55

Moderators : **M. Yamazaki**
T. Kanemura

Education in Spine Surgery: Step Beyond the On-the-Job Training

- 2-1-KS4-1 Usefulness of Cadaver Surgical Training (CST)319
T. Furuya, et al., Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.
- 2-1-KS4-2 Training in the spine surgery with high-fidelity 3D model320
H. Ueda, et al., Dept. of Orthop. Surg., Dokkyo Medical Univ.
- 2-1-KS4-3 Surgical training of spine surgeons by using animals320
H. Nakashima, et al., Dept. of Orthop./Rheumatology, Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.
- 2-1-KS4-4 Prospects and Problems of Virtual Reality or Augmented Reality System in Spine Surgery321
K. Sugamoto, Osaka Univ. Graduate School of Engineering
- 2-1-KS4-5 Current status and future of spinal endoscopic surgery: spine endoscopic technical certification system321
A. Minamide, et al., Spine Center, Dept. of Orthop. Surg., Dokkyo Medical Univ. Nikko Medical Center, Dept. of Orthop. Surg., Dokkyo Medical Univ., Dept. of Orthop. Surg., Wakayama Medical Univ.

Kakuchi-Nisshin Debate 3

17 : 05~18 : 05

Moderator : **K. Ishii**

Approach the Essence of the Treatment -Cervical Disc Hernia ASF vs TDR

- 2-1-KD3-1 Clinical results of anterior decompression and fusion surgery for cervical disc herniation322
A. Aiba, et al., Dept. of Orthop. Surg., Numazu City Hosp.
- 2-1-KD3-2 Total disc replacement advantage over anterior cervical fusion322
T. Yoshii, Dept. of Orthop. and Spinal Surg., Graduate School of Medical and Dental Sciences,
Tokyo Medical and Dental Univ.

Evening Seminar for Supervisory Doctors

18 : 35~19 : 35

Moderator : **N. Tanaka**

- 2-1-SV-1 Big Data in Medical Safety and Quality of Health Care323
T. Kanemura, et al., Spine Center, Konan Kosei Hosp.
- 2-1-SV-2 Patient safety in spine and spinal cord surgeries323
S. Imagama, Dept. of Orthop. Surg./Rheumatology, Nagoya Univ. Graduate School of Medicine

Room 2

Morning Seminar 1

8 : 00~9 : 00

Moderator : **K. Nakanishi**

- 2-2-MS1-1 A new plate screw system with a locking mechanism for the double door laminoplasty324
Y. Nakagawa, Dept. of Orthop. Surg., Wakayama Medical Univ. Kihoku Hosp.

Overseas Invited Lecture 3

9 : 10~10 : 40

Moderator : **D. Sakai**

- 2-2-OIL3-1 Surgery For Deformities In Pediatric Spinal Tuberculosis — Single Centre Review Of 51 Cases
.....324
S. Basu, et al., Dept. of Spine Surg., Kothari Medical Centre, Kolkata, India
- 2-2-OIL3-2 Safety of the Pedicle Screw Implementation in Idiopathic Scoliosis Surgery: The Myths and the
Truths325
K. Kwan, Dept. of Orthop. Surg., Univ. of Malaya, Kuala Lumpur, Malaysia
- 2-2-OIL3-3 Type C coronal imbalance in degenerative scoliosis: how to restore its coronal balance?325
Y. Qiu, et al., Nanjing Drum Tower Hosp., Nanjing, China

Kakuchi-Nisshin Seminar 4

11 : 00~12 : 00

Moderator : **T. Kanemura**

- 2-2-KNS4-1 PTP (Prone Transpsosas) the new lateral procedure326
L. Pimenta, Instituto de Patologia da Coluna, São Paulo, Sao Paulo, Brazil
- 2-2-KNS4-2 Robotic Spine Surgery: The Future is Now326
R. Lehman, Columbia Univ./New York Presbyterian Hosp., New York, USA

Luncheon Seminar 10

12 : 10~13 : 10

Moderator : **H. Haro**

- 2-2-LS10-1 Potential risks for spine surgeons327
Y. Oshima, Orthop. Surg., Sensory and Motor System Medicine, Surgical Sciences, Graduate School of Medicine, The Univ. of Tokyo

Luncheon Seminar 19

13 : 20~14 : 20

Moderator : **Y. Arai**

- 2-2-LS19-1 Pearls and pitfall in robotic spine surgery, comparison between US and Japan327
Y. Kawaguchi, et al., Dept. of Orthop. Surg., Faculty of Medicine, Univ. of Toyama

Overseas Invited Lecture 4

15 : 25~16 : 25

Moderator : **M. Takahata**

- 2-2-OIL4-1 Current Management Trends in Cervical Deformity328
G. Liu, National Univ. Hosp., Singapore
- 2-2-OIL4-2 Spine Surgery Practice in Vietnam-Natural Anatomical Pathway with Prone/Lateral Position for Pedicle Screw Insertion without C-Arm check - its Application328
T. Vo, Former Head-Spinal Surg. Dept. A, Hosp. For Trauma-Orthop., HCM City, Vietnam

Invited Lecture 3

16 : 30~17 : 30

Moderator : **Y. Matsuyama**

- 2-2-IL3-1 The future of medical safety -Creating a medical compensation system-329
G. Oiso, Dept. of Law, Hamamatsu Univ. School of Medicine

Main Theme 3-3

17 : 35~18 : 25

Moderator : **Y. Kawaguchi**

Novel Technology for Diagnosis and Treatment of Spine Diseases - Robotic Surgery -

- 2-2-M3-3-1 Accuracy of Robotic-assisted Pedicle Screw Placement: Our Experience with the First 100 Cases329
J. Ueno, et al., Dept. of Orthop. Surg., St. Marianna Univ. School of Medicine
- 2-2-M3-3-2 Advantages and disadvantages of robot-assisted posterior lumbar interbody fusion compared to conventional methods330
H. Makino, et al., Dept. of Orthop. Surg., Faculty of Medicine, Univ. of Toyama
- 2-2-M3-3-3 Accuracy of pedicle screw using robotic spine surgery system -The introduction and early experience-330
K. Yamashita, et al., Dept. of Orthop., Institute of Biomedical Sciences, Tokushima Univ. Graduate School
- 2-2-M3-3-4 Accuracy of pedicle screw insertion assisted by Mazor X in supine surgery (a comparative study of the initial 20 cases and 16 late cases)331
H. Tomita, et al., Konan Kosei Hosp.
- 2-2-M3-3-5 Percutaneous pedicle screw insertion assisted by navigated spinal robot in lateral single position surgery331
M. Tsushima, et al., Dept. of Orthop. Surg., Konan Kosei Hosp.
- 2-2-M3-3-6 Development and validation of a surgical drill with a haptic interface in spine surgery.332
K. Yamanouchi, et al., Dept. of Orthop. Surg., Keio Univ.

Room 3

Main Theme 4-1

9 : 10~10 : 00

Moderator : **K. Miyamoto**

New Dimension of Diagnosis and Treatment in Adult Spinal Deformity - Diagnosis -

- 2-3-M4-1-1 The predictive factor for adult spine deformity on radiograph -A longitudinal large scale cohort study-332
K. Nagata, et al., Dept. of Orthop. Surg., Wakayama Medical Univ.
- 2-3-M4-1-2 Risk factors for progressive spinal sagittal imbalance after lumbar surgery: a 3-year follow-up study333
S. Nagatani, et al., Dept. of Orthop. Surg., Graduate School of Medical Sciences, Kanazawa Univ.
- 2-3-M4-1-3 Global spinal alignment change for degenerative lumbar scoliosis: 20 years longitudinal study...333
K. Mizutani, et al., Dept. of Orthop. Surg., Asahikawa Medical Univ.

2-3-M4-1-4	Dynamic Spinopelvic Alignment after Spinal Fusion Surgery.334 <i>M. Takemoto, et al.</i> , Dept. of Orthop. and Spine Surg., Kyoto City Hosp.
2-3-M4-1-5	Hip osteoarthritis after adult spinal deformity surgery was induced by pelvic fixation.334 <i>T. Kozaki, et al.</i> , Dept. of Orthop. Surg., Wakayama Medical Univ.
2-3-M4-1-6	New Disease-specific Patient-based Questionnaire of Dropped Head Syndrome—DHS score—335 <i>K. Ishii, et al.</i> , Dept. of Orthop. Surg., International Univ. of Health and Welfare

Main Theme 4-2

10 : 10~11 : 00

Moderator : **M. Kanayama**

New Dimension of Diagnosis and Treatment in Adult Spinal Deformity - Complications -

2-3-M4-2-1	Cluster analysis of pain profile in adult spinal deformity patients335 <i>S. Kato, et al.</i> , Dept. of Orthop. Surg., The Univ. of Tokyo Hosp., The Univ. of Tokyo
2-3-M4-2-2	Examination of ADL disorders and its predictors after adult spinal deformity336 <i>N. Ono, et al.</i> , Dept. of Orthop. Surg., Kansai Medical Univ.
2-3-M4-2-3	Risk factors for allogenic transfusion in adult spinal deformity surgery336 <i>Y. Iijima, et al.</i> , Dept. of Orthop. Surg., Dept. of Orthop. Surg., Seirei Sakura Citizen Hosp.
2-3-M4-2-4	Characteristics of Proximal Junctional Kyphosis in Adult Spinal Deformity (ASD) Surgery -Multicenter study (NSGad study) of ASD-337 <i>Y. Miyairi, et al.</i> , Dept. of Orthop./Rheumatology, Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.
2-3-M4-2-5	Risk factors for secondary vertebral fractures after adult spinal deformity surgery337 <i>J. Katayanagi, et al.</i> , Dept. of Orthop. Surg., Dokkyo Medical Univ. Saitama Medical Center
2-3-M4-2-6	Surgical outcome of 24 cases of dropped head syndrome338 <i>Y. Kudo, et al.</i> , Dept. of Orthop. Surg., Showa Univ.

Main Theme 4-3

11 : 10~12 : 00

Moderator : **S. Ebata**

New Dimension of Diagnosis and Treatment in Adult Spinal Deformity - Treatment Outcome -

2-3-M4-3-1	Long-term clinical, radiographic, and cost analysis of corrective spine surgery for adult symptomatic lumbar deformity338 <i>M. Yagi, et al.</i> , Dept. of Orthop. Surg., Keio Univ.
2-3-M4-3-2	Surgical Timing Based on Comparison of Best and Worst Clinical Outcome Groups After Corrective Fusion Surgery for Adult Spinal Deformity339 <i>H. Arima, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine

- 2-3-M4-3-3 10 years clinical outcomes after corrective fusion in patients with adult spinal deformity339
Y. Yamato, et al., Dept. of Geriatric Musculoskeletal Health, Hamamatsu Univ. School of Medicine
- 2-3-M4-3-4 A comparison between one-stage and two-stage surgery in adult spinal deformity.340
K. Morishita, et al., Dept. of Orthop./Rheumatology, Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.
- 2-3-M4-3-5 Conditions for Achieving Postoperative PI-LL<10° in CMIS for Adult Spinal Deformity is PI-LL after LLIF<20°340
M. Ishihara, et al., Dept. of Orthop. Surg., Kansai Medical Univ. Hosp.
- 2-3-M4-3-6 Targeted Therapy for Low Back Pain in Elderly De Novo Degenerative Lumbar Scoliosis341
K. Yamada, et al., Dept. of Orthop. Surg., Hiroshima General Hosp.

Luncheon Seminar 11

12 : 10~13 : 10

Moderator : **T. Yamashita**

- 2-3-LS11-1 View of the full-endoscopic spine surgery through the Kambin triangle341
K. Sairyo, Dept. of Orthop., Institute of Biomedical Sciences, Tokushima Univ. Graduate School

Luncheon Seminar 20

13 : 20~14 : 20

Moderator : **S. Imagama**

- 2-3-LS20-1 Innovation by emerging bone regeneration technologies342
T. Kaito, Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ.

Kakuchi-Nisshin Debate 4

15 : 25~16 : 25

Moderator : **K. Chiba**

Approach the Essence of the Treatment -Lumbar Disc Hernia Chemonucleolysis vs FED

- 2-3-KD4-1 Getting to the essence of the treatment for intervertebral herniation in the lumbar spine.
 Intra-discal injection of condoliase342
T. Hirai, Dept. of Orthop. and Spinal Surg., Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.
- 2-3-KD4-2 Trans-foraminal full endoscopic discectomy for lumbar disc herniation343
K. Yamashita, et al., Dept. of Orthop., Institute of Biomedical Sciences, Tokushima Univ. Graduate School

Main Theme 5-1

16 : 35~17 : 25

Moderator : **M. Takaso**

Diagnosis and Treatment in for Pediatric Spinal Disorders - Other than AIS -

- 2-3-M5-1-1 Characteristics of spinal cord tumor in underage patients343
N. Nagoshi, et al., Dept. of Orthop. Surg., Keio Univ.
- 2-3-M5-1-2 Growth guidance surgery with fusion at upper foundation and segmental guidance screwing at lower foundation for early-onset scoliosis344
M. Ito, et al., Dept. of Orthop. Surg., Kobe Medical Center
- 2-3-M5-1-3 Spinal deformity in “Tweeners” with Marfan syndrome344
Y. Taniguchi, et al., Dept. of Orthop. Surg., The Univ. of Tokyo Hosp., The Univ. of Tokyo
- 2-3-M5-1-4 The Magerl screw in pediatric patients follows a different trajectory than in adults, reflecting the morphological features.345
Y. Takeshita, et al., Dept. of Orthop. and Spine Surg., Yokohama Rosai Hosp.
- 2-3-M5-1-5 The clinical outcome for atlantoaxial rotatory fixation requiring hospitalization345
K. Nakashima, et al., National Hosp. Organization Kobe Medical Center
- 2-3-M5-1-6 Clinical characteristics of early-stage lumbar spondylolysis detected by magnetic resonance imaging in male adolescent baseball players346
K. Kato, et al., Dept. of Sports Medicine, Fukushima Medical Univ.

Main Theme 5-2

17 : 35~18 : 25

Moderator : **K. Uno**

Diagnosis and Treatment in for Pediatric Spinal Disorders - AIS -

- 2-3-M5-2-1 Changes of health-related quality of life of adolescent idiopathic scoliosis patients 40 years or more after surgery346
T. Akazawa, et al., Dept. of Orthop. Surg., St. Marianna Univ. School of Medicine
- 2-3-M5-2-2 Study of Sacral Tilt in Idiopathic Scoliosis Lenke Type 5 -Analysis of postoperative results of anterior spinal fusion-.347
S. Takada, et al., Dept. of Orthop. Surg., Dokkyo Medical Univ.
- 2-3-M5-2-3 Morphological analysis of sacrum in adolescent idiopathic scoliosis347
I. Yamauchi, et al., Dept. of Orthop./Rheumatology, Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.
- 2-3-M5-2-4 10-year surgical results for adolescent idiopathic scoliosis Lenke 5C curves348
D. Kurogochi, et al., Dept. of Orthop. Surg., Suwa Central Hosp.

2-3-M5-2-5	What is the optimal selection criteria for LIV in selective thoracic fusion for Lenke 1/2 curve B or C?	348
	<i>H. Moridaira, et al.</i> , Dept. of Orthop. Surg., Dokkyo Medical Univ.	
2-3-M5-2-6	Does Postoperative Shoulder Imbalance impact the HRQOL in Lenke 2 AIS patients ?	349
	<i>Y. Kinoshita, et al.</i> , Scoliosis center, Dept. of Orthop. Surg. Osaka City General Hosp.	

Room 4

Morning Seminar 2

8 : 00~9 : 00

Moderator : **A. Minamide**

2-4-MS2-1	Treatment of osteoporosis: an update	349
	<i>S. Tanaka</i> , Dept. of Orthop. Surg., The Univ. of Tokyo	

Main Theme 6

9 : 10~10 : 00

Moderator : **M. Doita**

Update in Endoscopic Spine Surgery

2-4-M6-1	Microendoscopic decompression for Foraminal stenosis at L5/S1	350
	<i>M. Shibayama, et al.</i> , Aichi Spine Hosp.	
2-4-M6-2	Clinical outcomes and risk factors for poor outcomes in microendoscopic laminectomy for lumbar spinal stenosis	350
	<i>A. Suzuki, et al.</i> , Dept. of Orthop. Surg., Osaka Metropolitan Univ. Graduate School of Medicine	
2-4-M6-3	Transforaminal full-endoscopic lumbar discectomy in revision surgery for lumbar disk herniation	351
	<i>H. Yoshimatsu, et al.</i> , Dept. of Spine Surg., Fukuoka Kinen Hosp.	
2-4-M6-4	Discoscopic findings of high-intensity zone of lumbar intervertebral discs	351
	<i>S. Fujimoto, et al.</i> , Dept. of Orthop., Institute of Biomedical Sciences, Tokushima Univ. Graduate School	
2-4-M6-5	Advanced and end stage degenerative lumbar spondylolisthesis: Decompression with fusion vs microendoscopic decompression	352
	<i>M. Takami, et al.</i> , Dept. of Orthop. Surg., Wakayama Medical Univ.	
2-4-M6-6	A study about perioperative clinical result of trans Kambin's triangle Full-endoscopic lumbar interbody fusion using PETLIF system.	352
	<i>A. Kojima, et al.</i> , Spine and Spinal cord Center, Funabashi Orthop. Hosp.	

Main Theme 7

10 : 10~11 : 00

Moderator : **H. Nojiri**

Current Trend and Long Term Outcome in Minimally Invasive Spine Surgery

- 2-4-M7-1 Clinical outcome of minimally invasive anterolateral interbody fusion (OLIF51) for lumbosacral disorders.353
Y. Kotani, et al., Dept. of Orthop. Surg., Kansai Medical Univ. Medical Center
- 2-4-M7-2 104 cases of microendoscopy-assisted Extraforaminal Lumbar Interbody Fusion: Safe, Less, invasive and applicable for L5/S1 disorders.353
G. Li, et al., Aichi Spine Hosp.
- 2-4-M7-3 Ten-year postoperative good outcomes of facet fusion with percutaneous pedicle screw for degenerative lumbar spondylolisthesis354
T. Miyashita, et al., Spine Center, Matsudo City General Hosp.
- 2-4-M7-4 Mid-Long-Term Clinical Outcomes of Posterior Oblique Square Decompression with a Three-Step Wandering Technique in Tubular MIS-TLIF354
T. Tomita, et al., Dept. of Orthop. Surg., Aomori Prefectural Central Hosp.
- 2-4-M7-5 Over ten-year follow-up results of MIS-TLIF for degenerative lumbar spondylosis. -MIS approach might reduce adjacent segment disease-355
A. Wada, et al., Dept. of Orthop. Surg., Toho Univ. School of medicine
- 2-4-M7-6 Surgical treatment based on posterior C1-2 fixation for cases with retroodontoid pseudotumor355
N. Shimokawa, et al., Dept. of Neurosurg., Tsukazaki Hosp.

Main Theme 8

11 : 10~12 : 00

Moderator : **J. Mizutani**

Cervical Spine Instrumentation Surgery

- 2-4-M8-1 Postoperative complications after anterior cervical surgeries -Analysis of 1434 cases, Multicenter study-356
T. Yoshii, et al., Dept. of Orthop. and Spinal Surg., Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.
- 2-4-M8-2 Long-term clinical and radiographical results of posterior instrumentation surgery for pediatric patient with atlantoaxial dislocation356
K. Watanabe, et al., Dept. of Orthop. Surg., Keio Univ.
- 2-4-M8-3 Mechanical Complications After Occipital Spinal Fusion Surgery -Be careful with kyphosis and athetotic cerebral palsy-357
K. Nakai, et al., Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine

- 2-4-M8-4 Efficacy of selective posterior instrumented fusion for neck flexion K-line (-) patients with cervical OPLL357
T. Miyake, et al., Dept. of Orthop. Surg., Yamaguchi Univ. Graduate School of Medicine
- 2-4-M8-5 Fate of standalone cage fixation segment adjacent to plated segments in hybrid fixation for multi-level cervical myelopathy.358
S. Odate, et al., Dept. of Orthop. Surg., Gakkentoshi Hosp.
- 2-4-M8-6 Predictor of postoperative coronal tilt of device in the case of total disc replacement358
N. Isogai, et al., Dept. of Orthop. Surg., International Univ. of Health and Welfare

Luncheon Seminar 12

12 : 10~13 : 10

Moderator : **T. Kaito**

- 2-4-LS12-1 Early and solid bony fusion of a novel intervertebral spacer developed by the new concept of “guiding bone matrix orientation”359
M. Ito, et al., Dept. of Orthop. Surgery, NHO Hokkaido Medical Center

Luncheon Seminar 21

13 : 20~14 : 20

Moderator : **J. Takahashi**

Front line of Spinal Surgery in Hybrid OR

- 2-4-LS21-1 Negotiation to open a hybrid operating room for spine surgery and tips for successful spine surgery after the opening359
E. Wada, Spine and Spinal Cord Center, Osaka Police Hosp.
- 2-4-LS21-2 ROBOTIC SURGERY FOR ANT & POST SCOLIOSIS SURGERY IN “SPINE HYBRID OR”360
S. Ebara, Spine and Scoliosis Center, shonan Fujisawa Tokushukai Hospital

Main Theme 9-1

15 : 25~16 : 15

Moderator : **N. Kawahara**

Managements of Spinal Metastasis - Treatment Outcome -

- 2-4-M9-1-1 Impact of prior radiotherapy on outcomes of spinal metastasectomy360
N. Yokogawa, et al., Dept. of Orthop. Surg., Graduate School of Medical Sciences, Kanazawa Univ.
- 2-4-M9-1-2 Prediction of Early Postoperative Mortality by NLR and PLR in Metastatic Spinal Tumors361
K. Takeda, et al., Chiba Cancer Center

2-4-M9-1-3	Efficacy of BKP for vertebral body fractures caused by multiple myeloma through collaboration with the Dept. of Hematology361 T. Kato, et al. , Ome Municipal General Hosp., Dept. of Orthop. Surg.
2-4-M9-1-4	Risk factors for poor outcomes for the mobility at discharge after spinal surgery for metastatic spinal tumor.362 K. Yamada, et al. , Dept. of Orthop. and Trauma Research, Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.
2-4-M9-1-5	ADL and prognostic investigation in patients with bone metastasis362 K. Yoshioka, et al. , Dept. of Orthop. Surg., NHO Kanazawa Medical Center
2-4-M9-1-6	Metastasectomy of spinal lesions from thyroid carcinomas: clinical outcomes with more than 5-year follow-up363 S. Kato, et al. , Dept. of Orthop. Surg., Graduate School of Medical Sciences, Kanazawa Univ.

Main Theme 9-2

16 : 35~17 : 25

Moderator : **H. Ozawa**

Managements of Spinal Metastasis - Pros and Cons of Surgical Intervention -

2-4-M9-2-1	Posterior decompression and fusion for symptomatic spinal metastasis enables postoperative chemotherapy.363 Y. Takeoka, et al. , Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine
2-4-M9-2-2	Multicenter matched pair analysis of surgical intervention for spinal metastases with/without chemotherapy and radiation therapy364 A. Iwata, et al. , Dept. of Musculoskeletal Oncol., Hokkaido Cancer Center
2-4-M9-2-3	A retrospective study about the possibility to avoid preoperative radiotherapy for the patients of spinal metastasis surgery364 S. Cho, et al. , Div. of Spine Surg., Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine
2-4-M9-2-4	Effect of Early Intervention by Spine Surgeons on Metastatic Spine Tumors365 Y. Yonezawa, et al. , Dept. of Orthop. Surg., Saiseikai Yokohamashi Tobu Hosp.
2-4-M9-2-5	Prospective study for risk factors of postoperative complication of surgery for spinal metastases365 T. Matsuo, et al. , Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine
2-4-M9-2-6	Risk factors for early postoperative mortality in minimally invasive spine stabilization for the treatment of metastatic spinal tumors366 H. Uei, et al. , Dept. of Orthop. Surg., Nihon Univ. Hosp.

Main Theme 10

17 : 35~18 : 25

Moderator : **T. Aizawa**

Treatment Strategy for Spinal Infections

- 2-4-M10-1 Shortening antimicrobial treatment duration with combined antimicrobial and anti-RANKL antibody for haematogenous pyogenic spondylodiscitis366
M. Machida, et al., Dept. of Orthop. Surg., Hakujikai Kinen Hosp.
- 2-4-M10-2 A treatment algorithm that incorporates minimally invasive surgery for pyogenic spondylodiscitis in the thoracic and lumbar spines367
Y. Tani, et al., Dept. of Orthop. Surg., Kansai Medical Univ.
- 2-4-M10-3 Clinical characteristics of late surgical site infection in instrumented spinal surgery367
Y. Nagamoto, et al., Dept. of Orthop. Surg., Osaka Rosai Hosp.
- 2-4-M10-4 The relationship between perioperative lymphocyte cell counts and surgical site infection~The careful points about lymphocyte cell counts~368
H. Imabayashi, et al., Dept. of Orthop. Surg., Tokyo Saiseikai Central Hosp.
- 2-4-M10-5 Evaluation of factors related to surgical site infection in spinal instrumentation surgery368
K. Konishi, et al., Dept. of Orthop. Surg., Kyorin Univ.,
- 2-4-M10-6 Risk grading system for severe complications in the pyogenic spondylodiscitis surgery using a multicenter database.369
Y. Ukon, et al., Medical Center for Translational and Clinical Research, Osaka Univ. Hosp.

Room 5

Morning Seminar 3

8 : 00~9 : 00

Moderator : **M. Takahata**

- 2-5-MS3-1 My musculoskeletal ultrasound369
H. Iwasaki, et al., Dept. of Orthop. Surg., Wakayama Medical Univ.

Main Theme 11-1

9 : 10~10 : 00

Moderator : **K. Suda**

Problems and Solutions in Treatment for Cervical Spinal Cord Injuries

- 2-5-M11-1-1 Risk factors of AIS C incomplete cervical spinal cord injury for poor prognosis—the significance of anorectal evaluation370
O. Tsuji, et al., Hokkaido Spinal Cord Injury Center

2-5-M11-1-2	Impact of severe malnutrition in elderly patients with cervical spinal cord injury on treatment outcomes370
	K. Tamai, et al. , Dept. of Orthop. Surg., Osaka Metropolitan Univ. Graduate School of Medicine
2-5-M11-1-3	Impact of nutritional status and dysphagia following traumatic cervical spinal cord injury371
	T. Hayashi, et al. , Dept. of Orthop. Surg., Spinal Injuries Center, Fukuoka, Japan
2-5-M11-1-4	A study focusing on the range of MRI intramedullary signal changes and prognosis in spinal cord injury: A Japanese multicenter survey371
	T. Takizawa, et al. , Yodakubo Hosp.
2-5-M11-1-5	Factors affecting to poor ADL recovery in cervical odontoid process fractures in the elderly: JASA multicenter study372
	N. Segi, et al. , Dept. of Orthop./Rheumatology, Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.
2-5-M11-1-6	Impact of diffuse idiopathic skeletal hyperostosis on perioperative complications and neurological prognosis of cervical spinal cord injury372
	T. Shimizu, et al. , Hokkaido Spinal Cord Injury Center

Main Theme 11-2

10 : 10~11 : 00

Moderator : **Y. Ito**

Problems and Solutions in Treatment for Spine and Spinal Cord Injuries

2-5-M11-2-1	Characteristics of segmental artery injury in thoracolumbar injury373
	Y. Yamamoto, et al. , Dept. of Emergency and Critical Care Medicine, Nara Medical Univ. Hosp.
2-5-M11-2-2	Monoaxial pedicle screws and a novel percutaneous reduction device significantly keep the vertebral body angle after surgery.373
	A. Okuda, et al. , Dept. of Emergency and Critical Care Medicine, Nara Medical Univ. Hosp.
2-5-M11-2-3	Risk Factors for Insufficient Reduction of Intracanal Fragment After Short-Segment Posterior Fixation for Thoracolumbar Burst Fractures374
	H. Aono, et al. , Dept. of Orthop. Surg., National Hosp. Organization, Osaka National Hosp.
2-5-M11-2-4	Can frailty affect functional outcomes following spinal cord injury?374
	T. Konomi, et al. , Dept. of Orthop. Surg., NHO Murayama Medical Center
2-5-M11-2-5	Measurement of resting oxygen uptake in spinal cord injury patients375
	H. Sakai, et al. , Spinal Injuries Center
2-5-M11-2-6	Recent trend of spine injury in Japan: Epidemiological features and outcomes in the Japan Neurotrauma Data Bank375
	A. Yasuda, et al. , Dept. of Orthop. Surg., National Defense Medical College

Free Papers 31

11 : 10~12 : 00

Moderator : **S. Okuda**

Postoperative Infection

- 2-5-F31-1 A Study of Postoperative Infection Cases after Spine Surgery and its Preoperative Predictive Factors in our Hospital376
H. Katayama, et al., Musculoskeletal Science, Yokohama City Univ. Graduate School of Medicine
- 2-5-F31-2 Clinical Factors Related to Outcomes of Surgical Treatment for Surgical Site Infection Following Spine Surgery376
H. Urakawa, et al., Dept. of Orthop. Surg., Amagasaki Chuo Hosp.
- 2-5-F31-3 Analysis of factors associated with surgical site infection severity after spinal fusion377
T. Imai, et al., self defense force sendai Hosp.
- 2-5-F31-4 A case-control study for evaluating diagnostic value of MRI for surgical site infection after lumbar interbody fusion377
Y. Hasegawa, et al., Dept. of Orthop. Surg., Hakodate Central General Hosp.
- 2-5-F31-5 SSI surveillance and intrawound application of vancomycin powder for prophylaxis limiting adaptation to high-risk cases in spinal surgery378
S. Ogihara, et al., Dept. of Orthop. Surg., Saitama Medical Center, Saitama Medical Univ.
- 2-5-F31-6 Experience with continuous local antibiotic perfusion (CLAP) in postoperative infections following spinal implant fixation378
K. Okuyama, et al., Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.

Luncheon Seminar 13

12 : 10~13 : 10

Moderator : **M. Matsumoto**

Intraoperative Hemostasis in Spine Surgery

- 2-5-LS13-1 A new era of cervical radiculopathy treatment -Less invasive with ultrasound, full endoscope and hemostat-379
S. Ishihara, Dept. of Orthop. surgery, Ota Memorial Hosp.
- 2-5-LS13-2 Intraoperative Hemostasis Management in Spinal Surgery379
T. Kanemura, et al., Spine Center, Konan Kosei Hosp.

Luncheon Seminar 22

13 : 20~14 : 20

Moderator : **H. Chikuda**

- 2-5-LS22-1 The Future of the Spine Surgeon from the Perspective of the Relationship between Clinical Practice and Technology380
S. Orita, Center for Frontier Medical Engineering, Chiba Univ., Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.

Free Papers 32

15 : 25~16 : 15

Moderator : **T. Tachibana**

Pyogenic Spondylitis

- 2-5-F32-1 Factors predicting the duration required to control infection in pyogenic spondylitis380
T. Takahashi, et al., Dept. of Orthop. and Spinal Surg., Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.
- 2-5-F32-2 Multidisciplinary Approach to Vertebral Osteomyelitis and Discitis381
K. Nakamura, et al., Dept. of Orthop. Surg., Tokyo Bay Urayasu Ichikawa Medical Center
- 2-5-F32-3 Therapeutic strategy for pyogenic spondylitis based on clinical outcomes more than 10 years381
H. Hayashi, et al., Dept. of Orthop. Surg., Tonami General Hosp.
- 2-5-F32-4 Examination of risk factors leading to surgery in pyogenic spondylitis382
S. Saito, et al., Dept. of Orthop. Surg., Nihon Univ.
- 2-5-F32-5 Surgical results of pedicle screw fixation involving infected vertebral body in the treatment of pyogenic spondylodiscitis382
T. Iimura, et al., Dept. of Orthop. Surg., Dokkyo Medical Univ.
- 2-5-F32-6 Antero-posterior spinal fusion for Pyogenic Spondylitis for Identification of Bacteria383
H. Baba, et al., Dept. of Orthop. Surg., Nagasaki Rosai Hosp.

Free Papers 33

16 : 35~17 : 25

Moderator : **K. Wada**

Spinal Infection

- 2-5-F33-1 How long does it take for C-reactive protein to return to normal in culture-positive pyogenic vertebral osteomyelitis?383
A. Kakuta, et al., Dept. of Orthop. Surg., Seikeikai Hosp.
- 2-5-F33-2 Examination of prophylactic antibiotic administration period in thoracolumbar non-instrumentation surgery384
S. Konishi, et al., Dept. of Orthop. Surg., Osaka General Hosp. of West Japan Railway Company.

2-5-F33-3	Relationship between drain tip culture-positive and early-stage surgical site infection after spine surgery384
	<i>D. KUDO, et al.</i> , Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine
2-5-F33-4	Assessment of Culture Methods in Pyogenic Spondylitis385
	<i>Y. Sakamoto, et al.</i> , Dept. of Orthop. Surg., Kobe City Medical Center General Hosp.
2-5-F33-5	How to Use the Alpha-Defensin Lateral Flow Test for Spinal Infections385
	<i>A. Yoshida, et al.</i> , Dept. of Orthop. Surg., St. Marianna Univ. School of Medicine
2-5-F33-6	Anterior instrumentation for tuberculosis spondylitis -Longtime follow up-386
	<i>M. Inoue, et al.</i> , Dept. of Orthop. Surg., Chiba Saisei-Kai Narashino Hosp.

Free Papers 34

17 : 35~18 : 25

Moderator : **H. Gen**

Lumbar Spine Surgery (Complications)

2-5-F34-1	Low cerebrospinal pressure is the risk factor for post operative epidural hematoma after lumbar decompression surgery386
	<i>H. Kumamaru, et al.</i> , Dept. of Orthop. Surg., Kyushu Univ. Beppu Hosp.
2-5-F34-2	Preventive measures against postoperative nausea and vomiting (PONV) in lumbar spine surgery387
	<i>Y. Hoshino, et al.</i> , Dept. of Orthop. Surg., Asahi Univ. Hosp.
2-5-F34-3	Factors affecting DVT in the perioperative period of lumbar surgery387
	<i>T. Imuro, et al.</i> , Dept. of Orthop. Atsugi City Hosp.
2-5-F34-4	A clinical prediction rule for predicting residual low back pain at 2 years after minimally invasive lumbar decompression surgery388
	<i>H. Toyoda, et al.</i> , Dept. of Orthop. Surg., Osaka Metropolitan Univ. Graduate School of Medicine
2-5-F34-5	Surgical procedure and outcome of lumbar canal decompression: "the yellow ligament floating surgery" for lumbar spinal canal stenosis388
	<i>J. Yu, et al.</i> , Dept. of Orthop. Surg., The Univ. of Tokyo Hosp., The Univ. of Tokyo
2-5-F34-6	Investigation of Intraoperative visibility of the epidural ligament during microendoscopic laminectomy (MEL)389
	<i>A. INOKUCHI, et al.</i> , Dept. of Orthop. Surg., Kyushu Central Hosp.

Room 6

Free Papers 35

9 : 10 ~ 10 : 00

Moderator : **S. Tsutsui**

AIS Diagnosis

- 2-6-F35-1 Proximal Femur Maturity Index is reliable skeletal maturity measure regardless of the posture389
T. MUI, et al., Dept. of Orthop. Surg., Nara Medical Univ.
- 2-6-F35-2 Does the Cobb angle in adolescent idiopathic scoliosis of Risser4 cases not progress?390
R. Wakabayashi, et al., Dept. of Orthop. Surg., Akita Pref. Center on Development and Disability
- 2-6-F35-3 Comparing the accuracy of pose estimation methods and radiographic parameters in adolescent idiopathic scoliosis patients390
G. GOTO, et al., Dept. of Orthop. Surg., Graduate School of Medical Science, Univ. of Yamanashi
- 2-6-F35-4 Automated Measurement of Spinal Alignment for Scoliosis Using Deep Learning391
N. Nakajima, et al., Sakai City Medical Center
- 2-6-F35-5 Three-dimensional analysis of intervertebral discs in lumbar spine before and after surgery in Lenke type 1 patients.391
S. Seki, et al., Dept. of Orthop. Surg., Faculty of Medicine, Univ. of Toyama
- 2-6-F35-6 Cerebrospinal fluid dynamics analysis using Time Spatial Labeling Inversion pulse (Time-SLIP) MR imaging in adolescent idiopathic scoliosis392
Y. Tomita, et al., Dept. of Orthop. Surg., Keio Univ.

Free Papers 36

10 : 10 ~ 11 : 00

Moderator : **H. Shigematsu**

AIS Screening & Conservative Treatment

- 2-6-F36-1 School screening for scoliosis -Comparison of musculoskeletal screening and Moire screening...392
A. Misawa, et al., Dept. of Orthop. Surg., Akita Prefectural Center on Development and Disability
- 2-6-F36-2 A novel screening tool for scoliosis using 3D body measurement technology (ZOZOSUIT[®]) with smartphone app.393
Y. Ito, et al., Orthop. Surg., Sensory and Motor System Medicine, Surgical Sciences, Graduate School of Medicine, The Univ. of Tokyo
- 2-6-F36-3 The impact of the COVID-19 pandemic on scoliosis management393
H. Okayasu, et al., Dept. of Orthop. Surg., Asahikawa Medical Univ.
- 2-6-F36-4 Cobb angle estimation without X-ray using angle of trunk rotation, characteristics of unpredictable cases.394
T. Fukuzawa, et al., Dept. of Orthop. Surg., Shinshu Univ.

- 2-6-F36-5 Does brace therapy adversely affect muscle and bone in patients with adolescent idiopathic scoliosis?394
H. Yano, et al., Dept. of Orthop. Surg., Kitasato Univ.
- 2-6-F36-6 Initial correction rate and outcome of Boston brace by curve type for adolescent idiopathic scoliosis395
Y. Shimizu, et al., Dept. of Orthop., Graduate School of Medical Science, Kyoto Prefectural Univ. of Medicine

Free Papers 37

11 : 10~12 : 00

Moderator : **S. Demura**

AIS Surgery (Type 1,2)

- 2-6-F37-1 Can the Coplanar technique reduce Concave screw density?395
M. Tomori, et al., Dept. of Orthop. Surg., Saiseikai Kawaguchi General Hosp.
- 2-6-F37-2 Utility of Coplanar procedure for adolescent idiopathic scoliosis to restore physiologic thoracic kyphosismulticenter study396
K. Yamada, et al., Dept. of Orthop. Surg., Yokohama Brain and Spine Center
- 2-6-F37-3 Defining factors with shoulder balance in scoliosis correction in Lenke type 1 using the Vertebral coplanar alignment(VCA) technique.396
A. Shimura, et al., Dept. of Orthop., Juntendo Univ.
- 2-6-F37-4 Short-term outcomes of vertebral coplanar alignment technique in Lenke type 1 and 2 adolescent idiopathic scoliosis -A multicenter study397
Y. Murakami, et al., Dept. of Bone and Joint Surg., Ehime Univ. Graduate School of Medicine
- 2-6-F37-5 Which sites should not be skipped in adolescent idiopathic scoliosis Lenke type 1A curves to prevent corrective loss?397
K. Yanagisawa, et al., Dept. of Orthop. Surg., Shinshu Univ.
- 2-6-F37-6 Assessment of postoperative distal adding-on with intraoperative radiograph in adolescent idiopathic scoliosis Lenke type 1398
T. Fujii, et al., Dept. of Orthop. Surg., Keio Univ.

Luncheon Seminar 14

12 : 10~13 : 10

Moderator : **M. Watanabe**

- 2-6-LS14-1 Treatment for severe osteoporosis~perspectives from a spine surgeon~398
K. Wada, Hachioji Spine Clinic

Luncheon Seminar 23

13 : 20~14 : 20

Moderator : **T. Akazawa**

Current Status and Prospects of Advanced Computer Assisted Surgical System for Spinal Surgery

- 2-6-LS23-1 Evaluating a cutting-edge augmented reality-supported navigation system for spinal instrumentation399
B. Meyer, et al., Department of Neurosurgery, Technical University of Munich, Germany, School of Medicine, Klinikum rechts der Isar
- 2-6-LS23-2 How will the safety of spine surgery evolve as navigation becomes app-based?399
K. Sasaki, et al., Dept. of Orthop. surgery, Seirei Hamamatsu General Hosp.

Free Papers 38

15 : 25~16 : 15

Moderator : **K. Akeda**

AIS Surgery (Type 5)

- 2-6-F38-1 Which lines mimic a horizontal line within pelvic of idiopathic scoliosis?400
M. Ikejiri, et al., Dept. of Orthop. Surg., Nara Medical Univ.
- 2-6-F38-2 Negative impact of sacral slanting on postoperative lumbar alignment in adolescent idiopathic scoliosis400
T. Namikawa, et al., Dept. of Orthop. Surg., Osaka City General Hosp.
- 2-6-F38-3 Effect of Lateral Displacement of Lowest Instrumented Vertebra on L4 tilt and Coronal Balance in Lenke 5 Adolescent Idiopathic Scoliosis401
K. Yamada, et al., Dept. of Orthop. Surg., Faculty of Medicine and Graduate School of Medicine, Hokkaido Univ.
- 2-6-F38-4 Results of postoperative coronal alignment due to preoperative C7 plumb line deviation in adolescent idiopathic scoliosis Lenke type 5C401
T. Hatakenaka, et al., Dept. of Orthop. Surg., Shinshu Univ.
- 2-6-F38-5 Effect of lumbosacral transitional vertebra on surgical outcome of Lenke 5 adolescent idiopathic scoliosis402
I. Yamauchi, et al., Dept. of Orthop./Rheumatology, Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.

2-6-F38-6	Back pain in Lenke Type 5 or 6 Adolescent Scoliosis patients who had a surgery.402 <i>A. Miyajima, et al.</i> , Kobe Medical Center
-----------	---

Free Papers 39

16 : 35~17 : 25

Moderator : **M. Takami**

Spine Surgery Complications 1

2-6-F39-1	Analysis of symptoms and outcomes of hyponatremia after spinal surgery for the elderly patients using Propensity-score-matched comparison.403 <i>Y. Kinoshita, et al.</i> , Scoliosis center, Dept. of Orthop. Surg. Osaka City General Hosp.
2-6-F39-2	The impact of preoperative nutrition status on postoperative complications after multi-level spinal fusion surgery in the geriatric patients403 <i>Y. Ode, et al.</i> , Dept. of Orthop./Rheumatology, Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.
2-6-F39-3	The influence of antiplatelet drug on cervical spine surgery404 <i>T. Maenaka, et al.</i> , Osaka General Medical Center
2-6-F39-4	Cerebrovascular accident as a complication of spine surgery; a retrospective cohort study of 3449 single-center cases404 <i>Y. Sakuma, et al.</i> , Aizu Medical Center, Fukushima Medical Univ.
2-6-F39-5	Frequency and associated factors of postoperative wound dehiscence in posterior cervical spine surgery405 <i>M. Uehara, et al.</i> , Dept. of Orthop. Surg., Shinshu Univ.
2-6-F39-6	Recognition of ascending tonic-clonic seizure syndrome405 <i>K. Yagura, et al.</i> , Dept. of Orthop. Surg., Fujigaoka Hosp., Showa Univ.

Free Papers 40

17 : 35~18 : 25

Moderator : **T. Oda**

Spine Surgery Complications 2

2-6-F40-1	Examination of spine surgery for obese patients in our hospital~New measures of our hospital for obese patients~406 <i>S. Uchiyamada, et al.</i> , Dept. of Orthop. Surg., Nagoya City Univ. West Medical Center
2-6-F40-2	Detailed classification of spinal reoperation for complications by pathology and time to reoperation -An analysis of multicenter study-406 <i>S. Takenaka, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ.
2-6-F40-3	Implant-related complications after spinal fusion407 <i>H. Koshimizu, et al.</i> , Dept. of Orthop. Surg., Nagano Red Cross Hosp.

2-6-F40-4	Wrong level spine surgery -multiple center retrospective study-407 R. SAITO, et al. , Dept. of Orthop. Surg., Graduate School of Medicine, Kyoto Univ.
2-6-F40-5	Survey on Spine Surgery for the Super-Elderly (>90 years old) -A Multicenter Study-408 M. Kosaka, et al. , Dept. of Orthop. Surg., The Univ. of Tokyo Hosp., The Univ. of Tokyo
2-6-F40-6	Perioperative complications in elderly patients undergoing spinal surgery408 T. Kondo, et al. , Murase Hosp.

Room 7

Morning Seminar 4

8 : 00 ~ 9 : 00

Moderator : **T. Hasegawa**

Vertebroplasty for Traumatic and Osteoporotic Vertebral Fractures by Utilizing Bioactive Ceramics.

2-7-MS4-1	Proper use of vertebroplasty for osteoporotic vertebral fractures depending on the mechanism and situations.409 R. Takemasa , Dept. of Spinal Surg., Chigasaki Chuo Hosp.
2-7-MS4-2	Early surgical treatment for the traumatic vertebral fractures.409 T. Fujiyoshi, et al. , Dept. of Orthop. Surg., Kimitsu Chuo Hosp.

Free Papers 41

9 : 10 ~ 10 : 00

Moderator : **D. Takeuchi**

Cervical Spine Injury (Treatment)

2-7-F41-1	Dose early surgery for cervical spinal cord injury influence improvement of paralysis ?410 S. Tanishima, et al. , Dept. of Orthop. Surg., Tottori Univ.
2-7-F41-2	Early Manual Reduction for the Subaxial Cervical Spin Dislocation410 T. Taoka, et al. , Dept. of Orthop. Surg., Kobe Red Cross Hosp.
2-7-F41-3	Evaluation of vertebral artery injury associated with cervical spine trauma at our hospital411 R. Ugawa, et al. , Dept. of Orthop. Surg., Kochi Health Sciences Center
2-7-F41-4	Examination of treatment results and outcomes for vertebral artery injury associated with cervical spine injury411 A. Yamaji, et al. , Dept. of Orthop. Surg., Tsukuba Medical Center Hosp.
2-7-F41-5	Neurological deterioration after cervical spine fractures412 T. Inoue, et al. , Dept. of Spine Surg., Toyohashi Municipal Hosp.
2-7-F41-6	Is there a difference in cervical spine trauma between men and women? -based on the characteristics of 386 cases-.412 M. Yamashita, et al. , Dept. of Emergency and Critical Care Medicine., Wakayama Medical Univ.

Free Papers 42

10 : 10~11 : 00

Moderator : **O. Kawano**

Cervical Spine Injury (Elderly)

- 2-7-F42-1 Factors Affecting Home Discharge of Older Adults With Cervical Spinal Cord Injury in Japan413
S. Sasaki, et al., Spinal Injuries Center
- 2-7-F42-2 Factors affecting the waiting time from injury to surgery in elderly patients with cervical spine injury: A Japanese multicenter survey413
M. Uehara, et al., Dept. of Orthop. Surg., Shinshu Univ.
- 2-7-F42-3 Treatment outcome for cervical spine injuries in patients 75 years and older.414
T. Mihara, et al., Dept. of Orthop. Surg., Tottori Univ.
- 2-7-F42-4 Cervical spinal cord injury without radiographic evidence of trauma in elderly aged 75 or over for 10years414
T. Hirose, et al., Dept. of Orthop. Surg., Kagawa Prefectural Central Hosp.
- 2-7-F42-5 Investigation of factors related to life prognosis of surgical cases for elderly cervical spine injury415
A. Yamaji, et al., Dept. of Orthop. Surg., Tsukuba Medical Center Hosp.
- 2-7-F42-6 Mortality and outcome in cervical spinal cord injuries with severe paralysis in the elderly415
T. Inoue, et al., Dept. of Spine Surg., Toyohashi Municipal Hosp.

Free Papers 43

11 : 10~12 : 00

Moderator : **E. Nakamura**

Spine & Spinal Cord Injury

- 2-7-F43-1 Ten-year outcomes of our treatment for acute thoracolumbar injuries416
T. Morita, et al., Kobe Red Cross Hosp.
- 2-7-F43-2 Paravertebral soft tissue swelling in thoracolumbar injury is associated with segmental artery injury416
A. Okuda, et al., Dept. of Emergency and Critical Care Medicine, Nara Medical Univ. Hosp.
- 2-7-F43-3 A new approach for the analysis of the degree of neurological injuries and recoveries in fresh thoracolumbar spinal injuries417
Y. Hatakeyama, et al., Dept. of Orthop. Surg., Akita Red Cross Hosp.
- 2-7-F43-4 Improvement of lower limb muscle strength within 72 hours can be a prognostic factor for subsequent improvement of muscle strength417
K. Osako, et al., Spinal Cord Injury Center

- 2-7-F43-5 Postoperative blood loss including hidden blood loss in early and late surgery using percutaneous pedicle screws for thoracolumbar fracture418
T. Sasagawa, et al., Dept. of Orthop. Surg., Toyama Pref Central Hosp.
- 2-7-F43-6 Scoring system predicting neurologic recovery after acute spinal cord injury418
Y. Nitobe, et al., Dept. of Orthop. Surg., Hirosaki Univ. Graduate School of Medicine

Luncheon Seminar 15

12 : 10~13 : 10

Moderator : **M. Yamazaki**

- 2-7-LS15-1 Present and future of pharmacotherapy for low back pain: Key points for drug selection based on benefits and harms419
T. Nikaido, Dept. of Orthop. Surg., Fukushima Medical Univ.

Luncheon Seminar 24

13 : 20~14 : 20

Moderator : **H. Ota**

- 2-7-LS24-1 Future prospects of short segment fusion for adult spinal deformity419
H. Moridaira, Dept. of Orthop. Surg., Dokkyo Medical Univ.

Free Papers 44

15 : 25~16 : 15

Moderator : **H. Ataka**

Cervical Spine Instrumentation 1

- 2-7-F44-1 Accurate and Minimally Invasive Cervical Pedicle Screw Insertion Procedure Using the Bone Biopsy Needle and the Cannulated Screw System420
T. Koakutsu, et al., Orthop. Trauma Center, National Hosp. Organization Sendai Medical Center
- 2-7-F44-2 The accuracy and safety of screw insertion procedure with the Screw Guide Template system: the outcome of over 1000 attempts420
S. Kaneyama, et al., Dept. of Spine Surg., Kashiwa Kousei General Hosp.
- 2-7-F44-3 Learning curve of cervical pedicle screw placement with a CT Navigation system421
Y. Miyaoka, et al., Dept. of Orthop. Surg., Shinshu Univ.
- 2-7-F44-4 Effect of cervical pedicle anatomical morphology on the accuracy of cervical pedicle screw insertion421
T. Hasegawa, et al., Dept. of Orthop. Surg., Okayama Medical Center
- 2-7-F44-5 Accuracy of cervical pedicle screw placement using patient-specific template guide system and risk factor analysis for screw perforation422
H. Hasebe, et al., Hokkaido Orthop. Surg. Memorial Hosp.

- 2-7-F44-6 Does the mPVFS method become the first choice as cervical instrumentation surgery?422
T. Fujiyoshi, et al., Dept. of Orthop. Surg., Kimitsu Chuo Hosp.

Free Papers 45

16 : 35~17 : 25

Moderator : **H. Funao**

Cercical Spine Instrumentation 2

- 2-7-F45-1 Range of motion at surgical and adjacent disc in single-level cervical total disc replacement up to 3 year follow-up423
M. Tsushima, et al., Dept. of Orthop. Surg., Konan Kosei Hosp.
- 2-7-F45-2 Anterior bone loss after cervical total disc replacement423
H. Haba, et al., Sapporo Orthop. Hosp.
- 2-7-F45-3 Two-year postoperative clinical and radiological outcomes of cervical total disc replacement ...424
T. Matsumoto, et al., Dept. of Orthop. Surg., Osaka Rosai Hosp.
- 2-7-F45-4 History of anterior cervical surgery424
M. Aoyama, et al., Neurosurg., Aichi Medical Univ.
- 2-7-F45-5 Evaluation of cervical sagittal alignment before and after single level surgery in lower cervical spine -Comparison between TDR and ACDF-425
N. Kondo, et al., Yokohama Minami Kyou Sai Hosp., Orthop.
- 2-7-F45-6 Comparison of short-term results between anterior and posterior surgical techniques for cervical myelopathy in patients older than 80 years.425
A. SAKAGUCHI, et al., Dept. of Orthop. Surg., Yokohama Minami Kyou Sai Hosp.

Free Papers 46

17 : 35~18 : 25

Moderator : **S. Tanishima**

Spinal Tumor & Pathology

- 2-7-F46-1 Association of Frailty and Risk of Postoperative Complications after Excisional Surgery for Spinal Tumors.426
M. Kawai, et al., Dept. of Orthop. Surg., Graduate School of Medical Sciences, Kanazawa Univ.
- 2-7-F46-2 Therapeutic strategies to obtain higher local control of sacral chordoma426
T. Mochizuki, et al., Saitama Medical Center, Jichi Medical Univ.
- 2-7-F46-3 Application of contralateral osteotomy for the enbloc resection of paraspinal and spinal tumours: a report of three cases427
Y. Toda, et al., Dept. of Orthop. Surg., Saga Univ.

2-7-F46-4	Comparison between laminectomy and fenestration for lumbar spinal canal stenosis with spinal epidural lipomatosis -Multicenter research-427 N. Ohtomo, et al. , Dept. of Orthop. Surg., The Univ. of Tokyo Hosp., The Univ. of Tokyo
2-7-F46-5	Clinical outcomes of tight film terminale with muscle weakness428 T. Kitamura, et al. , Dept. of Orthop. Surg., Teikyo Univ. Chiba Medical Center
2-7-F46-6	The treatment outcome of 30 spontaneous spinal epidural hematoma.428 H. Maruyama, et al. , Dept. of Orthop. Surg., Showa Univ.

Room 8

Free Papers 47

9 : 10 ~ 10 : 00

Moderator : **H. Inose**

OVF Epidemiology & Diagnosis

2-8-F47-1	How does thoracolumbar vertebral fracture affect trunk muscle strength and physical function?429 I. Takahashi, et al. , Ishii Orthop. and Rehabilitation Clinic
2-8-F47-2	Consideration of occurrence of vertebral body fracture despite treatment for steroid-induced osteoporosis429 K. YAMAZAKI, et al. , Dept. of Orthop. Surg., KINDAI UNIV. NARA Hosp.
2-8-F47-3	Subsequent domino osteoporotic fractures adversely affect health-related quality of life -A prospective multicenter study-430 T. Kusakawa, et al. , Dept. of Orthop. Surg., Hyogo College of Medicine
2-8-F47-4	A multicenter study of pre- and postoperative treatments for osteoporotic vertebral fracture in Niigata prefecture430 S. Hanafusa, et al. , Div. of Orthop. Surg., Dept. of Regenerative and Transplant Medicine, Niigata Univ. Graduate School of Medical and Dental Sciences
2-8-F47-5	Risk assessment of fractures using plain radiograph431 Y. Shibata, et al. , Dept. of Orthop. Surg., Faculty of Life Sciences, Kumamoto Univ.
2-8-F47-6	The Effectiveness of bone quality score based on MRI signal intensity in patients with osteoporotic vertebral fractures431 T. Yamaura, et al. , Harima Hosp.

Free Papers 48

10 : 10~11 : 00

Moderator : **K. Sato**

OVF Conservative Treatment

- 2-8-F48-1 Conservative treatment of osteoporotic vertebral fractures with middle column injury –Investigation of external fixation–432
M. Tokunaga, et al., Sendai Orthop. Hosp.
- 2-8-F48-2 Clinical outcome and imaging findings of severe vertebral collapse in conservative treatment of osteoporotic vertebral fractures.432
K. Nagao, et al., Takarazuka city Hosp.
- 2-8-F48-3 Natural course and risk factors associated with severe disability in patients with osteoporotic vertebral fracture433
T. Yamaura, et al., Harima Hosp.
- 2-8-F48-4 Treatment Satisfaction Survey in Patients Treated with Conservative Therapy for Osteoporotic Vertebral Fractures433
Y. Kobayashi, et al., Dept. of Orthopaedic Surg. Ishikiri Seiki Hosp.
- 2-8-F48-5 Prognostic factors for decrease in activities of daily living after osteoporotic vertebral fractures434
T. Funayama, et al., Dept. of Orthop. Surg., Univ. of Tsukuba
- 2-8-F48-6 Factors affecting the quality of life in the chronic phase of thoracolumbar osteoporotic vertebral fracture434
H. Inose, et al., Dept. of Orthop. and Trauma Research, Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.

Free Papers 49

11 : 10~12 : 00

Moderator : **K. Higashino**

Spondylolysis & Spondylolisthesis

- 2-8-F49-1 The relationship between the form of lumbosacral transitional vertebrae and lumbar spondylolysis435
M. Asukai, et al., Dept. of Orthop. Surg., Kikugawa General Hosp.
- 2-8-F49-2 Clinical characteristics of lumbar spondylolysis in football players among the junior-youth, youth team of the J-league football team435
T. Nakamae, et al., Dept. of Orthop. Surg., Graduate School of Biomedical and Health Sciences, Hiroshima Univ.
- 2-8-F49-3 Risk factors for nonunion of spondylolysis in the upper lumbar spine436
K. Kuroshima, et al., Dept. of Orthop. Surg., Anshin Hosp.

- 2-8-F49-4 Minimally invasive spondylolysis segmental fusion with percutaneous cortical bone trajectory for progressive stage of lumbar spondylolysis436
M. Hasegawa, et al., Kugayama Hosp. Orthop.
- 2-8-F49-5 Safe, simple, and valid position for taking flexion-extension radiographs to assess instability in patients with lumbar spondylolisthesis.437
T. Morita, et al., Dept. of Orthop. Surg., Muroran City General Hosp.
- 2-8-F49-6 A comparison of pedicle screw and cortical bone trajectory screw in the facet fusion rate for degenerative lumbar spondylolisthesis437
T. Miyashita, et al., Spine Center, Matsudo City General Hosp.

Luncheon Seminar 16

12 : 10~13 : 10

Moderator : **S. Otori**

- 2-8-LS16-1 Development of ME-ELIF (MicroEndoscopic-Extraforaminal Lumbar Interbody Fusion) and Future Prospects438
A. Tagami, et al., Dept. of Orthop. Surg., Nagasaki Univ. Graduate School of Biomedical Sciences
- 2-8-LS16-2 Ingenuity and application for safer and more reliable minimally invasive posterior instruments438
K. Yamagishi, Higashiyamato Hosp.

Luncheon Seminar 25

13 : 20~14 : 20

Moderator : **M. Neo**

- 2-8-LS25-1 Spine Surgery with Microscope AR Navigation439
Y. Fujiwara, Dept. of Orthop. Surg., Hiroshima City North Medical Center Asa Citizens Hosp.

Free Papers 50

15 : 25~16 : 15

Moderator : **Y. Murata**

Lumbar Spinal Stenosis

- 2-8-F50-1 Lumbar spinal stenosis is a risk factor for the development of sleep disorders: A prospective cohort study of community residents439
H. Kobayashi, et al., Dept. of Orthop. Surg., Fukushima Medical Univ.
- 2-8-F50-2 Factors for Achilles Tendon Reflex440
K. Otani, et al., Dept. of Orthop. Surg., Fukushima Medical Univ.

- 2-8-F50-3 Association between preoperative lumbar movements and postoperative clinical outcomes in patients with lumbar spinal stenosis440
T. Wada, et al., Rehabilitation Div., Tottori Univ. Hosp.
- 2-8-F50-4 Nerve root anomaly in lumbar degenerative disorders-MRI findings and clinical course441
K. Ijiri, et al., Kirishima Orthop. Hosp.
- 2-8-F50-5 In what way does diabetes mellitus militate the surgical outcomes of lumbar canal stenosis ?441
H. Takayama, et al., Dept. of Orthop. Surg., Hyogo Prefectural Kakogawa Medical Center
- 2-8-F50-6 Efficacy of the posterior elements preservation for preventing intervertebral disc degeneration in lumbar posterior decompression surgeries442
T. Ohnishi, et al., Dept. of Orthop. Surg., Faculty of Medicine and Graduate School of Medicine, Hokkaido Univ.

Free Papers 51

16 : 35~17 : 25

Moderator : **K. Otani**

Lumbar Disc Herniation

- 2-8-F51-1 Outcome of lumbar disc herniation by surgical technique442
D. Matsushima, et al., Dept. of Orthop. Surg., Graduate School of Biomedical and Health Sciences, Hiroshima Univ.
- 2-8-F51-2 Return-to-play outcomes after full-endoscopic spine surgery in professional baseball players443
S. Fujimoto, et al., Dept. of Orthop. Surg., Sapporo Medical Univ.
- 2-8-F51-3 Endoscopic discectomy (FED) for lumbar disc herniation in the L4/5 canal had outcomes comparable to microendoscopic discectomy (MED).443
M. Fujita, et al., Iwai Orthopaedic Medical Hosp.
- 2-8-F51-4 Prevention and treatment of complications in Full-endoscopic Spine surgery for lumbar disc herniation.444
K. Nakamichi, et al., Keiyu Spine Center, Keiyu Orthopedic Hosp.
- 2-8-F51-5 Cartilage endplate disruption on MRI-T1WI as a novel risk factor for postoperative recurrence of lumbar disc herniation444
K. Inomata, et al., Dept. of Orthop. Surg., Gunma Univ. Graduate School of Medicine
- 2-8-F51-6 Is full endoscopic lumbar discectomy (FED) lateral approach possible with local anesthesia alone?445
K. Chiba, et al., Miyukikai Hosp.

Free Papers 52

17 : 35~18 : 25

Moderator : **H. Aono**

Posterior Lumbar Fusion

- 2-8-F52-1 Topical use of tranexamic acid can effectively decrease blood loss after posterior lumbar interbody fusion445
K. Kitaguchi, et al., Dept. of Orthop. Surg., Osaka Police Hosp.
- 2-8-F52-2 Efficacy of gelatin matrix with human thrombin for blood loss in single level conventional transforaminal lumbar interbody fusion446
T. Abe, et al., Dept. of Orthop. Surg., Oita Univ.
- 2-8-F52-3 Risk factors for L5 pedicle fractures after L4/5 or L3/4/5 PLIF446
H. Watanabe, et al., Keiyu Orthop. Hosp.
- 2-8-F52-4 Postoperative ALP elevation is a useful predictor of cage subsidence447
Y. Miyamoto, et al., Dept. of Orthop. Surg., NTT Medical Center Tokyo.
- 2-8-F52-5 Is cross-links need for one- or two-segment posterior lumbar interbody fusion with facetectomy?447
N. Okamoto, et al., Dept. of Orthop. Surg., Japanese Red Cross Saitama Hosp.
- 2-8-F52-6 Drivers of In-Hospital Opioid Consumption: Single Center Analysis of 1502 Patients Undergoing 1-2 Lumbar Fusions448
Y. Ogura, Dept. of Orthop. Surg., Tachikawa Hosp.

Room 9

Free Papers 53

9 : 10~10 : 00

Moderator : **N. Nagoshi**

Spinal Cord Tumor (Intramedullary)

- 2-9-F53-1 Current Trends in the Surgical Management of Intramedullary Tumors: A Multicenter Study by the Neurospinal Society of Japan448
T. Endo, et al., Dept. of Neurosurg., Tohoku Medical and Pharmaceutical Univ.
- 2-9-F53-2 True positive cases of transcranial stimulation muscle evoked potential in intramedullary spinal cord tumor surgery449
K. Kurosu, et al., Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine
- 2-9-F53-3 Long-term postoperative course of spinal ependymoma: a study of cases that could be followed up for more than 10 years after surgery449
K. Morishita, et al., Dept. of Orthop./Rheumatology, Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.

- 2-9-F53-4 Factors involved in residual pain one year after spinal cord intramedullary tumor surgery450
T. Hasegawa, et al., Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine
- 2-9-F53-5 Clinical results of high-grade primary spinal cord malignant tumor450
T. Hasegawa, et al., Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine
- 2-9-F53-6 Evaluation of radiographic findings and post-operative neurological outcome in intramedullary spinal schwannoma451
T. Kitagawa, et al., Dept. of Orthop. Surg., Keio Univ.

Free Papers 54

10 : 10~11 : 00

Moderator : **K. Harimaya**

Spinal Cord Tumor (Epidemiology, Recurrence, etc)

- 2-9-F54-1 Demographics of primary spinal cord and cauda equina tumors: single center experience with 1405 surgically treated cases during two decades.....451
O. Tsuji, et al., Dept. of Orthop. Surg., Keio Univ.
- 2-9-F54-2 Pathological diagnosis in spinal cord tumor surgery: Usefulness of intraoperative rapid pathological diagnosis452
K. Watanabe, et al., Div. of Orthop. Surg., Dept. of Regenerative and Transplant Medicine, Niigata Univ. Graduate School of Medical and Dental Sciences
- 2-9-F54-3 Recurrent spinal meningioma: surgical outcomes and pathological features.....452
Y. Tanaka, et al., Div. of Orthop. Surg., Dept. of Regenerative and Transplant Medicine, Niigata Univ. Graduate School of Medical and Dental Sciences
- 2-9-F54-4 Resection of cervical dumbbell-shaped schwannoma using posterior hemilaminectomy and facetectomy approach453
T. Okubo, et al., Dept. of orthop. surg., Murayama Medical Center
- 2-9-F54-5 Survey of Spinal Cord Tumor Surgery Cases and Reoperation Cases453
H. Kinjo, et al., Orthop. Surg., Graduate School of Medicine, Univ. of the Ryukyus
- 2-9-F54-6 Are there any postoperative recurrence factors in dumbbell-shaped spinal cord tumors?.....454
Y. Mihara, et al., Dept. of Orthop. at Nagoyakyouritu Hosp.

Free Papers 55

11 : 10~12 : 00

Moderator : **M. Sekiguchi**

Basic Science (Ligament, Bone and Muscle)

- 2-9-F55-1 Effects of IL-6 load on FOXO1 and SIRT1 in ossification of the posterior longitudinal ligament of the cervical spine.454
H. SAITO, et al., Dept. of Orthop. Surg., Shiga Univ. of Medical Science

2-9-F55-2	Effect of transthyretin on ligamentum flavum and epidural fat in patients with lumbar spinal canal stenosis.455
	K. Maeda , Dept. of Orthop. Surg., Faculty of Life Sciences, Kumamoto Univ.
2-9-F55-3	Periostin increased by mechanical stress upregulates interleukin-6 expression in the ligamentum flavum455
	A. Yabu, et al. , Dept. of Orthop. Surg., Osaka Metropolitan Univ. Graduate School of Medicine
2-9-F55-4	Novel of Nonunion Therapy Targeting Bone Aging456
	T. Kitahara, et al. , Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ.
2-9-F55-5	Development of a novel dual functional drug delivery system for BMP-2 using polyphosphate di-ester456
	H. Hirai, et al. , Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ.
2-9-F55-6	Search for novel myokines related to osteosarcopenia457
	H. Tawaratsumida, et al. , Dept. of Orthop. Surg., Graduate School of Medical and Dental Sciences, Kagoshima Univ.

Luncheon Seminar 17

12 : 10~13 : 10

Moderator : **H. Taniguchi**

Perioperative Pain Management of Spine Surgery

2-9-LS17-1	Building a postoperative acute pain team at our institution457
	Y. Niiyama , Dept. of Anesthesiology, Akita Univ.
2-9-LS17-2	Multimodal therapy for perioperative pain of spine surgery458
	K. Fukuda , Dept. of Orthop. Surg., Saiseikai Yokohamashi Tobu Hosp.

Luncheon Seminar 26

13 : 20~14 : 20

Moderator : **T. Kanemura**

2-9-LS26-1	The current status and future perspective of lumbar disc herniation458
	G. Inoue , Dept. of Orthop. Surg., Kitasato Univ.

Free Papers 56

15 : 25~16 : 15

Moderator : **Y. Matsumoto**

Basic Science (Translational Research)

2-9-F56-1	Improvement of osseointegration by amin modification on PEEK cage by plasma technology459
	T. Furuichi, et al. , Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ.

2-9-F56-2	Possibility of spinal cages made of phosphorylated PEEK material459 T. Kamanaka, et al. , Dept. of Orthop. Surg., Shinshu Univ.
2-9-F56-3	Verification of tissue repair and regeneration function by Low Adhesive Scaffold Collagen implantation in a rat spinal cord failure model460 K. Morimoto, et al. , Dept. of Genetic Engineering, Kindai Univ.
2-9-F56-4	Spinal cord microenvironmental modulation by HGF-releasing scaffold after chronic complete injury460 S. Hashimoto, et al. , Dept. of Orthop. Surg., Keio Univ.
2-9-F56-5	Investigation of therapeutic effects of mesenchymal stem cells for neuropathic pain461 R. Fukushi, et al. , Dept. of Orthop. Surg., Sapporo Medical Univ.
2-9-F56-6	The anatomical and imaging study for pre-procedure of catheter insertion (needling) in Trans Sacral Canalplasty (TSCP)461 T. Shimazaki, et al. , Dept. of Orthop. Surg., Fukuoka Chikugo city Hosp.

Free Papers 57

16 : 35~17 : 25

Moderator : **N. Nishida**

Basic Science (Spinal Cord)

2-9-F57-1	Analysis of spinal cord lymphatic vessel-like structures using transparency techniques462 K. Nakai, et al. , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine
2-9-F57-2	Combination therapy of iPS-derived neural stem/progenitor cells transplantation and CPTX for spinal cord injury462 Y. Saijo, et al. , Dept. of Orthop. Surg., Keio Univ.
2-9-F57-3	COX2 Expression in a Mouse Model of Spinal Cord Injury Induced Neuropathic Pain463 M. Toi, et al. , Dept. of Orthop. Surg., Hyogo College of Medicine
2-9-F57-4	Enhanced network in corticospinal tracts after infused mesenchymal stem cells in spinal cord injury463 R. Hirota, et al. , Dept. of Orthop. Surg., Sapporo Medical Univ.
2-9-F57-5	Therapeutic Effects of Combined hiPSC-NS/PCs Transplantation and Rehabilitative Training in Chronic Spinal Cord Injury.464 T. Shibata, et al. , Dept. of Orthop. Surg., Keio Univ.
2-9-F57-6	Withdrawn

Free Papers 58

17 : 35~18 : 25

Moderator : **S. Seki**

Basic Science (Intervertebral Disc & Spinal Deformity)

- 2-9-F58-1 Direct Reprogramming and Induction of Human Dermal Fibroblasts to Differentiate into iPS-Derived Nucleus Pulposus-like Cells in 3D Culture465
S. Seki, et al., Dept. of Orthop. Surg., Faculty of Medicine, Univ. of Toyama
- 2-9-F58-2 Development of treatment for degenerative disc disease by selective interference of the mTOR signaling pathway using the CRISPR-Cas9 system465
M. Ryu, et al., Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine
- 2-9-F58-3 Selective interference of Raptor/mTORC1 is protective against intervertebral disc degeneration through autophagy induction in rat tails466
N. Kumagai, et al., Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine
- 2-9-F58-4 The Relationship between serum cholesterol and expression of IL-8 in human Intervertebral disc466
S. Inoue, et al., Dept. of Orthop. Surg., Kitasato Univ.
- 2-9-F58-5 Expression of Caspase recruitment domain-containing protein 14 (CARD14) in Nucleus Pulposus467
K. Kawaguchi, et al., Dept. of Musculoskeletal Surg., Dept. of Multimodality Therapy for Cancer, Mie Univ. Graduate School of Medicine
- 2-9-F58-6 Lbx1 negatively regulates energy metabolism in mice467
T. Nakagawa, et al., Dept. of Orthop. Surg., National Defense Medical College

Room 10

Hands-on Seminar 3

10 : 00~12 : 00

Moderator : **S. Ohtori**

Speaker : **T. Iida**

Hands on Workshop : **M. Tanaka**

Training Session and Hands-on Seminar for OLIF51™

Poster Room 1

Poster 17

9 : 10~9 : 45

Moderator : **Y. Imajo**

Cervical Spine Surgery 1

- P-17-1 The comparison of stability of hinge side and axial pain in the early postoperative period of various spacers in the cervical laminoplasty.468
Y. Toten, et al., Dept. of Orthop. Surg., Hiroshima City North Medical Center ASA Citizens Hosp.
- P-17-2 The risk factor of poor surgical outcome of laminoplasty for cervical spondylolisthesis is the deterioration of kyphosis468
M. Funaba, et al., Dept. of Orthop. Surg., Yamaguchi Univ. Graduate School of Medicine
- P-17-3 An investigation of the scapular dislocation after cervical laminoplasty: a prospective study469
T. Inoue, et al., Dept. of Orthop. Surg., The Jikei Univ. Katsushika Medical Center
- P-17-4 Impact of cervical spinal surgery for patients with low back pain: a prospective study.469
Y. Matsumoto, et al., Spinal Injuries Center
- P-17-5 Effectiveness of radial pressure wave therapy for spasticity of lower limbs remaining after decompression surgery for cervical myelopathy470
K. Sugiura, et al., Dept. of Orthop., Institute of Biomedical Sciences, Tokushima Univ. Graduate School
- P-17-6 Prevalence and characteristics of residual neuropathic pain after cervical laminoplasty for myelopathy470
S. Ikeda, et al., Dept. of Orthop. Surg., Kitasato Univ.
- P-17-7 Investigation of kyphosis factor after cervical laminoplasty -Evaluation of bone and muscle factors using CT and MRI-471
N. Sako, et al., Dept. of Orthop. Surg., Oita Univ.

Poster 18

9 : 50~10 : 25

Moderator : **H. Iizuka**

Cervical Spine Surgery 2

- P-18-1 Can early x-rays after cervical laminoplasty predict final kyphotic deformity?471
N. Sako, et al., Dept. of Orthop. Surg., Oita Univ.
- P-18-2 Minimally Invasive Double-door Laminoplasty for Cervical Myelopathy472
H. Kanno, et al., Dept. of Orthop. Surg., Tohoku Medical and Pharmaceutical Univ.
- P-18-3 Surgical results of Minimal Consecutive Cervical Laminectomy (MicCeL) for Cervical Myelopathy472
T. Iga, et al., Spine Center, Keiyu Orthop.

P-18-4	Outcome of spinous process splitting laminoplasty using Centerpiece Connect -Multicenter Study-	473
	H. Miyamoto, et al. , Dept. of Orthop. Surg., Kindai Univ. Faculty of Medicine	
P-18-5	Dumbbell Shape Anterior Cervical Foraminotomy (DACF) for the treatment of Cervical foraminal stenosis	473
	J. Kunogi, et al. , Dept. of Spine and Orthop. Surg., Japanese Red Cross Medical Center	
P-18-6	Revisit anterior key-hole discectomy for cervical disc herniation	474
	M. Shibayama, et al. , Aichi Spine Hosp.	
P-18-7	Surgical Results for Cervical Radiculopathy Presenting Drop Finger	474
	T. Iga, et al. , Spine Center, Keiyu Orthop.	

Poster 19

17 : 00~17 : 35

Moderator : **A. Wada**

Frailty, Sarcopenia and Locomotive Syndrome

P-19-1	A two-year longitudinal study on the relationship between frailty and standing whole-spine X-ray alignment in health screening study	475
	S. Oe, et al. , Dept. of Geriatric Musculoskeletal Health, Hamamatsu Univ. School of Medicine	
P-19-2	Evaluation of locomotive syndrome and contributing factors for surgical cases of degenerative spi- nal disease	475
	H. Hirata, et al. , Dept. of Orthop. Surg., Saga Univ.	
P-19-3	Association among PI-LL, sarcopenia and low back pain in the general population -The Wakayama Spine Study	476
	H. Hashizume, et al. , School of Health and Nursing Science, Wakayama Medical Univ.	
P-19-4	Mild Cognitive Impairment in Elderly Patients with Lumbar Spinal disorders	476
	K. Watanabe, et al. , Dept. of Orthop. Surg., Fukushima Medical Univ.	
P-19-5	Importance of proactive spinal surgery treatment for super-elderly people with perspective of im- proving walking ability	477
	J. Komatsu, et al. , Dept. of Orthop. Surg., JuntendoTokyo Koto Geriatric Medical Center	
P-19-6	Correlation between perioperative complications and frailty index in elderly patients undergoing spinal surgery	477
	K. Oda, et al. , Dept. of Orthop. Surg., Graduate School of Medical Science, Univ. of Yamanashi	
P-19-7	Risk factors for complications and deterioration of ambulatory ability in conservative treatment for OVF; Serious consequences of sarcopenia	478
	K. Nagasawa, et al. , Dept. of Orthop. Surg., Moriya Daiichi General Hosp.	

Poster 20

17 : 40~18 : 15

Moderator : **T. Morino**

Chemoneucleolysis

- P-20-1 Outcome of lumbar Intradiscal condoliase injection therapy in our hospital.478
Y. Yanagisawa, et al., Dept. of orthop. Surg. and Spinal disease center, Fukuoka Mirai Hosp.
- P-20-2 Investigation of the cost-effectiveness of intradiscal condoliase injection therapy and surgical therapy for lumbar disc herniation479
J. Saito, et al., Dept. of Orthop. Surg., Toho Univ. School of Medicine (Sakura)
- P-20-3 Effects of intradiscal condoliase injection for lumbar disc herniation in patients with walking disturbance by severe pain479
M. Kashii, et al., Dept. of Rehabilitation, National Hosp. Organization, Osaka Minami Medical Center
- P-20-4 The effectiveness of condoliase therapy for lumbar disc herniation480
T. Banno, et al., Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine
- P-20-5 Could psychogenic factor affect the clinical result of condoliase therapy?480
T. Banno, et al., Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine
- P-20-6 Factors associated with favorable clinical results after condoliase injection for lumbar disc hernia481
H. Sano, et al., Dept. of Orthop. Surg., Kyorin Univ.,
- P-20-7 Intradiscal Condoliase injection therapy may have a gradual therapeutic effect481
M. Uematsu, et al., Dept. of Orthop. Surg., Osaka Metropolitan Univ. Graduate School of Medicine

Poster Room 2

Poster 21

9 : 10~9 : 45

Moderator : **T. Ohba**

Spinal Infection 1

- P-21-1 Frequency of pyogenic spondylitis in patients with positive blood culture482
S. Sumiya, et al., Dept. of Orthop. Surg., Saitama Sekishinkai Hosp.
- P-21-2 Acute pyogenic spondylitis that resist conservative treatment is predictable early by CRP482
Y. Tamaki, et al., Dept. of Otrhop.Surg., Japanese Red Cross Society Wakayama Medical Center
- P-21-3 Experience of pyogenic spondylitis from the viewpoint of locomotive syndrome in cancer patients.483
K. Saita, et al., Dept. of Orthop., Saitama Medical Univ. Saitama Medical Center
- P-21-4 Complications of pyogenic spondylitis -to avoid aggravation-483
Y. Goto, et al., Dept. of Orthop. Surg., Nagoya City Univ., Graduate School of Medical Sciences

P-21-5	Epidemiology of Vertebral osteomyelitis Patient's Oral Environment484 R. IKEDA, et al. , Dept of Orthop surg, Asahi Univ. Hosp.
P-21-6	Withdrawn
P-21-7	Problems of image findings in early onset pyogenic spondylitis with sepsis485 K. Sawamura , Dept. of Orthop. Surg., Koseikai Takeda Hosp.

Poster 22

9 : 50 ~ 10 : 25

Moderator : **H. Sakaura**

Spinal Infection 2

P-22-1	Related factors of surgical site infection in spine instrumentation surgery -526 cases-485 S. Tanishima, et al. , Dept. of Orthop. Surg., Tottori Univ.
P-22-2	A study for surgical site infection after spinal surgeries.486 Y. Takahashi, et al. , Dept. of Orthop. Surg., Keio Univ.
P-22-3	Negative pressure wound therapy may reduce the incidence of wound infection and dehiscence after spinal surgery.486 K. Yokota, et al. , Dept. of Orthop. Surg., Nagasaki Univ. Graduate School of Biomedical Sciences
P-22-4	Clinical outcome of full endoscopic debridement and drainage for infectious spondylitis487 T. Terai, et al. , Dept. of Orthop. Surg., Matsuyama Shimin Hosp.
P-22-5	Continuous local antibiotics perfusion using full endoscopic spine surgery for pyogenic spondylitis487 J. Hirayama, et al. , Dept. Orthop. Surg., Endoscopic Spine Surg. Center, Seikei-kai Chiba Medical Center
P-22-6	Evaluation of Percutaneous Pedicle Screw Fixation in Patients with Pyogenic Spondylitis of the Thoracolumbar Spine488 K. Fukutake, et al. , Dept. of Orthop. Surg., Toho Univ. (Omori)
P-22-7	Treatment strategy of pyogenic spondylitis488 M. Oshima, et al. , Kawaguchi Municipal Medical Center

Poster 23

17 : 00 ~ 17 : 35

Moderator : **M. Kato**

Lumbar Decompression Surgery

P-23-1	Clinical outcomes and prognostic factors after fenestration for lumbar degenerative stenosis assessed by Zurich claudication questionnaire489 S. Yamada, et al. , Dept. of Orthop. Surg., JCHO Osaka Hosp.
--------	--

- P-23-2 The impact of diabetes mellitus on patient-reported outcomes of posterior decompression surgery for lumbar spinal canal stenosis489
T. Yamamoto, et al., Spine center, Japanese Red-cross Shizuoka Hosp.
- P-23-3 Postoperative Analgesia Effect of Ropivacaine with Indwelling Epidural Catheter for Lumbar Fenestration Surgery490
H. Hara, et al., Dept. of Orthop. Surg., Juntendo Univ. Urayasu Hosp.
- P-23-4 Effect of the treatment of the low back pain by decompression for the lumbar spinal stenosis ...490
Y. Tamaki, et al., Dept. of Orthop. Surg., Japanese Red Cross Society Wakayama Medical Center
- P-23-5 Synovial facet joint cysts after lumbar posterior decompression surgery491
Y. Takahashi, et al., Dept. of Spinal Surg., Shinkomonji Hp.
- P-23-6 Intervertebral disc degeneration in patients with lumbar spinal canal stenosis after posterior lumbar decompression surgery491
T. Fujii, et al., Dept. of Orthop. Surg., Keio Univ.
- P-23-7 Considering the endpoints of decompression surgery (location of lesions in the spinal canal in lumbar spinal canal stenosis)492
T. NAKAGAWA, et al., Dept. of Orthop. Surg., Sendai Orthop. Hosp.

Poster 24

17 : 40~18 : 15

Moderator : **M. Yoshimoto**

Endoscopic Surgery 1

- P-24-1 Postoperative early outcomes of incidental dural tears in microendoscopic spine surgery.....492
T. Segawa, et al., Inanami Spine and Joint Hosp.
- P-24-2 The surgical outcomes of minimally invasive decompression surgery for the patients with severe obesity493
R. Sasaki, et al., Dept. of Orthop. Surg., Shimada Hosp.
- P-24-3 Comparison between microendoscopic laminectomy and open posterior decompression surgery for upper lumbar spinal canal stenosis493
Y. Yamato, et al., Dept. of Orthop. Surg., The Univ. of Tokyo Hosp., The Univ. of Tokyo
- P-24-4 Risk factor for poor patient satisfaction after lumbar microendoscopic laminectomy494
K. Tozawa, et al., Dept. of Orthop. Surg., Spine Center, Toranomon Hosp.
- P-24-5 Clinical outcomes of tandem operation using microendoscopes in the elderly patients with multiple lumbar spinal stenosis494
M. Okada, et al., Dept. of Orthop. Surg., Sumiya Orthop. Hosp.
- P-24-6 Reassessment of the learning curve for microendoscopic laminectomy for lumbar spinal canal stenosis495
K. Nomura, et al., Sumiya Orthop. Hosp.

- P-24-7 Microendoscopic decompression for lumbar spinal stenosis caused by facet-joint cysts: a novel technique with cyst-dyeing protocol495
S. Murata, et al., Dept. of Orthop. Surg., Wakayama Medical Univ.

Poster Room 3

Poster 25

9 : 10~9 : 45

Moderator : **S. Kaneko**

DISH

- P-25-1 The degree of extension of ossification of the anterior longitudinal ligament in DISH is not associated with the presence of comorbidities496
T. Morino, et al., Dept. of Bone and Joint Surg., Ehime Univ. Graduate School of Medicine
- P-25-2 Association between the progression of diffuse idiopathic skeletal hyperostosis and the surgical outcome of spinal fracture496
S. Nishimura, et al., Dept. of Orthop. Surg., Kawasaki Municipal Hosp.
- P-25-3 Examination of bone density and trabecular bone score in DISH patients497
Y. Murakami, et al., Dept. of Bone and Joint Surg., Ehime Univ. Graduate School of Medicine
- P-25-4 Clinical results of Balloon Kyphoplasty for osteoporotic vertebral fracture with DISH497
R. Shibo, et al., Dept. of Orthop. Surg., Oono Central Hosp.
- P-25-5 Impact of diffuse idiopathic skeletal hyperostosis on surgical outcomes of posterior lumbar interbody fusion for lumbar spinal stenosis498
M. Ozaki, et al., Dept. of Orthop. Surg., Keio Univ.
- P-25-6 Sacroiliac joint auto fusion and hip OA in the patients with L-DISH is a risk factor of reoperation after lumbar decompression498
A. TANAKA, et al., Dept. of orthop. Surg., Kobe City Medical Center General Hosp.
- P-25-7 Insertion method that maximize the fixation of thoracic pedicle screw. increased fixation even with osteoporotic or crushed vertebra499
F. Miyaguchi, et al., Imakiire general Hosp.

Poster 26

9 : 50~10 : 25

Moderator : **T. Fujishiro**

Cervical Fusion Surgery 1

- P-26-1 Revision surgery after a single-level anterior cervical discectomy and fusion with and without anterior cervical plating499
N. Tadokoro, et al., Dept. of Orthop. Surg., Kochi Medical School, Kochi Univ.

P-26-2	Mechanical Complications after ACCF Reconstruction -Comparison of Rotational type and Translational Type Plates-500 K. Sakai, et al. , Dept. of Orthop. Surg., Saiseikai Kawaguchi General Hosp.
P-26-3	Cervical reconstruction surgery used expandable cage500 J. Mizutani, et al. , Dept. of Orthop. Surg., Tokyo Women's Medical Univ., Yachiyo Medical Center
P-26-4	Comparison about the outcome of the case given anterior cervical discectomy and fusion at 65 to 74 years old, 75 years and older.501 T. Sadamatsu, et al. , Dept. of Orthop. Surg., Nagasaki Rosai Hosp.
P-26-5	Bony union of atlantoaxial fixation combined with C1 posterior arch resection501 H. Shoji, et al. , Dept. of Orthop. Surg., Niigata City General Hosp.
P-26-6	Insertional torque of lateral mass screws for the cervical spine from C3 to C6502 T. Mishiro, et al. , Dept. of Orthop. Surg., Takamatsu Red Cross Hosp
P-26-7	The risk of internal carotid artery injury for C1 lateral mass screw placement502 R. Kitagawa, et al. , Dept. of Orthop. Surg., Saiseikai Kanazawa Hosp.

Poster 27

17 : 00~17 : 35

Moderator : **H. Hamanaka**

Lumbar Disc Herniation 1

P-27-1	Incidence survey and surgical treatment of posterior ring apophyseal fracture503 T. Inoue, et al. , Dept. of Orthop. Surg., Kyushu Central Hosp. of the Mutual Aid Association of Public School Teachers
P-27-2	The characteristics and clinical outcomes of lumbar disc herniation in teenager503 M. Uematsu, et al. , Eniwa Hosp.
P-27-3	Effect of difference in lumbar lordosis (DiLL) between standing and supine on surgical outcomes of lumbar disc herniation504 M. Sato, et al. , Dept. of Orthop. Surg., Eastern Chiba Medical Center
P-27-4	Factors associated with disc degeneration based on Pfirrmann criteria after condoliase treatment for lumbar disc herniation504 K. KOBAYASHI, et al. , Dept. of Orthop. Surg., Japanese Red Cross Aichi Medical Center Nagoya Daini Hosp.
P-27-5	A multicenter study of condoliase intervertebral injection therapy: A Secondly report505 Y. OSHITA, et al. , Dept. of Orthop. Surg., Showa Univ. Northern Yokohama Hosp.
P-27-6	Characteristics of recurrent lumbar disc herniation requiring reoperation during hospitalization after primary surgery505 Y. Ichihara, et al. , Dept. of Orthop. Syrg., Murayama Hosp

- P-27-7 Effectiveness of surgery for lumbar disc herniation with foot-drop506
T. Moroi, et al., Keiyu Orthop. Hosp.

Poster 28

17 : 40~18 : 15

Moderator : **H. Inoue**

Endoscopic Surgery 2

- P-28-1 Usefulness of 3D CT/MRI Fusion Imaging for the Evaluation of Lumbar Disc Herniation and Kambin's Triangle506
M. Tanaka, et al., Dept. of Radiology, Okayama Rosai Hosp.
- P-28-2 Foraminoplasty makes Transforaminal full-endoscopic spine surgery(TF-FES) at L5/S1 possible more safely507
K. Yagi, et al., Dept. of Musculoskeletal Sports Medicine, Research and Innovation, Nagoya City Univ., Graduate School of Medical Sciences
- P-28-3 Comparison of unilateral laminectomy for bilateral decompression by four surgical methods ...507
Z. Ito, et al., Dept. of Orthop. Surg., Aichi spine Hosp.
- P-28-4 Evaluation of invasiveness of full-endoscopic spine surgery based on blood test data508
K. Takagi, et al., Dept. of Orthop. Surg., Hyogo College of Medicine
- P-28-5 Short-term clinical outcomes of full-endoscopic disc cleaning surgery for intractable low back pain due to Modic type 1 change508
K. Sugiura, et al., Dept. of Orthop., Institute of Biomedical Sciences, Tokushima Univ. Graduate School
- P-28-6 Prognostic factors in total endoscopic disc cleaning surgery for refractory Modic Changes in our hospital.....509
T. Ogawa, et al., Hikone Municipal Hosp.
- P-28-7 Full Endoscopic resection of bone lesion for the treatment of delayed paralysis after osteoporotic vertebral fracture.509
S. TSUCHIDA, et al., Spine Center, Fuji Toranomon Orthop. Hosp.

Poster Room 4

Poster 29

9 : 10~9 : 45

Moderator : **T. Kitagawa**

Complications (Cervical Posterior Surgery)

- P-29-1 Analysis of risk factors for postoperative kyphotic deformity in selective laminoplasty510
K. Miyashita, et al., Dept. of Orthop. Surg., Sapporo Medical Univ.

- P-29-2 Impacts of postoperative hematoma after cervical laminoplasty on spinal cord posterior shifting and C5 palsy510
H. Kudo, et al., Dept. of Orthop. Surg., JCHO Akita Hosp.
- P-29-3 Ten-year Trends in Cervical Laminoplasty and Postoperative 30-Day Complications, 2008-2017511
E. Takasawa, et al., Dept. of Orthop. Surg., Gunma Univ. Graduate School of Medicine
- P-29-4 Bendini® in long-segment cervical posterior decompression and fusion does not contribute to prevention of C5 paralysis511
H. Noguchi, et al., Dept. of Orthop. Surg., Univ. of Tsukuba
- P-29-5 A contrivance during the surgical procedure of cervical laminoplasty for prevention of postoperative C5 palsy512
M. Yasuaki, et al., Dept. of Orthop. Surg., Teikyo Univ. Chiba Medical Center
- P-29-6 Clinical result of Neurological complication, C8 region after Cervical decompression surgery512
A. Inada, et al., Dept. of Orthop. Surg., Nagoya City Univ. West Medical Center
- P-29-7 A study of risk factor after cervical laminoplasty with prophylactic foraminotomy for postoperative C5 palsy513
H. Sekimoto, et al., Spine Center, Dept of Orthop Surg., Niigata Central Hosp.

Poster 30

9 : 50 ~ 10 : 25

Moderator : **K. Yamada**

Cervical Fusion Surgery 2

- P-30-1 Evaluation of remaining neck pain after surgery of cervical spine; medium-term results.513
K. Koyama, et al., Dept. of Orthop. Surg., Toho Univ. School of Medicine (Sakura)
- P-30-2 Impact of occiput-atlas fixation on quality of life in patients with upper cervical lesion.514
A. Kimura, et al., Dept. of Orthop., Jichi Medical Univ.
- P-30-3 Evaluation of implant loosening and bone fusion of C1/2 fixation with local bone grafting to the lateral annular axial joint514
M. Kawaguchi, et al., Dept. of Orthop. Surg., Kanazawa Medical Univ.
- P-30-4 Examination of left-right difference in vertebral body and vertebral artery at cervical contrast-enhanced CT515
K. Hayashi, et al., Dept. of Orthop. Surg., Shinshu Univ.
- P-30-5 Is it possible to insert cervical pedicle screw into high-riding VA?515
K. Toriumi, et al., Dept. of Orthop. Surg., Kindai Univ. Faculty of Medicine
- P-30-6 Efficiency of long lateral mass screw516
S. Watanabe, et al., Dept. of Orthop., Traumatology and Spine Surg., Kawasaki Medical School

- P-30-7 A comparative study on the results of three different types of fusion methods in anterior cervical discectomy and fusion.516
K. Nishizawa, et al., Dept. of Orthop. Surg., Omi Medical Center

Poster 31

17 : 00~17 : 35

Moderator : **K. Kiyasu**

Lumbar Disc Herniation 2

- P-31-1 Does the difference in the amount of rehabilitation affect physical function in patients after surgery with lumbar disc herniation ?517
Y. Ishii, et al., Dept. of Orthop. Surg., Ishii Hosp.
- P-31-2 Treatment Strategies for Pregnant Lumbar Disc Herniation517
R. Shoji, et al., Akita Kousei Medical Center
- P-31-3 Cauda equina syndrome due to lumbar disc herniation518
Y. Morishita, et al., Dept. of Orthop. Surg., Spinal Injuries Center
- P-31-4 Postoperative outcome of extreme lateral lumbar disc herniation, focused on localization of herniation518
H. Obara, et al., Dept. of Orthop. Surg., Sapporo Medical Univ.
- P-31-5 Poor prognostic factors of chondriase injection therapy for lumbar lateral disc herniation.519
Y. Kagami, et al., Anjo Kosei Hosp.
- P-31-6 Indication and treatment results of chemonucleolysis using chondoliase for lumbar intervertebral disc herniation.519
H. Yoshida, Dept. of Orthop. Surg., National Hosp. Organization Fukuokahigashi Medical Center
- P-31-7 Low back pain after intradiscal condoliase injection therapy for lumbar disc herniation520
F. Tominaga, et al., Fukuoka Orthop. Hosp.

Poster 32

17 : 40~18 : 15

Moderator : **Y. Nakagawa**

Endoscopic Surgery 3

- P-32-1 The 1-year outcome of endoscopic decompression for lumbar degenerative spondylolisthesis is less affected by the imaging characteristics.520
T. NAKAGAWA, et al., Dept. of Orthop. Surg., Sendai Orthop. Hosp.
- P-32-2 The surgical outcome of full endoscopic cervical foraminotomy for proximal type cervical spondylotic amyotrophy521
D. Lee, et al., Ctr. for Spinal Surg., Nippon Koukan Hosp.

- P-32-3 Clinical outcomes of microendoscopic laminotomy for cervical spondylotic myelopathy compared with conventional laminoplasty521
Y. Ueda, et al., Fukui Prefectural Hosp.
- P-32-4 Efficacy of Endoscopic Lumbar Laminectomy in Patients with Rheumatoid Arthritis -Using Multiple Patient Reported Outcomes and MCID-522
Y. Yoshida, et al., Dept. of Orthop. Surg., Sagami-hara Hosp.
- P-32-5 Comparative study of degenerative lumbar spondylolisthesis versus lumbar spinal canal stenosis in microendoscopic laminectomy.522
F. Tokuyama, et al., Dept. of Orthop. Surg., Takatsuki Redcross Hosp
- P-32-6 Microendoscopic lateral fenestration for lumbar radiculopathy with L5 isthmic spondylolisthesis523
T. Eiji, et al., Sendai Orthop. Hosp.
- P-32-7 Clinical results of microendoscopic surgery for the patients over 85 years old -comparison with the patients 80-84 years old-523
K. Maio, et al., Dept. of Orthop. Surg. Wakayama Rosai Hosp.

Poster Room 5

Poster 33

9 : 10 ~ 9 : 45

Moderator : **S. Soshi**

Complications (ASD & Osteoporosis)

- P-33-1 FEA for mechanism of occasional ALL rupture with posterior correction procedure in corrective surgery for adult spinal deformity using LLIF524
H. Takeda, et al., Dept. of Spine and Spinal Cord Surg., Fujita Health Univ.
- P-33-2 Risk factors for anterior longitudinal ligament injury in anterior-posterior corrective fusion with lateral lumbar interbody fusion524
I. Torigoe, et al., Dept. of Orthop. Surg., Saiseikai Kawaguchi General Hosp.
- P-33-3 Analysis of the relationship between spinal alignment and retrocrural space area in adult spinal deformity surgery525
S. Ohyama, et al., Dept. of Orthop. Surg., Seirei Sakura Citizen Hosp.
- P-33-4 Optimal range of fixation for osteoporotic vertebral fracture with previous vertebral fractures.525
Y. Takamizawa, et al., Dept. of Orthop. Surg., Kyorin Univ.
- P-33-5 Occurrence of adjacent vertebral fracture following posterior fusion and percutaneous vertebroplasty for metastasis of breast cancer526
M. Ito, et al., Dept. of Orthop. Surg., St Luke's international Hosp.

- P-33-6 Risk factors for distal junctional kyphosis after spinal reconstruction surgery in patients with osteoporotic vertebral fracture526
Y. Sawada, et al., Dept. of Orthop. Surg., Osaka Metropolitan Univ. Graduate School of Medicine
- P-33-7 A Study of Risk Factors for Postoperative Delirium in Spine Surgery Patients527
I. Nakae, et al., Dept. of Orthop. Surg., Kurume Univ.

Poster 34

9 : 50 ~ 10 : 25

Moderator : **K. Kadoya**

Spinal Cord, Pain and OPLL/OYL

- P-34-1 Lower extremity neurological symptoms are associated with 12th rib length527
J. Teramoto, et al., Orthop., graduate school, Juntendo Univ.
- P-34-2 Therapeutic Effects of Mesenchymal Stem Cells on Myelopathic Pain528
R. Fukushi, et al., Dept. of Orthop. Surg., Sapporo Medical Univ.
- P-34-3 GPR55 contributes to recruitment of neutrophils and induction of mechanical pain after spinal cord compression in mice528
T. Ono, et al., Dept. of Orthop. Surg., Kyushu Univ. Beppu Hosp.
- P-34-4 Clinical results of intrathecal baclofen (ITB) therapy to severe spasticity529
Y. Takagi, et al., Dept. of Orthop. Surg., Tonami General Hosp.
- P-34-5 Relationship between the prognosis of bladder and bowel dysfunction due to compressive spinal lesions and pre-op neurological findings529
Y. Setojima, et al., Showa General Hosp.
- P-34-6 The effectiveness of pulsed radiofrequency on lumbar spine-related pain in patients without recent lumbar surgery530
K. Tsuchiya, et al., Dept. of Orthop. Surg., Showa Univ.
- P-34-7 Clinical and histological characteristics according to the ossified formation in the thoracic ossification of ligamentum flavum530
Y. Chosei, et al., Dept. of Orthop. Surg., Shiga Univ. of Medical Science

Poster 35

17 : 00 ~ 17 : 35

Moderator : **S. Nozawa**

Cervical Spine Disorders (Diagnosis)

- P-35-1 Dropped head syndrome in patient with Parkinson's disease531
K. Endo, et al., Dept. of Orthop. Surg., Tokyo Medical Univ.

- P-35-2 Prevalence of dysphagia with dropped head syndrome: a comparative study between DHS versus CSM patients.531
C. Hayakawa, et al., Dept. of Orthop. Surg., Showa Univ.
- P-35-3 The experience of 3 cases of exacerbation of neurological disorders diagnosed after surgery for hanging neck syndrome532
H. Nishimura, et al., Dept. of Orthop. Surg., Tokyo Medical Univ.
- P-35-4 Reproducibility of imaging evaluation using MRI oblique sagittal section images in cervical spondylotic radiculopathy.532
Y. Kobayashi, et al., Dept. of Orthop. Surg., Saiseikai Kawaguchi General Hosp.
- P-35-5 Increased signal intensity of spinal cord extending to vertebral body level on T2 MRI in patients with cervical spondylotic myelopathy533
N. YAMAGUCHI, et al., Dept. of Orthop. Surg., National Defense Medical College
- P-35-6 Effect of preoperative cervical range of motion on kyphosis progression after laminoplasty for cervical spondylotic myelopathy533
K. Shigenobu, et al., Yodakubo National Health Insurance Hosp.
- P-35-7 Effect of vitamin D deficiency on surgical outcomes of degenerative cervical myelopathy534
H. Inose, et al., Dept. of Orthop. and Trauma Research, Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.

Poster 36

17 : 40~18 : 15

Moderator : **T. Funayama**

MIS 1

- P-36-1 The study of postoperative bleeding of LLIF from retroperitoneal cavity drain (The Cases with non-intra operative bleeding).....534
T. Nakajima, et al., Dept. of Orthop. Surg., Nippon Medical School Chiba Hokusō Hosp.
- P-36-2 Daily versus twice-weekly teriparatide in bone union at six months after XLIF for lumbar degenerative disease with osteoporosis535
S. Hineno, et al., Omuro Orthop. Clinic
- P-36-3 Morphological study of the iliac wing between male and female in lateral view of 3DCT535
M. KASHIMA, et al., Dept. of Orthop. Surg., Anan Medical Center
- P-36-4 A new device for facilitating secure vertebral endplate perforation to achieve early interbody fusion536
S. Nozawa, et al., Dept. of Orthop. Surg., Div. of Disease Control, Research field of Medical Sciences, Graduate School of Medicine, Gifu Univ.

- P-36-5 An assessment of lower lumbar segmental arteries by 3D-CT angiography for lumbosacral anterolateral approach with OLIF25 procedure536
S. Hattori, et al., Hachioji Spine Clinic
- P-36-6 Cemented intervertebral stabilization for intervertebral disorder in the elderly patients with symptomatic osteoporotic vertebral fracture537
N. Yonezawa, et al., Dept. of Orthop. Surg., Fukui-ken Saiseikai Hosp.
- P-36-7 Accuracy and safety of pedicle screw insertion method using newly developed power tool537
S. Ishihara, et al., Dept. of Orthop. Surg., Ota Memorial Hosp.

Poster Room 6

Poster 37

9 : 10 ~ 9 : 45

Moderator : **K. Kobayashi**

Complications 1

- P-37-1 A study of risk factors for dysphagia after anterior cervical spine fusion538
J. Tanaka, et al., Dept. of Orthop. Surg., Fukuoka Univ.
- P-37-2 Investigation of risk factors of C5 palsy after anterior cervical spine surgery538
Y. Matsukura, et al., Dept. of Orthop. and Spinal Surg., Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.
- P-37-3 Risk factors of pedicle screw misplacement in 3D printed patient-specific drill guide technique539
K. Fushimi, et al., Dept. of Orthop. Surg., Gifu Prefectural General Medical Center
- P-37-4 A single dose of tranexamic acid reduces blood loss after lumbar spinal surgery539
A. Matsushita, et al., Dept. of Orthop. Surg., Fukuokahigashi Medical Center.
- P-37-5 Effect of Intraoperative TXA on Perioperative Major Hemorrhage Requiring Transfusion in Patients Undergoing Elective Spine Surgery540
A. Honda, et al., Dept. of Orthop. Surg., Gunma Univ. Graduate School of Medicine
- P-37-6 Deep Vein Thrombosis in Preoperative Spine Surgery Patients Using Preoperative D-Dimer and Contrast-enhanced CT540
Y. Shiozaki, et al., Dept. of Orthop. Surg., Mitoyo General Hosp.
- P-37-7 Study of spinal surgery complications in the elderly541
K. Hirata, et al., Kawaguchi Municipal Medical Center

Poster 38

9 : 50 ~ 10 : 25

Moderator : **S. Taniguchi**

Spinal Cord and Root Pathology

- P-38-1 Clinical results of 40 cases of spinal cord infarction541
S. Futami, et al., Dept. of Orthop. Surg., St. Mary's Hosp
- P-38-2 A review of neurological disorders that should be considered by spine surgeon542
S. Kamitani, et al., Higashi Saitama General Hosp.
- P-38-3 The clinical outcomes and natural course of cervical cord compression in patients undergoing surgery for lumbar spinal canal stenosis542
H. Tonomura, et al., Dept. of Orthop., Graduate School of Medical Science, Kyoto Prefectural Univ. of Medicine
- P-38-4 Subclinical carpal tunnel syndrome with Cervical myelopathy543
H. Kono, et al., Dept. of Orthop. Surg., Ishikiriseiki Hosp.
- P-38-5 Clinical outcomes of Ultrasound-guided cervical nerve root block for cervical radiculopathy543
H. Matsumori, et al., Dept. of Orthop. Surg., Kashiba Asahigaoka Hosp.
- P-38-6 Usefulness of T2-SPACE MRI for Cervical foraminal stenosis544
J. Watanabe, et al., Div. of Orthop. Surg., Dept. of Regenerative and Transplant Medicine, Niigata Univ. Graduate School of Medical and Dental Sciences
- P-38-7 Bilateral C8 radiculopathies544
T. Nakamura, et al., Dept. of Orthop. Surg., Tohoku Central Hosp.

Poster 39

17 : 00 ~ 17 : 35

Moderator : **H. Nakajima**

Case Report, etc

- P-39-1 Prenatal sonographic diagnosis of the congenital dislocated spine with defect of spinal vertebrae -A case report-545
M. Machida, et al., Dept. of Orthop. Surg., Saitama Children's Medical Center
- P-39-2 Course of conservative treatment of a sibling with hypogonadism who showed severe multiple compression fractures of the spine.545
S. Kurogi, et al., Div. of Orthop. Surg., Dept. of Medicine of Sensory and Motor Organs, Faculty of Medicine, Univ. of Miyazaki
- P-39-3 Herniation of calcified cervical disc in a child: A case report and systematic review of the literature546
Y. Yoshida, et al., Div. of Orthop. Surg., Dept. of Regenerative and Transplant Medicine, Niigata Univ. Graduate School of Medical and Dental Sciences

- P-39-4 A case of pseudo-pseudohypoparathyroidism with neurological symptoms due to ossification of the spinal ligamentum flavum and osteophytes546
Y. Takahashi, et al., Dept. of Orthop. Surg., Fukuoka Houeikai Hosp.
- P-39-5 Spinal metastasis of thymoma invading into the dura mater: Case report and review of the relevant literature.547
S. Matsutani, et al., Dept. of Orthop. Surg., Tokyo Metropolitan Tama Medical Center
- P-39-6 Relationship between sacroiliac joint-related pain and spinopelvic mobility547
J. Tonosu, et al., Dept. of Orthop. Surg., Kanto Rosai Hosp.
- P-39-7 Pathological Analyses of non-purulent spondylitis with remarkable bone destruction548
M. Takano, et al., Dept. of Orthop. Surg., Kitasato Institute Hosp.

Poster 40

17 : 40~18 : 15

Moderator : **K. Ono**

MIS 2

- P-40-1 Application of percutaneous full endoscopic lumbar interbody fusion (PELIF)(L1/2~L5/S1) and comparison of less invasiveness with MIS-TLIF548
F. Ito, et al., Aichi Spine Hosp.
- P-40-2 Indirect foraminal decompression in elderly degenerative lumbar scoliosis after a novel less invasive surgery549
S. Ujigo, et al., Dept. of Orthop. Surg., Hiroshima General Hosp.
- P-40-3 The clinical outcomes of PETLIF for Lumbar Spine Stenosis with instability.549
D. Fukuhara, et al., Orthop. Dept., Nippon Medical School Hosp., Tokyo
- P-40-4 The clinical results and expanded indication of KLIF for lumbar degenerative spondylolisthesis and scoliosis550
S. Yamaya, et al., Center of Endoscopic Spine Surg., Dept. of Orthop. Surg., Sendai Nishitaga Hosp.
- P-40-5 Full Endoscopic Lateral Lumbar Interbody Fusion in prone position550
Y. Kyoh, Kyoh Orthop. & Neurosurg. Clinic
- P-40-6 Rate and factors associated with misplacement of percutaneous pedicle screws in the thoracic spine551
T. Sasagawa, et al., Dept. of Orthop. Surg., Toyama Pref Central Hosp.
- P-40-7 Evaluation of anatomical positional relationship between the ideal entry point and the Lenke entry points of thoracic pedicle screws551
K. Yamada, et al., Dept. of Regional Medicine and Musculoskeletal Science, Gifu Univ.

Poster Room 7

Poster 41

9 : 10~9 : 45

Moderator : **W. Saito**

Complications 2

- P-41-1 Correlation between surgical appgar score and major postoperative complications after thoracic spine surgery552
K. Miura, et al., Dept. of Orthop. Surg., Faculty of Medicine, Univ. of Tsukuba
- P-41-2 Incidence and Risk Factors for Hyponatremia in Post-Spine Surgery Patients552
M. Sanada, et al., Dept. of Orthop. Surg., Graduate School of Medical and Dental Sciences, Kagoshima Univ.
- P-41-3 DVT search using Soluble fibrin in the early postoperative period of lumbar surgery553
T. Imuro, et al., Dept. of Orthop. Atsugi City Hosp.
- P-41-4 Characteristics of upper airway complications after combined anterior and posterior fusion surgery for patients with cervical kyphosis553
K. Inomata, et al., Dept. of Orthop. Surg., Univ. of Tsukuba
- P-41-5 Hematoma area ratio is a prognostic factor in spinal epidural hematoma554
M. Yoshimura, et al., Dept. of Neurosurg., Yao Tokushukai General Hosp.
- P-41-6 Results and complications of spine surgery for dialysis patients at our hospital.554
R. Tsutsumi, et al., Dept. of Orthop. Surg., Osaka Red cross Hosp.
- P-41-7 Reports of in-hospital deaths following spinal surgery555
S. Ohira, et al., Dept. of Orthop. Surg., The Univ. of Tokyo Hosp., The Univ. of Tokyo

Poster 42

9 : 50~10 : 25

Moderator : **T. Nakamae**

Diagnostic Imaging

- P-42-1 Usefulness of FRACTURE MRI imaging in preoperative planning for spinal fusion surgery ...555
K. Mataki, et al., Dept. of Orthop. Surg., Tokyo Medical Univ. Ibaraki Medical Center
- P-42-2 Cervical spinal cord and nerve root T2 values in healthy volunteers in MRI T2-mapping novel imaging methods: MIXTURE and SHINKEI-Quant.556
S. Tokeshi, et al., Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.
- P-42-3 Clinical significance of Posterior Lumbar Subcutaneous Edema (PLSE)556
R. Yamamura, et al., Dept. of Orthop. Surg., Showa Univ.
- P-42-4 Prognostic prediction of osteoporotic vertebral fractures using MRI intra-voxel incoherent motion557
I. Ogon, et al., Dept. of Orthop. Surg., Sapporo Medical Univ.

P-42-5	Signal intensity changes of the second sacrum on MRI targeting the lumbar spine indicate sacral insufficiency fracture557
	A. Nagamachi, et al. , Dept. Orthop. Surg., Yoshinogawa Medical Center
P-42-6	Usefulness of Dual-Energy CT for Osteoporotic Vertebral Fracture558
	K. Chagawa, et al. , Dept. of Orthop. Surg., Shuto Sogo Hosp.
P-42-7	Usefulness of bone mineral density assessment using Hounsfield unit for elderly DISH patients558
	M. Handa, et al. , Dept. of Orthop. Surg., Yokohama sakae kyousai Hosp.

English Poster 1

17 : 00~17 : 35

Moderator : **H. Kanno**

Deformity

EP-1-1	Intravenous Lignocaine as an Analgesic Adjunct in Adolescent Idiopathic Scoliosis Surgery -A Retrospective Observational Study559
	M. Hasan, et al. , Dept. of Orthop. Surg., NOCERAL, Faculty of Medicine, Universiti Malaya, Kuala Lumpur, Malaysia
EP-1-2	Is It Feasible to Employ an Accelerated Recovery Protocol after Corrective Surgery in Patients with Severe Adolescent Idiopathic Scoliosis?559
	W. Chung, et al. , Dept. of Orthop. Surg., NOCERAL, Faculty of Medicine, Universiti Malaya, Kuala Lumpur, Malaysia
EP-1-3	Is there any difference in the perioperative outcome between male and female adolescent idiopathic scoliosis patients following surgery?560
	C. Chiu, et al. , Dept. of Orthop. Surg., NOCERAL, Faculty of Medicine, Universiti Malaya, Kuala Lumpur
EP-1-4	Should we brace over 40-degree curves?560
	J. Cheung, et al. , Dept. of Orthop. and Traumatology, The Univ. of Hong Kong
EP-1-5	Curve regression is related to compliance of physiotherapeutic scoliosis specific exercises561
	J. Cheung, et al. , Dept. of Orthop. and Traumatology, The Univ. of Hong Kong
EP-1-6	Medial Wall Glide Technique for Pedicle Screw Insertion in Adolescent Idiopathic Scoliosis (AIS): A CT Analysis of 1595 Screws561
	W. Chung, et al. , Dept. of Orthop. Surg., NOCERAL, Faculty of Medicine, Universiti Malaya, Kuala Lumpur, Malaysia
EP-1-7	Effects of intraoperative patient positioning on radiologic and clinical outcomes in long-instrumented fusion for adult spinal deformity562
	H. Park, et al. , Dept. of Orthop. Surg., Eunpyeong St. Mary's Hosp., The Catholic Univ. of Korea

English Poster 2

17 : 40~18 : 15

Moderator : **K. Kitamura**

Lumbar Spine

- EP-2-1 Anterior Column Realignment versus Hybrid Minimally Invasive-Anterior-Posterior Fusion for Dynamic Sagittal Imbalance562
J. Ahn, et al., Dept. of Orthop. Surg., Bucheon St. Mary's Hosp., The Catholic Univ. of Korea
- EP-2-2 Clinical outcomes of full endoscopic lumbar disectomy add by Annulo-Nucleoplasty for lumbar disc herniation: Randomized controlled trial563
S. Pairuchvej, et al., Dept. of Orthop., Queen Savang Vadhana Memorial Hosp.
- EP-2-3 Decompression Alone vs Decompression with Additional Fusion for Degenerative Lumbar Spondylolisthesis: A Systematic Review and Meta-Analysis563
S. Savio, et al., Dept. of Orthop. and Traumatology, Prof. Dr. IGNG Ngoerah General Hosp., Denpasar, Bali, Indonesia
- EP-2-4 Incidence of progressive segment degeneration at decompression and adjacent segments after microscopic decompression: 5-year follow-up564
H. Habibi, et al., Orthop. Surg. Dept., Osaka Metropolitan Univ., Osaka, Japan
- EP-2-5 The reoperation rate of fusion surgery compared with decompression alone for lumbar spinal stenosis564
S. Masuda, et al., Dept. of Orthop. Surg., Graduate School of Medicine, Kyoto Univ.
- EP-2-6 Sagittal alignment after decompressive laminectomy for lumbar spinal stenosis: Analysis using the EOS imaging system565
H. Park, et al., Dept. of Orthop. Surg., Eunpyeong St. Mary's Hosp., The Catholic Univ. of Korea
- EP-2-7 Chronic low back pain has worse impact than axial spondyloarthritis: Propensity-matched comparison565
J. Cheung, et al., Dept. of Orthop. and Traumatology, The Univ. of Hong Kong

Poster Room 8

Poster 43

9 : 10~9 : 45

Moderator : **K. Ito**

New Technology (Surgery)

- P-43-1 Reconstructed axial views in balanced steady-state free precession MRI are highly useful for diagnosis in degenerative spinal disorders566
H. Iwai, et al., Iwai Orthop. and Medical Hosp.

- P-43-2 Novel evaluation for vertebral artery course using 3D MRI with CT-like bone contrast and MR angiography566
T. Inoue, et al., Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.
- P-43-3 Effect of Occipital Cervical Fusion using GSS head grip, 3D C-arm, and Navigation for Craniocervical Junction Disorders: A report of 2 cases567
N. Manabe, et al., Dept. of Orthop. Surg., East Maebashi Orthop. Hosp.
- P-43-4 The effectiveness of chemonucleolysis with condoliase for treatment of recurrent lumbar disc herniation567
T. Ozaki, et al., Dept. of Orthop. Surg., Naruo Orthop. Hosp.
- P-43-5 Clinical and radiological outcomes of Vertebral Body Stenting for Osteoporotic Vertebral Burst Fractures568
H. Murata, et al., Shimura Hosp.
- P-43-6 Tips for good correction in anterior column realignment procedures -risk factors of cage subsidence and optimal cage position-568
M. Ishihara, et al., Dept. of Orthop. Surg., Kansai Medical Univ. Hosp.
- P-43-7 The effects of Duragen in Dural Reconstruction569
H. Tominaga, et al., Dept. of Orthop. Surg., Graduate School of Medical and Dental Sciences, Kagoshima Univ.

Poster 44

9 : 50~10 : 25

Moderator : **S. Ikegami**

HRQOL & COVID-19

- P-44-1 Effect of Short Segment Surgery for Lumbar Degenerative Disease on Postoperative Exercise Habits including Farming and Snow Shoveling569
R. Kimura, et al., Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine
- P-44-2 Risk factors for postoperative leg numbness after lumbar fusion surgery in the elderly over 75 years of age570
T. Tsujimoto, et al., Spine Center, Hakodate Central General Hosp.
- P-44-3 Evaluation of upper limb function using DASH (Disability of the Arm, Shoulder, and Hand) before and after cervical spine surgery570
N. Otomo, et al., Dept. of Orthop. Surg., International Univ. of Health and Welfare
- P-44-4 After the COVID-19 pandemic, newly back pain is risk factor for decline of activities of daily living in general elderly people571
M. Uematsu, et al., Dept. of Orthop. Surg., Osaka Metropolitan Univ. Graduate School of Medicine

P-44-5	Spinal surgery at a designated infection hospital during the Covid-19 pandemic. Comparison between 2019 and 2020/2021571 J. Okumura, et al. , Sapporo city general Hosp.
P-44-6	Net Promoter Score in spine surgeries572 H. Iwai, et al. , Iwai Orthop. and Medical Hosp.
P-44-7	Satisfaction with surgery for cervical compressive myelopathy572 K. Miyamoto , Orthop. and Spine Surg., Gifu Municipal Hosp.

English Poster 3

17 : 00~17 : 35

Moderator : **K. Ando**

Cervical Spine

EP-3-1	Clinical outcomes of posterior cervical surgery for spinal trauma573 T. Takigawa, et al. , Dept. of Orthop. Surg., Kobe Red Cross Hosp.
EP-3-2	New Scoring System using Magnetic Resonance Imaging to Predict Neurological Recovery in Cervical Spinal Cord Injury573 M. Deslivia, et al. , Dept. of Orthop. and Traumatology, Univ. of Udayana
EP-3-3	The ossification of posterior longitudinal ligament is a significant risk factor for reintubation after anterior cervical fusion574 T. Oichi, et al. , Dept. of Orthop., Teikyo Univ.
EP-3-4	The efficacy of K-line in the neck-extended position for surgical selection of cervical ossification of the posterior longitudinal ligament574 H. Tokumoto, et al. , Dept. of Orthop. Surg., Kagoshima Univ.
EP-3-5	Long-term Outcomes of Vertebral Body Sliding Osteotomy for the Treatment of Cervical Myelopathy: A Minimum of 5-year Follow-up575 S. Cho, et al. , Dept. of Orthop. Surg., Ilsan Paik Hosp., Univ. of Inje, Gyeonggi-do, Republic of Korea
EP-3-6	Establishing a relationship using CT between Facet Distraction and clinical outcomes after ACDF575 J. Lee, et al. , Dept. of Orthop. Surg., Asan medical center
EP-3-7	Comparison of global spinal alignment (GS-Align) and associated factors between non-elderly and elderly females576 K. OKUYAMA, et al. , Dept. of Orthop. Surg., Akita Rosai Hosp.

English Poster 4

17 : 40~18 : 15

Moderator : **S. Takahashi**

Others

- EP-4-1 Withdrawn
- EP-4-2 Can body composition predict cefazolin delivery to paraspinal muscle during lumbar spine surgery?577
J. Baker, et al., Dept. of Surg., Univ. of Auckland, Auckland, New Zealand
- EP-4-3 Is Drain Tip Culture A Good indicator for Predicting Deep Surgical Site Infection in the Degenerative Lumbar Fusion Surgery ?577
Y. Huang, et al., Dept. of Orthop., Far-Eastern Memorial Hosp., New Taipei City, Taiwan
- EP-4-4 Evaluating a cutting-edge augmented reality-supported navigation system for spinal instrumentation578
B. Meyer, et al., Dept. of Neurosurg., Technical Univ. of Munich
- EP-4-5 Trunk Muscle Mass Measured by BIA Reflecting the Cross-Sectional Area of the Paravertebral Muscles and Back Muscle Strength578
H. Salimi, et al., Orthop. Surg., Osaka Metropolitan Univ.
- EP-4-6 Surgical Apgar Score can be a Predictor of Major Complication After Lumbar Spine Surgery.....579
T. Sunami, et al., Dept. of Orthop. Surg., Univ. of Tsukuba, Ibaraki, Japan
- EP-4-7 Spinal Brucellosis -A diagnostic enigma with our institutional protocol579
V. Senthil Kumar, Adayar Advanced Orthop. research Institute, Registrar

The Third Day—April 15 (Saturday)

Room 1

Invited Lecture 4

9 : 10~10 : 10

Moderator : **H. Taneichi**

- 3-1-IL4-1 How shall physicians and surgeons work sustainably beyond COVID-19?581
K. Yokote, Chiba Univ. Hosp.

Symposium 2

10 : 20~11 : 50

Moderators : **M. Neo**

S. Ohtori

Innovation in the Spine Surgery

- 3-1-S2-1 Diagnosis and prognostication of spinal pathologies using artificial intelligence581
S. Maki, et al., Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ. Center for Frontier Medical Engineering, Chiba Univ.
- 3-1-S2-2 The efficacy of Microscope AR Navigation for spine and spinal cord surgery582
Y. Fujiwara, Dept. of Orthop. Surg., Hiroshima City North Medical Center Asa Hosp.
- 3-1-S2-3 Bio mechanical approach for Adult Spinal Deformity surgery using Finite Element Analysis ...582
Y. Abe, et al., SMR
- 3-1-S2-4 Patient specific template guide system for pedicle screw placement583
K. Otani, et al., Dept. of Orthop. Surg., Kudanzaka Hosp.
- 3-1-S2-5 Installation and update of Robot-assisted Spinal Surgery583
K. Ito, et al., Dept. of Orthop. Surg., Konan Kosei Hosp.

Room 2

Kakuchi-Nisshin Seminar 5

9 : 10~10 : 10

Moderator : **A. Matsumura**

- 3-2-KNS5-1 Traditional Growing Rod vs. Magnetically Controlled Growing Rod for Treatment of Early Onset Scoliosis.....584
J. Cheung, Dept. of Orthop. and Traumatology, The Univ. of Hong Kong, Hong Kong
- 3-2-KNS5-2 Surgical results of resection and reconstruction for recurrent chordoma in cervical spine584
D. Jeszszky, Schulthess Klinik Zürich, Switzerland

Researches Initiated by JSSR2023 3

10 : 20~11 : 20

Moderators : **T. Kaito**

S. Orita

- 3-2-RS3-1 Questionnaire survey on prevention of prion disease infection: Society-led research by the medical safety promotion committee of JSSR585
M. Machino, et al., Dept. of Orthop./Rheumatology, Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.
- 3-2-RS3-2 For Spine Week Japan 2025585
T. Furuya, et al., Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ., JSSR, Committee for Promotion of Collaboration among Spine-related Societies
- 3-2-RS3-3 History and Future Strategy of SSRR, the Official International Journal of the Japanese Society for Spine Surgery and Related Research586
S. Orita, Center for Frontier Medical Engineering, Chiba Univ., Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ., Editorial Board of Spine Surg. and Related Research (SSRR)
K. Chiba, Dept. of Orthop. Surg., National Defense Medical College
- 3-2-RS3-4 Strategy for establishment of remuneration in spine surgery Plan proposal from the Review board for the Japanese Social Insurance586
T. Hirai, et al., Dept. of Orthop. and Spinal Surg., Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.

Room 3

Main Theme 12-1

9 : 10~10 : 00

Moderator : **M. Koda**

Prevention and Treatment of Complications in Spine Surgery - In General -

- 3-3-M12-1-1 Prospective Study of Dysphagia after Cervical Surgery: Cervical Spondylotic Myelopathy and Posterior Longitudinal Ligament Ossification587
K. Sakaki, et al., Dept. of Orthop. Surg., Saiseikai Kawaguchi General Hosp.
- 3-3-M12-1-2 Loss of cervical lordosis and patients' reported outcomes after laminoplasty for patients with cervical OPLL587
H. Nakashima, et al., Dept. of Orthop./Rheumatology, Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.
- 3-3-M12-1-3 Involvement of Preoperative Paralysis in Transcranial Motor Evoked Potentials During Traumatic Spine Surgery -Multicenter Prospective Study-588
H. Ushirozako, et al., Dept. of Orthop. Surg., Dept. of Orthop. Surg., Hokkaido Spinal Cord Injury Center

3-3-M12-1-4	Prevention of proximal junctional kyphosis by thoracic percutaneous pedicle screw in adult spinal deformity: A prospective multicenter study588 K. Katsumi, et al. , Spine Center, Dept. of Orthop. Surg., Niigata Central Hosp.
3-3-M12-1-5	Effectiveness of 2-stage dorsal-ventral-dorsal surgery for adult spine deformity589 A. Kimura, et al. , Dept. of Orthop., Jichi Medical Univ.
3-3-M12-1-6	Factors associated with postoperative motor deficit and long-term neurological outcome of spinal meningiomas589 J. Ouchida, et al. , Dept. of Orthop./Rheumatology, Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.

Main Theme 12-2

10 : 10~11 : 00

Moderator : **M. Iwasaki**

Prevention and Treatment of Complications in Spine Surgery - Lumbar Spine -

3-3-M12-2-1	Is S1 PPS with Bicortical purchase safe? Evaluation of vascular injury.....590 M. Hatano, et al. , Daiwa Central Hosp.
3-3-M12-2-2	Risk factors for intervertebral disc wedge or narrowing after lumbar decompressive surgery590 H. Nakajima, et al. , Dept. of Orthop. and Rehabilitation Medicine, Unit of Surg., Div. of Medicine, Faculty of Medical Sciences, Univ. of Fukui
3-3-M12-2-3	Perioperative safety of lumbar decompression surgery performed under continuous low-dose aspirin administration.591 H. Takaoka, et al. , New Tokyo Hosp.
3-3-M12-2-4	Evaluation of gonadal vessels in the surgical approach of lateral lumbar interbody fusion591 Y. Kagami, et al. , Anjo kosei Hosp.
3-3-M12-2-5	Risk factors for cage migration after lateral lumbar interbody fusion (LLIF): a multicenter retrospective study592 H. Kimura, et al. , Dept. of Orthop. Surg., Hyogo prefectural Amagasaki General Medical Center
3-3-M12-2-6	Intravenous cement leakage following cement augmented pedicle screw: A multicenter study592 S. Takahashi, et al. , Dept. of Orthop. Surg., Osaka Metropolitan Univ. Graduate School of Medicine

Main Theme 13

11 : 10~12 : 00

Moderator : **H. Iwasaki**

Application of Ultrasound to Spinal Disorders

- 3-3-M13-1 It was possible to diagnose the occlusion of vertebral artery in patients with cervical trauma by ultrasonography593
Y. Ishimoto, et al., Dept. of Orthop. Surg., Wakayama Medical Univ.
- 3-3-M13-2 Measurement of infrahyoid muscles stiffness by shear wave elastography in anterior cervical spine surgery593
Y. Ito, et al., Dept. of Orthop. Surg., Yokohama City Univ.
- 3-3-M13-3 Ultrasonographic observation of upper esophageal sphincter for dysphagia during the postoperative acute phase of anterior cervical surgery594
T. Obo, et al., Dept. of Orthop. Surg., Osaka Medical and Pharmaceutical Univ.
- 3-3-M13-4 A novel technique using ultrasonography in airway management after anterior cervical decompression and fusion594
S. Murata, et al., Dept. of Orthop. Surg., Wakayama Medical Univ.
- 3-3-M13-5 Efficacy of ultrasound-guided nerve root block for cervical spondylotic radiculopathy595
S. Ishihara, et al., Dept. of Orthop. Surg., Ota Memorial Hosp.
- 3-3-M13-6 Surgical treatment with Ultrasound-guided for seriously myelopathy595
H. Matsumori, et al., Dept. of Orthop. Surg.,Kashiba Asahigaoka Hosp.

Room 4

Morning Seminar 5

8 : 00~9 : 00

Moderator : **T. Miyashita**

- 3-4-MS5-1 The usefulness of the DEPS technique: Toward the development of a novel implant optimized for the DEPS technique596
T. Takeuchi, Dept. of Orthop. Surg., Kyorin Univ. of School Medicine.

Main Theme 14

9 : 10~10 : 00

Moderator : **T. Nikaido**

EBM for Chronic Low Back Pain

- 3-4-M14-1 Clinically significant changes in pain along the Pain Intensity Numerical Rating Scale in patients with chronic low back pain596
H. Suzuki, et al., Dept. of Orthop. Surg., Yamaguchi Univ. Graduate School of Medicine

3-4-M14-2	Factors related to prognosis in older patients with chronic low back pain597 Y. Sakai, et al. , Dept. of Orthop. Surg., National Center for Geriatrics and Gerontology
3-4-M14-3	Study on the heterogeneity of the postpartum back pain597 T. Iguchi, et al. , Dept. of Orthop. Surg., Saiseikai Hyogo Prefectural Hosp.
3-4-M14-4	Did the intradiscal injection of platelet-rich plasma releasate induce a reparative effect on the de- generated discs?598 K. Akeda, et al. , Dept. of Musculoskeletal Surg., Dept. of Multimodality Therapy for Cancer, Mie Univ. Graduate School of Medicine
3-4-M14-5	Relation between effectiveness and efficacy factors in lumbar interbody fusion for degenerative disc disease598 K. Yanagisawa, et al. , Dept. of Orthop. Surg., Inanami Spine and Joint Hosp.
3-4-M14-6	Association between acute postoperative pain trajectory and chronic postsurgical pain in patients with lumbar degenerative disease.599 K. Sato, et al. , Aizu Medical Center, Fukushima Medical Univ.

Main Theme 15

10 : 10~11 : 00

Moderator : **H. Terai**

Registry Research/Multicenter Research for Spinal Disorders

3-4-M15-1	Clinical features and treatment strategy of atlas fracture in elderly patients: JASA multicenter study599 Y. Shiratani, et al. , Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.
3-4-M15-2	A multicenter, comparative study of surgical outcomes for thoracic ossification of the posterior longitudinal ligaments600 Y. Shibuya, et al. , Dept. of Orthop. Surg., Niigata Prefectural Shibata Hosp.
3-4-M15-3	Current spinal instrumentation surgery in Japan -Report from registry data in Japanese Spinal In- strumentation Society Database-600 H. Ueda, et al. , Dept. of Orthop. Surg., Dokkyo Medical Univ.
3-4-M15-4	Safety verification of anterior cervical disc replacement by academic database research: From the standpoint of neurosurgery601 T. Takami, et al. , Dept. of Neurosurg., Osaka Medical and Pharmaceutical Univ.
3-4-M15-5	Effectiveness of intraoperative neurophysiological spinal cord monitoring for lumbosacral surger- ies601 M. Takahashi, et al. , Dept. of Orthop. Surg., Kyorin Univ.,
3-4-M15-6	Statistics of primary spine malignant tumors in Japan602 R. Tsuchiya, et al. , Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.

Main Theme 16

11 : 10~12 : 00

Moderator : **T. Miyamoto**

Translational Research in Spine Surgery

- 3-4-M16-1 Cellular senescence and pattern of bone formation by Teriparatide602
M. Bun, et al., Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ.
- 3-4-M16-2 Development of bone fusion-specific iPS cell-derived platelet products603
Y. Shiga, et al., Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.
- 3-4-M16-3 An innovative drug delivery system for bone regeneration using acidic-peptide conjugated low molecular weight heparin603
S. Nozawa, et al., Dept. of Orthop. Surg., Div. of Disease Control, Research field of Medical Sciences, Graduate School of Medicine, Gifu Univ.
- 3-4-M16-4 LC-MS/MS Analysis of Elastin Crosslinker Desmosines in Clinical Samples of Patients with Hypertrophy of Ligamentum Flavum604
T. Inoue, et al., Dept. of Neurosurg., Saitama Red Cross Hosp.
- 3-4-M16-5 Combination of ultra-purified stem cells with an alginate sodium reduces discogenic pain.....604
H. Suzuki, et al., Dept. of Orthop. Surg., Faculty of Medicine and Graduate School of Medicine, Hokkaido Univ.
- 3-4-M16-6 Clinical outcome of bioactive porous titanium cage for lateral lumbar interbody fusion605
T. Shimizu, et al., Dept. of Orthop. Surg., Graduate School of Medicine, Kyoto Univ.

Room 5

Morning Seminar 6

8 : 00~9 : 00

Moderator : **K. Takeshita**

- 3-5-MS6-1 How to manage intolerable neck and back pain, dropped head deformity, and lumbar kyphoscoliosis.605
T. Toyone, et al., Dept. of Orthop. Surg., Showa Univ.

Free Papers 59

9 : 10~10 : 00

Moderator : **M. Chazono**

AIS Surgery (Outcome)

- 3-5-F59-1 Long-term Results of Pedicle Screw Fixation for Patients with Adolescent Idiopathic Scoliosis: CT evaluation at 10 Years after Surgery606
M. Ryu, et al., Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine

3-5-F59-2	MRI Findings in Distal Adjacent Intervertebral Spine 5 Years After Adolescent Idiopathic Scoliosis Surgery606 T. Uto, et al. , Dept. of Orthop. Surg., Graduate School of Medical Sciences, Kanazawa Univ.
3-5-F59-3	Longitudinal evaluation of uninstrumented lumbar intervertebral disc 10 years after surgery for adolescent idiopathic scoliosis607 S. Suzuki, et al. , Dept. of Orthop. Surg., Keio Univ.
3-5-F59-4	Back pain in Lenke Type1 Adolescent Idiopathic Scoliosis patients who had a surgery607 M. Kusaba, et al. , Dept. of Orthop. Surg., Natl. Hosp. Org., Kobe Med. Ctr.
3-5-F59-5	Verification of shoulder balance prediction accuracy after idiopathic scoliosis surgery using Artificial Neural Networks (ANNs)608 J. Kishikawa, et al. , Dept. of Orthop. Surg., Kyushu Univ.
3-5-F59-6	Measurement of vertebral rotation in adolescent idiopathic scoliosis using inverse trigonometric functions608 S. Okuwaki, et al. , Dept. of Orthop. Surg., Univ. of Tsukuba

Free Papers 60

10 : 10~11 : 00

Moderator : **T. Kotani**

Neuromuscular Scoliosis & EOS

3-5-F60-1	Risk Factors for 2-year Mortality in Cerebral Palsy Patients: A Japanese regional population-based cohort study, the Shizuoka Study609 Y. Fujimoto, et al. , Dept. of Pediatric Orthop., Shizuoka Children's Hosp.
3-5-F60-2	Posterior spinal fusion surgery for neuromuscular disease patients with severe scoliosis whose Cobb angle was over 100 degrees609 T. Matsunaga, et al. , Dept. of Orthop. Surg., Kitasato Univ.
3-5-F60-3	SSI factors in pediatric neuromuscular scoliosis surgery with pelvic fusion610 N. Nakamura, et al. , Dept. of Orthop. Surg., Kanagawa Children's Medical Center
3-5-F60-4	The impact of growing rod surgery for early onset scoliosis on the cervical spine sagittal alignment610 S. Ito, et al. , Dept. of Orthop. Surg., Keio Univ.
3-5-F60-5	Incidence and risk factor of Unplanned return to operation room in patients treated with growing rod611 T. Yamaguchi, et al. , Dept. of Orthop. Surg., Fukuoka Children's Hosp.
3-5-F60-6	L5-S1 anterior lumbar interbody fusion (ALIF) in infantile and juvenile spinal deformity: clinical results and experiences611 Y. Takeichi, et al. , Dept. of Orthop. Surg., Meijo Hosp.

Free Papers 61

11 : 10~12 : 00

Moderator : **T. Ushida**

Low Back Pain & Leg Pain

- 3-5-F61-1 Low back pain is associated with functional disability: a 4-year longitudinal study after the Great East Japan Earthquake612
Y. Yabe, et al., Dept. of Orthop. Surg., Tohoku Univ. Graduate School of Medicine
- 3-5-F61-2 Are lumbar disc degeneration and DISH related to low back pain and workload?612
T. Fujita, et al., Dept. of Orthop. Surg., Enshu Hosp.
- 3-5-F61-3 Characteristics of Postpartum Low Back Pain Patients with Sexual Disorders613
Y. Matsuda, et al., Dept. of Orthop., Hamawaki Orthop. Clinic
- 3-5-F61-4 Pain monitoring using a patch-type wearable EEG and AI analysis613
Y. Kanie, et al., Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ.
- 3-5-F61-5 Surgical results of piriformis syndrome614
K. Owashi, et al., Nihonkai General Hosp.
- 3-5-F61-6 Results of surgery for entrapment neuropathy of superior cluneal nerve614
K. Owashi, et al., Nihonkai General Hosp.

Room 6

Free Papers 62

9 : 10~10 : 00

Moderator : **M. Nakano**

OVF BKP

- 3-6-F62-1 Radiological findings of failed cases after balloon kyphoplasty for osteoporotic vertebral fractures615
N. Takino, et al., Dept. of Orthop. Surg., Fukui General Hosp.
- 3-6-F62-2 Risk Factors for Worsening of Sagittal Alignment after Balloon Kyphoplasty for Osteoporotic Vertebral Fractures615
S. Maki, et al., Dept. of Orthop. Surg., Osaka Metropolitan Univ. Graduate School of Medicine
- 3-6-F62-3 Efficacy of balloon kyphoplasty with stenting system for thoracolumbar osteoporotic vertebral fracture616
M. Ohe, et al., Spine Center, Dept. of Orthop. Surg., Dokkyo Medical Univ. Nikko Medical Center
- 3-6-F62-4 Comparison of outcomes between Balloon Kyphoplasty (BKP) and Vertebral Body Stent augmentation (VBS) for osteoporotic vertebral fractures616
D. Matsuyama, et al., Dept. of Orthop. Surg., JAPANESE RED CROSS HADANO Hosp.

3-6-F62-5	Surgical results of Vertebral Body Stenting (VBS) for osteoporotic vertebral fractures—VBS VS. BKP—617 <i>Y. Sakuma, et al.</i> , Chiba Central Medical Center
3-6-F62-6	Early Postoperative Crush Cases of VBS Surgery for Osteoporotic Vertebral Fractures617 <i>Y. JIN, et al.</i> , Dept. of Orthop. Surg., Tokyo Metropolitan Hosp. Organization Ebara Hosp.

Free Papers 63

10 : 10~11 : 00

Moderator : **A. Suzuki**

OVF Surgery 1

3-6-F63-1	Comparative study of postoperative outcome in vertebroplasty using two different types of materials with PLF for OVF.618 <i>M. Kitagawa, et al.</i> , Omi medical center
3-6-F63-2	The efficacy of additional percutaneous pedicle screw fixation on vertebra corrected by balloon kyphoplasty618 <i>H. Koshimizu, et al.</i> , Dept. of Orthop. Surg., Nagano Red Cross Hosp.
3-6-F63-3	Surgical outcome of vertebroplasty for osteoporotic vertebral fracture with delayed neurological deficits619 <i>R. Sasaki, et al.</i> , Dept. of Orthop. Surg., Shimada Hosp.
3-6-F63-4	Outcome of Balloon Kyphoplasty for Osteoporotic Vertebral Fractures619 <i>H. Hamanaka, et al.</i> , Dept. of Orthop. Surg., Miyazaki Univ.
3-6-F63-5	Treatment strategy using transpedicle vertebral imaging (Vertebrography) and vertebral body block for osteoporotic vertebral body fracture620 <i>T. Kato, et al.</i> , Ome Municipal General Hosp., Dept. of Orthop. Surg.
3-6-F63-6	Factors associated with intervertebral bridging ossifications following Balloon Kyphoplasty for osteoporotic vertebral compression fracture620 <i>T. Maruyama, et al.</i> , Dept. of Orthop. Surg., Graduate School of Biomedical and Health Sciences, Hiroshima Univ.

Free Papers 64

11 : 10~12 : 00

Moderator : **K. Maruo**

OVF Surgery 2

3-6-F64-1	The percutaneous posterior fixation for the acute OVF with posterior wall cortical injury is beneficial for preventing secondary fracture.621 <i>T. Muramoto, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Univ. of Occupational and Environmental Health
-----------	---

- 3-6-F64-2 Experience with cement augmented pedicle screw in long fusion for osteoporotic vertebral fractures: A multicenter study.....621
S. Ogasawara, et al., Dept. of Orthop. Surg., Surgical Science, Tokai Univ.
- 3-6-F64-3 Middle-long term outcome of spinal instrumentation for osteoporotic vertebral fracture622
S. Kato, et al., Dept. of Orthop. Surg. Restorative Medicine of Neuro-Musculoskeletal System, Fujita Health Univ.
- 3-6-F64-4 Comparison of Posterior Fixation versus Anterior-Posterior Fixation with X-core 2 for Osteoporotic Vertebral Fractures622
T. HASHIMURA, et al., Dept. of Orthop. Surg., Kobe City Medical Center West Hosp.
- 3-6-F64-5 Why does cage subsidence occur after anterior vertebral body replacement in thoracolumbar osteoporotic vertebral fractures?623
M. Tanaka, et al., Dept. of Orthop. Surg., Otemae Hosp.
- 3-6-F64-6 Evaluation of X core cage subsidence after anterior column reconstruction for osteoporotic vertebral fractures623
H. Oishi, et al., Japan Community Health care Organization Kobe Central Hosp.

Room 7

Morning Seminar 7

8 : 00 ~ 9 : 00

Moderator : **K. Mori**

- 3-7-MS7-1 The diagnosis and treatment of spondyloarthritis624
M. Kato, Rheum. & Nephrol., Hokkaido Univ. Hosp.

Free Papers 65

9 : 10 ~ 10 : 00

Moderator : **Y. Toribatake**

Lumbar Fusion (Adjacent Level Pathology)

- 3-7-F65-1 Effects of amount of reposition on adjacent intervertebral space performed posterior interbody fusion on fifth lumbar spondylolisthesis624
K. Honjoh, et al., Dept. of Orthop. and Rehabilitation Medicine, Unit of Surg., Div. of Medicine, Faculty of Medical Sciences, Univ. of Fukui
- 3-7-F65-2 The postoperative progression speed of spinal canal stenosis at the asymptomatic level in lumbar spinal canal stenosis625
K. Sato, et al., Dept. of Orthop. Surg., Ohara General Hosp.
- 3-7-F65-3 Comparison of the incidence of proximal junctional failure after single or multiple posterior lumbosacral fixation625
Y. Takeuchi, et al., Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine

3-7-F65-4	Analysis of proximal adjacent segment degeneration after posterior lumbar fusion with laminectomy626
	Y. Kawano, et al. , Dept. of Orthop. Surg., Murayama medical center
3-7-F65-5	Risk factors for early adjacent segment disease after single-segment posterior lumbar interbody fusion626
	S. Watanabe, et al. , Dept. of Orthop. and Rehabilitation Medicine, Unit of Surg., Div. of Medicine, Faculty of Medical Sciences, Univ. of Fukui
3-7-F65-6	Preoperative severity and location of vacuum phenomenon were correlated with surgical outcomes after single-level TLIF627
	S. Ohyama, et al. , Dept. of Orthop. Surg., Eastern Chiba Medical Center.

Free Papers 66

10 : 10~11 : 00

Moderator : **Y. Eguchi**

Lumbar Fusion (Bone Fusion)

3-7-F66-1	Surgical outcomes after PLIF with CBT or traditional screw: A comparison between the PEEK cage and the same shape titanium-coated PEEK cage627
	H. Sakaura, et al. , Dept. of Orthop. Surg., Japan Community Healthcare Organization Osaka Hosp.
3-7-F66-2	The relationship between the nonunion of L5/S transforaminal lumbar interbody fusion and the patient-reported outcome628
	T. Yamamoto, et al. , Dept. of Orthop. Surg., Japanese Red-cross Shizuoka Hosp.
3-7-F66-3	Investigation of factors affecting the course of postoperative pseudarthrosis after posterior lumbar interbody fusion628
	I. Torigoe, et al. , Dept. of Orthop. Surg., Saiseikai Kawaguchi General Hosp.
3-7-F66-4	Risk factors for pseudarthrosis after posterior lumbar interbody fusion: comparison of conventional and minimally invasive surgery629
	I. Torigoe, et al. , Dept. of Orthop. Surg., Saiseikai Kawaguchi General Hosp.
3-7-F66-5	Risk factors for L5/S1 pseudarthrosis after single and multilevel posterior lumbosacral fixation and necessity of iliac screws629
	Y. Takeuchi, et al. , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine
3-7-F66-6	Changes of intravertebral bone trabeculae as an indicator of early bony fusion after posterior lumbar interbody fusion630
	N. Segi, et al. , Dept. of Orthop./Rheumatology, Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.

Free Papers 67

11 : 10~12 : 00

Moderator : **T. Namikawa**

Lumbar Fusion (Intervertebral Cage)

- 3-7-F67-1 Osteoconductivity of Silver Oxide-Containing Hydroxyapatite Coating Cages in Elderly and Osteoporotic Patients630
M. Tsukamoto, et al., Dept. of Orthop. Surg., Saga Univ.
- 3-7-F67-2 Short-term Bone Union and Radiological Effect of Instrumented Vertebrae after Posterior Lumbar Interbody Fusion631
M. Chazono, et al., Dept. of Orthop. Surg., Utsunomiya National Hosp.
- 3-7-F67-3 The TLIF Expandable Spacer is advantageous for Lordosis Restoration, Spacer footprint, and Subsidence? Comparative Study with Static Spacer631
H. KANG, et al., Dept. of Orthop. Surg., Osaka Redcross Hosp.
- 3-7-F67-4 Evaluation for interbody fusion after lumbar fusion surgery using alkaline heat-treated pure titanium porous cages632
S. Iemura, et al., PL Hosp.
- 3-7-F67-5 Development of a new system for inserting a boomerang-type interbody cage at an optimal position and examination of postoperative results632
Y. Shinozaki, et al., Spine Center, Shizuoka Red Cross Hosp.
- 3-7-F67-6 Far-lateral TLIF with the use of longer interbody cages: a steep entry trajectory of cage insertion through a small skin incision633
N. Tsubouchi, et al., Dept. of Orthopedic Surg., National Hosp. Organization Kyoto Medical Center

Room 8

Free Papers 68

9 : 10~10 : 00

Moderator : **G. Yoshida**

Neuromonitoring 1

- 3-8-F68-1 Effectiveness of multi-train stimulation on fade of transcranial stimulation motor evoked potentials633
M. Ando, et al., Dept. of Orthop. Surg., Kansai Medical Univ.
- 3-8-F68-2 The utility of Tc-MEP varies on preoperative motor status for thoracic spine surgeries. A multi-center prospective study.634
M. Funaba, et al., Dept. of Orthop. Surg., Yamaguchi Univ. Graduate School of Medicine
- 3-8-F68-3 Characteristics of Tc-MEPs waveforms in high-risk spine surgery.634
K. KOBAYASHI, et al., JSSR Monitoring WG

3-8-F68-4	Is effective of multitrain transcranial stimulation motor evoked potential during aesthesia using desflurane?635
	M. Ando, et al. , Dept. of Orthop. Surg., Kansai Medical Univ.
3-8-F68-5	Control of transcranial stimulation motor evoked potentials for intraoperative neurophysiological monitoring during cervical spine surgery635
	M. Ando, et al. , Dept. of Orthop. Surg., Kansai Medical Univ.
3-8-F68-6	Fade of transcranial stimulation motor evoked potentials during cervical laminoplasty636
	M. Ando, et al. , Dept. of Orthop. Surg., Kansai Medical Univ.

Free Papers 69

10 : 10~11 : 00

Moderator : **M. Ando**

Neuromonitoring 2

3-8-F69-1	Transcranial Motor-evoked Potentials for Intraoperative Nerve Root Monitoring during Adult Spinal Deformity Surgery636
	G. Yoshida, et al. , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine
3-8-F69-2	Utility and limitations of intraoperative neuromonitoring.637
	H. Iwasaki, et al. , Dept. of Orthop. Surg., Wakayama Medical Univ.
3-8-F69-3	Is fEMG meaningful by spinal levels?637
	T. Koike, et al. , Niigata Spine Surg. Center
3-8-F69-4	Outcomes of Intervention for Intraoperative Neurophysiological Monitoring Waveform Change in Scoliosis Surgery.638
	T. Hashimoto, et al. , Dept. of Clinical engineering, NHO Kobe Medical Center
3-8-F69-5	Intraoperative spinal cord monitoring in spinal surgery for pediatric spinal deformity: A prospective multicenter study638
	S. Morito, et al. , Dept. of Orthop. Surg., Kurume Univ.
3-8-F69-6	Origin of transcranial stimulation MEP and advantages of combined transpharyngeal stimulation MEP in intraoperative monitoring.639
	N. Yamamoto, et al. , Dept. of Orthop. Surg., Adachi Medical Center, Tokyo Women's Medical Univ.

Free Papers 70

11 : 10~12 : 00

Moderator : **A. Yamazaki**

RA & Dialysis-associated Spondylosis

- 3-8-F70-1 Comparison of prevalence of lumbar lesions in patients with knee osteoarthritis and rheumatoid arthritis639
S. Kojima, et al., Dept. of Orthop. Surg., Aichi Medical Univ.
- 3-8-F70-2 Thoracolumbar spinal fusion surgeries in patients with rheumatoid arthritis; Trends in the last two decades.640
S. Arizono, et al., Kyushu Medical Center Orthop./Rheumatology
- 3-8-F70-3 Radiographic Examination of Rheumatoid Arthritis Patients Treated with Lateral Lumbar Interbody Fusion.640
T. Yamamoto, et al., Dept. of Orthop. Surg., Kagoshima City Hosp.
- 3-8-F70-4 Clinical Outcome more than 2 years after surgery of LIF with PPS for Dialysis-Associated Spondylosis.641
S. Kitanaka, et al., Dept. of Orthop., Nishijin Hosp.
- 3-8-F70-5 Evaluation of lumbar CT Hounsfield Units in dialysis patients undergoing posterior lumbar body fusion641
S. Takao, et al., Dept. of Orthop. Surg., Okayama Medical Center
- 3-8-F70-6 Bone Changes in Cranial CT Images of Dialysis Patients -Risk Factors for Pin Perforation in Halo Pins and Mayfield Fixation-642
H. Hamanaka, et al., Dept. of Orthop. Surg., Miyazaki Univ.

Room 9

Free Papers 71

9 : 10~10 : 00

Moderator : **K. Okuyama**

Problems for the Elderly

- 3-9-F71-1 Incidence of clinical vertebral fractures of the elderly in Kure City 2015-2020; large-scale claim database analysis642
T. Hamasaki, et al., Dept. of Orthop. Surg., Chugoku Rosai Hosp.
- 3-9-F71-2 Examination of quality-adjusted life years (QALY) in patients with lumbar degenerative diseases 5 year after the operation.643
M. Kato, et al., Dept. of Orthop. Surg., Osaka Metropolitan Univ. Graduate School of Medicine
- 3-9-F71-3 Influence of lumbar facet joint degeneration progression over 11 Years on Health-Related Quality of Life changes: The Minamiaizu Study643
K. Kobayashi, et al., Dept. of Orthop. Surg., Fukushima Medical Univ.

3-9-F71-4	Surgical outcomes of posterior lumbar interbody fusion for elderly patients over 80 years644 K. Tateishi, et al. , Dept. of Orthop. Surg. JCHO Hoshigaka Medical Center
3-9-F71-5	Surgery for degenerative lumbar diseases in the elderly significantly deduces the rate of polypharmacy644 T. Hirano, et al. , Dept. of Orthop. Surg., Unuma Kikan Hosp.
3-9-F71-6	Importance of physiological age in determining indications for adult spinal deformity surgery in patients over 75 years of age645 S. Murata, et al. , Dept. of Orthop. Surg., Wakayama Medical Univ.

Free Papers 72

10 : 10~11 : 00

Moderator : **S. Fujibayashi**

Radiation Exposure

3-9-F72-1	Radiation dose measurement during examination of spine or spinal surgery645 K. Higashino, et al. , Shikoku Medical Center for Children and Adults Dept. of Orthop. and Rehabilitation
3-9-F72-2	Occupational ionizing radiation exposure of spine surgeon: Follow-up study of fingernail damage in the thumb646 S. Fujibayashi, et al. , Dept. of Musculoskeletal Reconstruction, Graduate School of Medicine, Kyoto Univ.
3-9-F72-3	Comparison of protection goggle for occupational radiation exposure; a cadaveric study646 K. Yamashita, et al. , Dept. of Anatomy, Tokushima Univ.
3-9-F72-4	A New Operating Table for the Posterior, Lateral, and Anterior Lumbar Surgery: Effects on Radiation-Dosage during the Surgery647 N. Manabe, et al. , Dept. of Orthop. Surg., East Maebashi Orthop. Hosp.
3-9-F72-5	Contrastive findings, effectiveness and fluoroscopic time in the fifth lumbar spinal nerve root block647 H. Serikyaku, et al. , Dept. of Orthop. Surg., Naha City Hosp.
3-9-F72-6	Short-term outcomes of the ultrasound-guided cervical nerve root block648 M. Miura, et al. , Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.

Free Papers 73

11 : 10~12 : 00

Moderator : **Y. Sakai**

Epidemiology & HRQOL

3-9-F73-1	Prevalence and risk factors for neuropathic pain after lumbar spine surgery648 Y. Mimura, et al. , Dept. of Orthop. Surg., Kitasato Univ.
-----------	---

3-9-F73-2	Minimally clinical important difference (MCID) of JOABPEQ on surgical treatment for lumbar degenerative disease according to generations649 M. Kato, et al. , Dept. of Orthop. Surg., Osaka Metropolitan Univ. Graduate School of Medicine
3-9-F73-3	Examination of the validity of patient based outcome score and various evaluation methods for lumbar degenerative disease649 T. Inoue, et al. , Dept. of Orthop. Surg., Kyushu Central Hosp. of the Mutual Aid Association of Public School Teachers
3-9-F73-4	Insomnia with lumbar spine diseases patients.650 H. Emori, et al. , Dept. of Orthop. Surg., Showa Univ. Northern Yokohama Hosp.
3-9-F73-5	Trends in the incidence of spinal trauma and changes in the cause of injury before and after the new Coronavirus (COVID-19) pandemic650 T. Akabane, et al. , Dept. of Orthop. Surg., Yamagata Univ.
3-9-F73-6	Report on changes in spine and spinal cord injury cases at our hospital following the outbreak of new corona virus infection651 M. Ueda, et al. , Science of Functional Recovery and Reconstruction, Okayama Univ. Graduate School of Medicine, Dentistry and Pharmaceutical Sciences

Room 10

Hands-on Seminar 4

10 : 00~12 : 00

Moderator : **K. Sakai**

Speaker : **T. Yoshii**

Hands on Workshop : **H. Mihara**

Training Session and Hands-on Seminar for Cervical Artificial Disc Replacement “Prestige LP”

Poster Room 1

Poster 45

10 : 30~11 : 05

Moderator : **M. Kono**

OVF Epidemiology & Diagnosis 1

P-45-1	Prevalence and treatment of osteoporosis in patients undergoing spine surgery651 S. Takao, et al. , Dept. of Orthop. Surg., Okayama Medical Center
P-45-2	The Relationship between VBQ Score and Vertebral Fracture in Residents of Minamiaizu District, Fukushima Prefecture (Cross-sectional Study).652 T. Yokota, et al. , Dept. of Orthop. Surg., Fukushima Medical Univ.

- P-45-3 Preoperative assessment of bone quality in spine surgery for degenerative condition and prevalence of osteoporosis652
M. Toi, et al., Dept. of Orthop. Surg., Hyogo College of Medicine
- P-45-4 Comparison of Hounsfield unit in the lumbar spine of 3D-CT images and dual-energy X-ray absorptiometry653
M. Fujimoto, et al., Dept. of Neurosurg., Mie Univ. Hosp.
- P-45-5 Virtual non-carcium image (VNCa) is useful for assisting diagnosis of fresh vertebral body fractures.653
K. Muto, et al., Dept. of Orthop. Surg., Kumamoto Rousai Hosp.
- P-45-6 Proportion of multiple vertebral body involvement in osteoporotic vertebral body fractures654
H. Ito, et al., mito kyodo Hosp.
- P-45-7 Current status of prevention of secondary fractures after fragility fractures in a regional central hospital.654
N. Iesato, et al., Dept. of Orthop. Surg., Sapporo Medical Univ.

Poster 46

11 : 10~11 : 45

Moderator : **T. Aihara**

Posterior Lumbar Fusion 1

- P-46-1 Analysis of sagittal alignment after PLIF using high angle cage with posterior column osteotomy in the middle term.655
H. Matsumori, et al., Dept. of Orthop. Surg., Kashiba Asahigaoka Hosp.
- P-46-2 Comparison of outcome between decompression alone and decompression plus fusion for degenerative spondylolisthesis655
S. Shimizu, et al., Dept. of Orthop. Surg., Narita Memorial Hosp.
- P-46-3 Effectiveness of Sagittal Alignment according to Roussouly Classification for lower lumbar lordosis reconstruction PLIF surgery656
T. Nagai, et al., Dept. of Orthop. Surg., Tokai Univ., Oiso Hosp.
- P-46-4 Screw deviation affected by the morphology of the pedicle of the L5 vertebra and spinal alignment.656
S. Kanbara, et al., Dept. of Orthop. Surg., Chubu Rosai Hosp.
- P-46-5 Usefulness of Sacral Alar Iliac Screw for Lumbosacral Spinal Fusion as Salvage Operation657
C. Baito, Baito Orthop. Surg. Clinic
- P-46-6 An effect of non fusion spinal stabilization with cosmicMIA for lumbar canal stenosis accompanied with minimal instability657
S. Hattori, et al., Hachioji Spine Clinic

- P-46-7 Surgical results of S2 Alar Iliac Screw Insertion Using Intraoperative O-arm Navigation: An Analysis of 242 screws658
K. Wada, et al., Hachioji Spine Clinic

Poster Room 2

Poster 47

10 : 30~11 : 05

Moderator : **T. Tetsunaga**

OVF Epidemiology & Diagnosis 2

- P-47-1 Comparison of drug treatment for prevention of subsequent domino osteoporotic vertebral fractures after osteoporotic vertebral fractures658
K. Maruo, et al., Dept. of Orthop. Surg., Hyogo Medical Univ.
- P-47-2 Asymptomatic vertebral fractures are associated with knee osteoarthritis—Yakumo Study—659
Y. Miyairi, et al., Dept. of Orthop./Rheumatology, Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.
- P-47-3 Serum zinc and vitamin D level do not correlate with bone marrow density among patients who undergo spine surgery.659
Y. Ishikawa, et al., Dept. of Orthop. Surg., NTT Medical center Tokyo
- P-47-4 Risk factors for wedge deformity in conservative treatment of fresh osteoporotic vertebral fractures660
K. Otsuka, et al., Hayashi Hosp.
- P-47-5 Relationship between muscle mass and strength and low back pain score in osteoporosis patients660
Y. Yokozeki, et al., Dept. of Orthop. Surg., Kitasato Univ., School of Medicine
- P-47-6 A comparative study of the impact of 3 nutritional screening tools on functional prognosis in patients with osteoporotic vertebral fractures661
T. Yamaura, et al., Harima Hosp.
- P-47-7 Effects of preoperative malnutrition on osteoporotic vertebral fracture661
K. Kiyasu, et al., Dept. of Orthop. Surg., Kochi Medical School

Poster 48

11 : 10~11 : 45

Moderator : **K. Fushimi**

Posterior Lumbar Fusion 2

- P-48-1 Reoperation rate for adjacent segment degeneration after lumbar fusion surgery with decompression of proximal adjacent vertebrae662
S. Yamada, et al., Dept. of Orthop. Surg., School of Medicine, Univ. of Occupational and Environmental Health
- P-48-2 Clinical relevance of absence of bone marrow edema in lumbar interbody fusion662
Y. Hasegawa, et al., Dept. of Orthop. Surg., Hakodate Central General Hosp.
- P-48-3 A comparative study of fusion surgery and decompression surgery for L5/S1 intervertebral foramen disorders663
K. Hirata, et al., Dept. of Orthop., Jichi Medical Univ.
- P-48-4 Investigation of surgical technique and perioperative findings regarding microscopic MIS-TLIF made with small incision of about 20mm663
T. Hayashida, et al., Dept. of Orthop. Surg., Kyoto Chubu Medical Center
- P-48-5 Lumbar fusion surgery in patients with amyloidosis664
T. Nakamura, et al., Dept. of Orthop. Surg., Faculty of Life Sciences, Kumamoto Univ.
- P-48-6 Reoperation after short-level lumbar fusion in patients with dialysis664
T. Inoue, et al., Dept. of Orthop. Surg., Tokyo Women's Medical Univ.
- P-48-7 Significance of compression manipulation between lumbar pedicle screws665
B. Otsuki, et al., Dept. of Orthop. Surg., Graduate School of Medicine, Kyoto Univ.

Poster Room 3

Poster 49

10 : 30~11 : 05

Moderator : **D. Togawa**

OVF Conservative Treatment

- P-49-1 Responder Analysis of Lumbar Spine Bone Mineral Density after One Year of Treatment with Romosozumab665
K. Wada, et al., Hachioji Spine Clinic
- P-49-2 Drop-out rate of the patients with osteoporotic fresh vertebral fractures followed by romosozumab or oral bisphosphonates treatment666
H. Nomura, et al., Nomura Orthop. Clinic
- P-49-3 The preventive effect of romosozumab for the osteoporosis vertebral fracture666
R. Fujita, et al., Hokkaido Spinal Cord Injury Center

P-49-4	Mid-term results of BKP from the point of view of osteoporosis drugs after operation667 T. SAWADA, et al. , Dept. of Orthop. Surg, Takaoka seishikai Hosp.
P-49-5	The usefulness of the osteoporotic vertebral fracture scoring system proposed by the German Society for orthopaedics and Trauma (DGOU).667 Y. Yahiro, et al. , Dept. of orthop. Surg., Kagoshima city Hosp.
P-49-6	Osteoporotic vertebral fracture nonunion dosen't affect clinical outcomes.668 M. Hatano, et al. , Daiwa Central Hosp.
P-49-7	The influence of delirium on conservative treatment for osteoporotic vertebral fractures.668 K. Ogawa, et al. , Dept. of Orthop. Surg., Showa general Hosp.

Poster 50

11 : 05~11 : 45

Moderator : **T. Kanchiku**

Lumbar Spinal Stenosis

P-50-1	Influence of central sensitization in lumbar spinal stenosis669 T. Shimokawa, et al. , Dept. of Orthop., Ogaki Tokushukai Hosp.
P-50-2	A Study of the Improvement of Low Back Pain after Decompression Surgery for Lumbar Spinal Stenosis669 T. Shibata, et al. , Dept. of Orthop. Surg., Fukuoka Univ.
P-50-3	Preoperative physical function in lumbar spinal canal stenosis surgery is associated with length of hospital stay670 T. Maeda, et al. , Dept. of Rehabilitation, Kitasato Univ Hosp.
P-50-4	Effect of frailty status on postoperative clinical outcomes and spinal alignment change in patients with lumbar spinal stenosis670 K. Kawaguchi, et al. , Dept. of Orthop. Surg., Clinical Medicine, Graduate School of Medical Sciences, Kyushu Univ.
P-50-5	Postoperative results of lumbar double lesions with mismatched radiological imaging and electrophysiological diagnosis671 K. Murakami, et al. , Saiseikai Wakayama Hosp.
P-50-6	Comparison of sensitivity of SPN-SNAP test between L5/S unilateral and bilateral foraminal stenosis patients671 Y. Kusabe, et al. , Dept. of Orthop. Surg., Nagaoka Chuo General Hosp.
P-50-7	Consideration of Bertolotti Syndrome672 S. Tahata, et al. , Naruo Orthop. Hosp.
P-50-8	Elimination of the radiation exposure during lumbar selective nerve block672 R. Kitagawa, et al. , Dept. of Orthop. Surg., Saiseikai Kanazawa Hosp.

Poster Room 4

Poster 51

10 : 30~11 : 05

Moderator : **M. Fukuoka**

OVF BKP

- P-51-1 Clinical outcomes of Vertebral Body Stenting (VBS) for osteoporotic vertebral fractures~Comparison with Balloon Kyphoplasty (BKP)~673
Y. Enyo, et al., Dept. of Orthop. Surg., Wakayama Medical Univ. Kihoku Hosp.
- P-51-2 Comparison of short-term outcomes of BKP and VBS for osteoporotic vertebral fractures in the early post-injury period673
S. Makio, et al., Spine Center, Rakuwakaimarutamachi Hosp.
- P-51-3 Clinical results of VBS for osteoporotic vertebral fractures674
M. Aoki, et al., Dept. of Orthop. Surg., Sainou Hosp.
- P-51-4 Efficacy of early BKP intervention for osteoporotic vertebral fractures in late elderly people ...674
K. Matsumoto, et al., Souka-Matsubara Orthop. Clinic
- P-51-5 Effects of spinopelvic parameters on adjacent vertebral body fractures after BKP675
K. Matsumoto, et al., Dept. of Orthop. Surg., Nihon Univ.
- P-51-6 Slipped end plate type is a risk factor for postoperative cement leakage in acute phase BKP ...675
M. Tsuchiya, et al., Koshigaya Municipal Hosp.
- P-51-7 Preventive of the deflation effect of Vertebral Body Stenting (VBS)676
Y. Ajiro, et al., SANGUBASHI SPINE Surg. Hosp.

Poster 52

11 : 10~11 : 45

Moderator : **M. Tatsumura**

Spondylolysis & Spondylolisthesis

- P-52-1 A study on the usefulness of FRACTURE (CT-like image) in the diagnosis of lumbar spondylolysis676
K. HATAKEYAMA, et al., Funabashi Orthop. Hosp.
- P-52-2 Younger, male, progressive stage and contralateral pseudarthrosis are more common in the fifth lumbar spondylolysis677
H. Gamada, et al., Dept. of Orthop. Surg., and Sports Med., Tsukuba Univ. Hosp. Mito Clinical Education and Training Center/Mito Kyodo General Hosp., Mito, Japan
- P-52-3 Investigation of the cause of lumbar spondylolysis in a case of spastic cerebral palsy677
R. Fukushi, et al., Dept. of Orthop. Surg., Sapporo Medical Univ.
- P-52-4 Analysis of risk factors for slippage after decompression for lumbar spinal stenosis678
A. Oyama, et al., Dept. of Orthop. Surg., Sapporo Medical Univ.

P-52-5	MRI negative lumbar degenerative spondylolisthesis678 R. Ozaki, et al. , Dept. of Orthop. Surg., Nihon Univ.
P-52-6	Treatment results of decompression surgery in the CARDS classification of lumbar degenerative spondylolisthesis679 K. Tarukado , Dept. of Orthop. Surg., Kyushu Rosai Hosp.
P-52-7	Prevalent morphometric vertebral fractures as a risk for subsequent clinical vertebral fracture after spinal fusion in elderly women.679 Y. Oishi, et al. , Dept. of Orthop. Surg., Hamawaki Orthop. Hosp.

Poster Room 5

Poster 53

10 : 30~11 : 05

Moderator : **S. Kawaguchi**

OVF Surgery 1

P-53-1	A Comparison of spinal fusion using percutaneous pedicle screw with thoracic-lumbar vertebral fracture680 T. Nakajima, et al. , YOKOHAMASHINTOSHI Neuro. Surg. Hosp.
P-53-2	Usefulness of cement catching screw for severe osteoporotic vertebral fracture680 H. Misawa, et al. , Dept. of Orthop. Surg., Okayama Univ. Hosp.
P-53-3	Clinical outcome of posterior surgery for osteoporotic vertebral fracture681 I. Yamane, et al. , Dept. of Orthop. Surg., Kobe City Medical Center West Hosp.
P-53-4	Surgical results of Balloon Kyphoplasty combined with posterior fixation681 H. Sano, et al. , Dept. of Orthop. Surg., Kyorin Univ.,
P-53-5	Investigation of intraoperative problems in Vertebral Body Stenting treatment682 Y. Kagei, et al. , Dept. of Orthop. Surg., Shiga Univ. of Medical Science
P-53-6	Surgical outcomes and problems of delayed neurological deficit after osteoporotic vertebral fracture682 N. Sumiyoshi, et al. , Dept. of Orthop. Surg., Matsuyama Red Cross Hosp.
P-53-7	Comparative study of postoperative results of osteoporotic vertebral fracture by using vertebroplasty with or without posterior fusion683 M. Kitagawa, et al. , Omi medical center

Poster 54

11 : 10~11 : 45

Moderator : **S. Suzuki**

Spinal Trauma & DISH

- P-54-1 Minimally invasive surgery is a risk factor for residual low back pain after temporary posterior fixation for thoracolumbar burst fracture683
M. Hashimoto, et al., Dept. of Orthop. Surg., Teikyo Univ.
- P-54-2 Comparison of posterior and anteroposterior spinal fixation for 7 points of Load Sharing Classification684
N. Hattori, et al., Dept. of Orthop. Surg., Surgical Science, Tokai Univ.
- P-54-3 Prognostic factors and surgical management for lumbar spinal canal stenosis in patients with diffuse idiopathic skeletal hyperostosis684
H. Nakajima, et al., Dept. of Orthop. and Rehabilitation Medicine, Unit of Surg., Div. of Medicine, Faculty of Medical Sciences, Univ. of Fukui
- P-54-4 The effectiveness of the novel fixation method for the treatment of DISH fracture685
M. Yuasa, et al., Dept. of Orthop. Surg., Nerima General Hosp.
- P-54-5 The usefulness of percutaneous posterior fixation with PES for thoracolumbar fracture complicated with DISH685
H. Tomita, et al., Konan Kosei Hosp.
- P-54-6 Surgical strategy for the Osteoporotic Vertebral Fracture with Diffuse Ideopathic Skeletal Hyperostosis686
M. Mitsukawa, et al., Dept. of Orthop. Surg., Fukuoka Kieikai Hosp.
- P-54-7 Analysis of perioperative outcomes for unstable pelvic ring fractures of AO/OTA classification type C686
A. Hiyama, et al., Dept. of Orthop. Surg., Surgical Science, Tokai Univ.

Poster Room 6

Poster 55

10 : 30~11 : 05

Moderator : **Y. Kasukawa**

OVF Surgery 2

- P-55-1 Poor prognostic factors for health-related QOL after balloon kyphoplasty for osteoporotic vertebral fractures687
M. Teraguchi, et al., Dept. of Orthop. Surg., Wakayama Medical Univ.
- P-55-2 Effectiveness of vertebral body correction by a new double cement application technique for osteoporotic vertebral body fractures687
M. Teraguchi, et al., Dept. of Orthop. Surg., Wakayama Medical Univ.

P-55-3	Early balloon kyphoplasty treatment for osteoporotic vertebral fracture reduce adjacent vertebral fracture688 <i>H. Takano, et al.</i> , Dept. of Orthop., Juntendo Univ.
P-55-4	Comparison of conservative treatment and additional BKP for early-onset adjacent vertebral fracture after initial BKP688 <i>M. Morozumi, et al.</i> , Dept. Spine. Surg. KTGH
P-55-5	Investigation of Perioperative Complications of Percutaneous Vertebroplasty in Elderly Patients at High Surgical Risk689 <i>T. Nakagawa, et al.</i> , Dept. of Orthop. Surg., Univ. of Tsukuba
P-55-6	The study of risk factors related to cement leak with regards to BKP689 <i>T. Tanoue, et al.</i> , Hachioji Spine Clinic
P-55-7	Comparison of complications between conventional BKP and VBS690 <i>M. Umamo, et al.</i> , Dept. of Orthop. Surg., Osaka Fuchu Hosp.

Poster 56

11 : 10~11 : 45

Moderator : **H. Suzuki**

Rehabilitation & Locomotive Syndrome

P-56-1	Effects of McKenzie method in the patients with degenerative disorders of the cervical spine...690 <i>K. Yo, et al.</i> , Dept. of Rehabilitation, Hamawaki Orthop. Clinic.
P-56-2	Relationship between changes in physical function and treatment outcome in the perioperative period of cervical myelopathy.691 <i>T. Fudo, et al.</i> , Dept. of Orthop. Surg., Kurume Univ.
P-56-3	Relationship between postoperative results of cervical laminoplasty and preoperative grip strength691 <i>S. OGAWA, et al.</i> , Masuda Red Cross Hosp.
P-56-4	Preoperative Trunk Muscle Strength Can Predict Improvement in JOABPEQ at 6 Months Post-operatively in Patients with LCS.692 <i>T. Miura, et al.</i> , AIZU Medical Center Dept. of Orthop. and Spinal Surg., Rehabilitation, Fukushima Medical Univ.
P-56-5	Impact on outcomes following elective lumbar decompression surgery by frailty and sarcopenia: Which frailty scales are adequate?692 <i>K. Murata, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Kyoto Univ.
P-56-6	Can surgery for lumbar spinal canal stenosis prevent the progression of locomotive syndrome ?693 <i>M. Araki, et al.</i> , Dept. of Spine. Surg., Nara Prefecture General Medical Center.

- P-56-7 The influence of surgery for lumbar spinal stenosis on locomotive syndrome risk rests: A meta-analysis693
T. Kobayashi, et al., Dept. of Orthop. Surg., Saga Univ.

Poster Room 7

Poster 57

10 : 30~11 : 05

Moderator : **T. Nikaido**

OVF Surgery 3

- P-57-1 Short fusion with X-core2® for pseudoarthrosis of osteoporotic vertebral fracture694
R. Taiji, et al., Dept. of Orthop. Surg., Wakayama Medical Univ.
- P-57-2 Outcomes of posterior fusion for thoracolumbar injuries in older adults.694
K. Gono, et al., Nagasaki Rosai Hosp.
- P-57-3 The use of Penetrate endplate screw for the operative treatment of spinal disorders with osteoporosis.695
K. Nakamichi, et al., Keiyu Spine Center, Keiyu Orthop. Hosp.
- P-57-4 Indirect decompression achieved by BKP followed by LLIF and PPS-Rod fixation for osteoporotic lumbar vertebral fracture with LSS.....695
Y. Tani, et al., Dept. of Orthop. Surg., Kansai Medical Univ.
- P-57-5 The comparative study of posterior fixation and dynamic stabilization for thoracolumbar osteoporotic vertebral fractures696
R. KADOTA, et al., Dept. of Orthop. Surg., Numazu City Hosp.
- P-57-6 What factors reduce bone mineral density of the femoral neck after osteoporotic vertebral fracture?696
M. Iwamae, et al., Dept. of Orthop. Surg., Osaka Metropolitan Univ. Graduate School of Medicine
- P-57-7 The Factors of Case Subsidence Following Short Fusion with the Rectangular Expandable Cage in Patients with Osteoporotic Vertebral Fractures697
K. Wada, et al., Hachioji Spine Clinic

Poster 58

11 : 10~11 : 45

Moderator : **K. Ijiri**

Basic Science (Spinal Cord & Intervertebral Disc)

- P-58-1 Expression of brain-spinal cord microglia/macrophage and pain-related factors in chronic compressed spinal cord model (ttw/ttw)697
A. Kubota, et al., Dept. of Orthop. Surg., Fukui Univ.

- P-58-2 Combined therapy with HGF and iPS-NS/PC transplantation for spinal cord injury698
Y. Suematsu, et al., Dept. of Orthop. Surg., Keio Univ.
- P-58-3 Transient Receptor Potential Vanilloid 4 (TRPV4) knockdown suppresses autophagy in rat intervertebral disc cells698
T. Matsuo, et al., Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine
- P-58-4 The efficacy of Adiponectin receptor agonist AdipoRon on rat tail puncture models699
H. Ohnishi, et al., Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine
- P-58-5 Transient Receptor Potential Vanilloid 4 activation promotes autophagy and extracellular matrix synthesis in rat intervertebral disc cells699
K. Kuroshima, et al., Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine
- P-58-6 Intradiscal injection of platelet-rich plasma releasate induced regenerative changes of the rabbit degenerated disc induced by Condoliase700
T. Hasegawa, et al., Dept. of Musculoskeletal Surg., Dept. of Multimodality Therapy for Cancer, Mie Univ. Graduate School of Medicine
- P-58-7 Immunohistochemical Analysis of SOD2 Expression and Oxidative Stress Markers in Human Intervertebral Discs700
S. Tamagawa, et al., Dept. of Orthop. Surg., Surgical Science, Tokai Univ.

Poster Room 8

Poster 59

10 : 30~11 : 05

Moderator : **N. Isogai**

LLIF

- P-59-1 Analysis of intraoperative endplate injury in lateral lumbar interbody fusion at the L4/5 level using preoperative CT image701
A. Hiyama, et al., Dept. of Orthop. Surg., Surgical Science, Tokai Univ.
- P-59-2 Pre- and post-operative radiological comparison of expandable LLIF cage and static LLIF cage701
A. Hiyama, et al., Dept. of Orthop. Surg., Surgical Science, Tokai Univ.
- P-59-3 An assessment of anatomical variations of the iliolumbar and ascending lumbar veins by 3D-CT angiography for safe L5S1 OLIF procedure702
S. Hattori, et al., Hachioji Spine Clinic
- P-59-4 Postoperative neurological complications following LLIF using direct-visualization mini-open psoas splitting approach.702
T. Shirahata, et al., Dept. of Orthop. Surg., Showa Univ. Koto Toyosu Hosp.

P-59-5	Usefulness of lateral lumbar interbody fusion for revision surgery after lumbar decompression	703
	S. Sasaki, et al. , Dept. of Orthop. Surg., Kameda Medical Center	
P-59-6	Bone union in LLIF using demineralized bone matrix up to 2-year follow-up with or without posterior bone graft.	703
	K. Ohshima, et al. , Konan Kosei Hosp.	
P-59-7	Hemorrhagic shock after XLIF surgery: A report of four cases	704
	T. Tanaka, et al. , Dept. of Orthop. Surg., Kansai Medical Univ.	

Poster 60

11 : 10~11 : 45

Moderator : **H. Suzuki**

Basic Science (Biomechanics, etc)

P-60-1	Comparison of lumbar spine stability by facet joint preservation rate in endoscopic lumbar spine surgery -CT/finite element analysis-	704
	Y. Yamato, et al. , Dept. of Orthop. Surg., The Univ. of Tokyo Hosp., The Univ. of Tokyo	
P-60-2	More rigid fixation of pelvis increased the angular motion and stress at the hip joint	705
	T. Kozaki, et al. , Dept. of Orthop. Surg., Wakayama Medical Univ.	
P-60-3	Biomechanical effects of multi-level lateral lumbar interbody fusion: a finite element analysis.	705
	Y. SHIMOOKI, et al. , Dept. of Orthop. Surg., Iwate Medical Univ.	
P-60-4	The moment of the hip joint increased after adult spinal deformity surgery: motion analysis	706
	T. Kozaki, et al. , Dept. of Orthop. Surg., Wakayama Medical Univ.	
P-60-5	Pelvic kinematics during gait following long fusion surgery due to adult spinal deformity.....	706
	M. Takami, et al. , Dept. of Orthop. Surg., Wakayama Medical Univ.	
P-60-6	Osteogenic effects of strontium-deposited PEEK using magnetron sputtering	707
	M. Ikuta, et al. , Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ.	
P-60-7	Epidural fat grafting is more effective for epidural adhesion prevention than subcutaneous fat grafting after laminectomy in a mouse model	707
	K. Hata, et al. , Spinal Injuries Center	