June 29 (Sat.)

Opening Ceremony

12:00-12:10

Luncheon Seminar 1

12:20-13:10

Moderator: Yoshiko Watanabe (Department of General Medicine, Kawasaki Medical School, Japan)

LS1-1 How to prevent SSI (Surgical Site Infection) in the General Surgery

Hideaki Obara (Department of Surgery, Keio University School of Medicine, Japan)

LS1-2 Treatment outcomes of infective native aneurysms of the abdominal aorta and common iliac artery: a nationwide retrospective cohort study

Akihiro Hosaka (Department of Vascular Surgery ,Tokyo Metropolitan Tama Medical Center, Japan)

Co-Sponsor: Otsuka Pharmaceutical Factory, Inc.

Luncheon Seminar 2

13:10-14:00

Current management for CLTI patients

Moderator: Katsuyuki Hoshina (Department of Vascular Surgery, The University of Tokyo, Japan)

LS2-1 Role of endovascular treatment in patients with chronic limb threatening ischemia

Koichi Morisaki (Department of Surgery and Science, Graduate School of Medical Sciences, Kyushu University, Japan)

LS2-2 Is Rheocarna the Last Piece of the CLTI Treatment?

Takuo Nomura (Department of Vascular Surgery, Juzen Memorial hospital., Japan)

Co-Sponsor: Kaneka Medix Corporation

Aorta Symposium

14:00-15:30

Moderators: Seung-Kee Min (Department of Surgery, Seoul National University, Korea)

Kimihiro Komori (Department of Vascular Surgery, Kansai Medical University Medical Center, Japan)

SY1-1 Impact of type 2 endoleak on long-term outcomes after endovascular aneurysm repair for abdominal aortic aneurysm

Koichi Morisaki (Department of Vascular Surgery, Kyushu University, Japan)

SY1-2 TBA

Yang-Jin Park (Department of Surgery, Samsung Medical Center, Korea)

SY1-3 Endovascular treatment for aortic aneurysm and aortic dissection

Koji Maeda (Department of Vascular Surgery, International University Health and Welfare, Japan)

SY1-4 TBA

Hyuk Jae Jung (Pusan National University, Korea)

SY1-5 TBA

Toshio Takayama (Division of Vascular Surgery, Department of Surgery, The University of Tokyo Hospital, Japan)

SY1-6 What is the role of aortic balloon for treatment of ruptured AAA?

Hong Pil Hwang (Department of Surgery, Jeonbuk National University Medical School and Hospital, Korea)

Sponsored Session 1

15:40-15:55

Moderator: Juno Deguchi (Department of Vascular Surgery, Saitama Medical Center, Japan)

SS1 Current status and issues of NPWT for incisions to prevent surgical site complications after vascular surgery

Toshifumi Kudo (Department of Vascular Surgery, Tokyo Medical and Dental University, Japan)

Co-Sponsor: Smith & Nephew Japan

Sponsored Session 2

15:55-16:10

Moderator: Toshifumi Kudo (Tokyo Medical and Dental University Hospital, Japan)

SS2 IN.PACT AV DCB -Real World Data from Japan-

Naoki Fujimura (Keio University Hospital, Japan)

Co-Sponsor: Medtronic Japan Co., Ltd.

Oral Session 1 16:20-18:00

Moderators: Sang Seob Yun (The Catholic University, Korea)

Yukio Obitsu (Department of Vascular Surgery, Sanno Medical Center, Japan)

- O1-1 Thoracic aortic rupture in a patient with repeated oral fluoroquinolones administration

 Masahiko Narita (Department of Cardiovascular Surgery, Steel Memorial Muroran Hospital, Japan)
- O1-2 Increased incidence of abdominal aortic aneurysm in women with early menopause
 - Hyung jin Cho (Division of Vascular and Transplant Surgery, Department of surgery, Eunpyeong St. Mary's Hospital, The Catholic University of Korea, Seoul., Korea)
- O1-3 Risk factors for sac re-expansion in patients with sac shrinkage after endovascular aneurysm repair for abdominal aortic aneurysm
 - Shinichiro Yoshino (Department of Surgery and Science, Graduate School of Medical Sciences, Kyushu University, Japan)
- O1-4 Long-term results of EVAR for ruptured abdominal aortic aneurysms: clinical impact of outside instructions for use (IFU)

Yuki Hashimoto (Department of Vascular Surgery, Asahikawa Medical University, Japan)

O1-5 Midterm Results of Physician Modified Endograft in Juxta-renal AAA using Three-Dimensional Model Assisted Planning and Intraoperative Three-Dimensional Image Analysis

Mitsuoka Hiroshi (Vascular and Endovascular Center, Department of Cardiovascular Surgery, Shizuoka City Shizuoka Hospital, Japan)

O1-6 Predicting perioperative mortality by Auto-segmentation of retroperitoneal hematoma after ruptured AAA

Su Yong Lee (Department of Surgery, Seoul National University Hospital, Korea)

O1-7 Mid-term outcomes of endovascular repair for abdominal aortic aneurysm using the cuff-first technique to prevent type II endoleaks

Hirotsugu Ozawa (Division of Vascular Surgery, Department of Surgery, The Jikei University School of Medicine, Japan)

O1-8 Long-term outcomes of non-operative treatment in patients with popliteal artery entrapment syndrome: A Multicenter study

Su Yong Lee (Department of Surgery, Seoul National University Hospital, Korea)

O1-9	Clinical Outcome of transposed femorofemoral arteriovenous fistula: single center experience Ayaka Yu (Department of Vascular Surgery, Saiseikai Central Hospital, Japan)
O1-10	Family guardian Observation during surgery; an EFFORT prospective observational study Eun-Jung Hwang (Jeju Soo CardioVascular Clinic, Korea)
01-11	Characteristics of the renal artery aneurysms: data of 105 cases from a single institute Yu Tadokoro (Department of Vascular Surgery, the University of Tokyo, Japan)
01-12	Concomitant phlebectomy or not, propensity score matching study A-Rom Shin (Jeju Soo CardioVascular Clinic, Korea)
O1-13	Assessment of deep venous thromosis by the cutoff value of D-dimer levels in cases with carcinomas
	Kenshiroh Kawabe (Division of Vascular Surgery, Department of Surgery, Graduate School of Medicine The University of Tokyo, Japan)

June 30 (Sun.)

Oral Session 2

Moderators: Jin Mo Kang (Vascular Surgery, Gachon University, Korea)

	Hitoshi Goto (Department of Vascular Surgery, South Miyagi Medical Center, Japan)
O2-1	Early and midterm outcomes of Gore Excluder Iliac Branch Endoprosthesis within or outside IFU for the treatment of aortoiliac and iliac aneurysms
	Kentaro Kasa (Division of Vascular Surgery, Department of Surgery, The Jikei University School of Medicine, Tokyo, Japan)
O2-2	A case about hybrid management of complex abdominal aneurysm with multiple peripheral arterial occlusive disease
	Junyong Jekal (Division of Vascular and Endovascular Surgery, Department of Surgery, Pusan National University Yangsan Hospital, School of Medicine, Pusan National University, Korea)
O2-3	Association of one-year aneurysm-sac dynamics with overall survival and freedom from aneurysm related mortality after endovascular abdominal aortic aneurysm repair
	Changi Lee (Department of Vascular Surgery, Nagoya University Hospital, Japan)
O2-4	Lattice-Boltzmann Method Enables Cost-effective Quantitative Hemodynamic Analysis in Carotid Atherosclerosis
	DOOSANG KIM (Department of Cardiovascular Surgery, Veterans Health Service Medical Center, Korea)
O2-5	Evaluation of the Utility of Bovine Pericardial Patch (Xenosure) in Thromboendarterectomy of the Femoral Artery
	Takayuki Uramoto (Department of Cardiovascular Surgery, Nayoro City Hospital, Japan)
O2-6	Can AngioJet™ AVX be to another treatment option in arteriovenous access thrombosis? Junseong Kwon (Charm Vascular Clinic, Korea)
O2-7	The Strategy for Recanalization Cases of Cyanoacrylate Closure (3rd report) Takaya Murayama (Kannai medical clinic, Japan)
O2-8	Evaluation of Upcoming hypersensitivity Reaction after Endovenous Cyanoacrylate glue Ablation; A EURECA prospective Korean multicenter cohort Study
	Kilsoo Yie (Jeju Soo Cardio Vascular Clinic, Korea)
Spons	sored Session 3 9:00-9:15
Modera	ttor: Kunihiro Shigematsu (Department of Vascular Surgery, Cardiovascular Center, International University of Health and Welfare Mita Hospital, Japan)
SS3	Usefulness of XenoSure
	Kenjiro Kaneko (Department of Vascular Surgery, SHIN-YURIGAOKA General Hospital, Japan)
	Co-Sponsor: LeMaitre Vascular G K

8:00-9:00

Our EVAR planning and procedures for abdominal aortic aneurysms with challenging proximal necks and their mid-term results

-Live simulation using a silicone abdominal aortic aneurysm model under pulsatile pumping-

Moderators: Hiroyoshi Komai (Department of Vascular Surgery, Kansai Medical University Medical Center, Japan) Hideaki Obara (Department of Surgery, Keio University, Japan)

Hitoshi Matsuda (Department of Cardiovascular Surgery, National Cerebral and Cardiovascular Surgery, Japan)

Commentator: Sanghyun Ahn (Seoul National University, Korea)

Presenter: Noriyasu Morikage (Department of Cardiovascular Surgery, Kansai Medical University, Japan)

Oral Session 3 10:50-12:00

Moderators: Sanghyun Ahn (Seoul National University, Korea)

Makoto Mo (Department of Surgery, Yokohama City University / Namiki Clinic, Japan)

- O3-1 A successful endovascular repair for type A aortic dissection
 - Kei Mukawa (Department of Cardiovascular Surgery, Sapporo Medical University, Japan)
- O3-2 Withdrawn
- O3-3 Mid-term outcomes of open conversion after endovascular abdominal aortic aneurysm repair Kazufumi Yoshida (Department of Cardiovascular Surgery, National Cerebral and Cardiovascular Center, Japan)
- O3-4 A novel use of diffusion-weighted whole-body magnetic resonance imaging with background body signal suppression to diagnose infectious aortitis
 - Jien Saito (Department of Cardiovascular Surgery, Hokkaido University Graduate School of Medicine, Japan)
- O3-5 Clinical feasibility of preoperative perfusion scintigraphy in patients with lower extremity Ischemia Kihyuk Park (Department of Surgery, Daegu Catholic University Medical Center, Korea)
- O3-6 Outcome of arterial revascularization for chronic limb-threatening ischemia with cardiac hypofunction

Noriyuki Miyama (Department of Vascular Surgery, Kansai Medical University Medical Center, Japan)

- O3-7 Isolated celiac artery vasculitis mimicking the presentation of giant cell arteritis
 - Seong Wook Shin (Division of Transplant and Vascular Surgery, Department of Surgery, Samil Hospital, Daegu, Korea)
- O3-8 Adverse Reactions to Endovascular Treatment for Varicose Veins Thermal Ablation (TA) versus Nonthermal Ablation (NTA) with Cyanoalylate

Kazuyo Sujino (Department of Dermatology, Kannai medical clinic, Japan)

O3-9 Introduction and comprehension of two types of mechanochemical ablation (MOCA) modalities for chronic venous disease treatment with my +1000 experiences: ClariVein vs Flebogrif

Park Insoo (Charm Vascular Clinic, Korea)

Luncheon Seminar 3 12:00-12:50

Initiatives for the better mid-long term outcomes and durability of Endurant

Moderator: Hiroshi Banno (Nagoya University Hospital, Japan)

LS3-1 A wide range of indications of Endurant Stentgraft System for AAA from Asahikawa Experiences Shinsuke Kikuchi (Asahikawa Medical University Hospital, Japan)

LS3-2 The risk factors of persistent type II endoleak and status of preventive measures Yoshimasa Seike (National Cerebral and Cardiovascular Center Hospital, Japan)

Co-Sponsor: Medtronic Japan Co., Ltd.

Sponsored Session 4

13:00-13:15

Moderator: Makoto Mo (Namiki Clinic, Japan)

Skills and efforts on cyanoacrylate closure for incompetent saphenous veins Gyonei To (Osaka Vein Clinic, Japan)

Co-Sponsor: Covidien Japan Inc.

Coffee Break Session

13:15-13:45

Moderator: Nobuyoshi Azuma (Department of Vascular Surgery, Asahikawa Medical University, Japan) Commentator: Hideaki Obara (Department of Surgery, Keio University School of Medicine)

CS-1 Clinical experience of Indigo System for ALI

Takahiro Ohmine (Department of Surgery, Hiroshima Red Cross & Atomic-bomb Survivors' Hospital, Japan)

CS-2 Clinical experience of Indigo System for SMA

Masatoshi Iwamura (Department of Radiology, Aomori Prefectural Central Hospital, Japan)

Co-Sponsor: Penumbra, Inc.

Poster Session 1 13:50-15:00

Moderators: Hyung-Kee Kim (Department of Surgery, Kyungpook National University, Korea)

Noriyuki Miyama (Department of Vascular Surgery, Kansai Medical University Medical Center, Japan)

P1-1 Incidence and risk factors of iliac artery rupture during aortoiliac stenting

Sungsin Cho (Department of Surgery, Kyung Hee University Hospital at Gangdong, Korea)

P1-2 Experience with TEVAR for Kommerell's diverticulum

Masato Hayama (Department of Cardiovascular Surgery, Fukuoka University Hospital, Japan)

P1-3 Trans-femoral chimney technique using a steerable sheath for endovascular repair of juxtarenal abdominal aortic aneurysm: A case of report

Arisa Funabashi (Medical student, The Jikei University School of Medicine, Japan)

P1-4 Two cases of cystic adventitial disease of the popliteal artery

Yuki Jinzai (Department of Vascular surgery, Kansai Medical University Hospital, Japan)

P1-5 Treatment Experience With GLP-2 analogs In Patients With Short Bowel Syndrome

Naoya Kikuchi (Department of Surgery, Kawasaki Municipal Hospital, Japan)

P1-6 Hybrid procedure combining endarterectomy of CFA and EVT

Yasuka Nakanishi (Department of Vascular Surgery, Saiseikai Wakayama Hospital, Japan)

P1-7	Clinical features of 8 patients with vascular Ehlers-Danlos syndrome Norinobu Ogasawara (Department of Surgery, Tohoku University Graduate School of Medicine, Japan)
P1-8	Resection of left renal aneurysm after coil embolization in 10 years old girl Kento Shinizato (Department of Vascular surgery, National Cerebral and Cardiovascular Center, Japan)
P1-9	Brachial artery aneurysm after hemodialysis fistula ligation: Case report Kazuki Tsukuda (Department of Cardiovascular Surgery, Division of Vascular Surgery, Tokyo Medical and Dental University Hospital, Japan)
P1-10	Aortoiliac Calcification in Chronic Renal Failure Lee Chan Jang (Department of Surgery, College of Medicine, ChungBuk National University, Korea)
P1-11	A ruptured deep femoral artery aneurysm caused by vascular invasion of diffuse large B-cell lymphoma
	Tomoki Nakatsu (Cardiovascular Surgery, Steel Memorial Muroran Hospital, Japan)
P1-12	Clinical outcomes of venous tumor thrombectomy in renal cell carcinoma
	Jun Gyo Gwon (Department of Vascular Surgery, ASAN medical center, Korea)
P1-13	Successful treatment venous ulcer in Klippel-Trenaunay syndrome patient with endovenous treatment
	Seoung Hee Seo (Transplantation & Vascular Surgery, Dongsan Medical Center, Keimyung Univ. Deagu, Korea)
	Session 2 13:50-15:00
Moderato	ors; Sun Cheol Park (The Catholic University, Korea) Koichi Morisaki (Department of Vascular Surgery, Kyushu University, Japan)
P2-1	Clinical outcomes of using Zenith Iliac branch device combined with Lifestream balloon expandable stent to preserve pelvic circulation in artery aneurysm repair: A single center study
	Youseok Chung (Department of Surgery, Pusan National Unversitiy Yangsan Hospital, Korea)
	Touseok Chung (Department of Surgery, 1 usan National Onversity Tangsan Hospital, Rolea)
P2-2	A single institutional experience with thrombus embolectomy in acute superior mesenteric occlusion
P2-2	A single institutional experience with thrombus embolectomy in acute superior mesenteric
P2-2 P2-3	A single institutional experience with thrombus embolectomy in acute superior mesenteric occlusion
	A single institutional experience with thrombus embolectomy in acute superior mesenteric occlusion Taku Fujii (Department of Vascular Surgery, Saitama City Hospital, Japan) A case of surgical resection requiring double extraanatomical bypass for a giant neurofibroma
	A single institutional experience with thrombus embolectomy in acute superior mesenteric occlusion Taku Fujii (Department of Vascular Surgery, Saitama City Hospital, Japan) A case of surgical resection requiring double extraanatomical bypass for a giant neurofibroma involving the superior mesenteric artery Norifumi Kaigakura (Department of Surgery, Keio University School of Medicine, Japan) A Case of Successfully Cured Massive Mycotic Pseudoaneurysm of the Common Femoral Artery with Two-stage Management
P2-3	A single institutional experience with thrombus embolectomy in acute superior mesenteric occlusion Taku Fujii (Department of Vascular Surgery, Saitama City Hospital, Japan) A case of surgical resection requiring double extraanatomical bypass for a giant neurofibroma involving the superior mesenteric artery Norifumi Kaigakura (Department of Surgery, Keio University School of Medicine, Japan) A Case of Successfully Cured Massive Mycotic Pseudoaneurysm of the Common Femoral Artery
P2-3	A single institutional experience with thrombus embolectomy in acute superior mesenteric occlusion Taku Fujii (Department of Vascular Surgery, Saitama City Hospital, Japan) A case of surgical resection requiring double extraanatomical bypass for a giant neurofibroma involving the superior mesenteric artery Norifumi Kaigakura (Department of Surgery, Keio University School of Medicine, Japan) A Case of Successfully Cured Massive Mycotic Pseudoaneurysm of the Common Femoral Artery with Two-stage Management
P2-3 P2-4	A single institutional experience with thrombus embolectomy in acute superior mesenteric occlusion Taku Fujii (Department of Vascular Surgery, Saitama City Hospital, Japan) A case of surgical resection requiring double extraanatomical bypass for a giant neurofibroma involving the superior mesenteric artery Norifumi Kaigakura (Department of Surgery, Keio University School of Medicine, Japan) A Case of Successfully Cured Massive Mycotic Pseudoaneurysm of the Common Femoral Artery with Two-stage Management Kyosuke Murakami (Department of Vascular Surgery, Saiseikai Yokohamashi Tobu Hospital, Japan) Surgical procedures efficacy for popliteal arterial aneurysms regardless of prior or following acute
P2-3 P2-4	A single institutional experience with thrombus embolectomy in acute superior mesenteric occlusion Taku Fujii (Department of Vascular Surgery, Saitama City Hospital, Japan) A case of surgical resection requiring double extraanatomical bypass for a giant neurofibroma involving the superior mesenteric artery Norifumi Kaigakura (Department of Surgery, Keio University School of Medicine, Japan) A Case of Successfully Cured Massive Mycotic Pseudoaneurysm of the Common Femoral Artery with Two-stage Management Kyosuke Murakami (Department of Vascular Surgery, Saiseikai Yokohamashi Tobu Hospital, Japan) Surgical procedures efficacy for popliteal arterial aneurysms regardless of prior or following acute limb ischemia
P2-3 P2-4 P2-5	A single institutional experience with thrombus embolectomy in acute superior mesenteric occlusion Taku Fujii (Department of Vascular Surgery, Saitama City Hospital, Japan) A case of surgical resection requiring double extraanatomical bypass for a giant neurofibroma involving the superior mesenteric artery Norifumi Kaigakura (Department of Surgery, Keio University School of Medicine, Japan) A Case of Successfully Cured Massive Mycotic Pseudoaneurysm of the Common Femoral Artery with Two-stage Management Kyosuke Murakami (Department of Vascular Surgery, Saiseikai Yokohamashi Tobu Hospital, Japan) Surgical procedures efficacy for popliteal arterial aneurysms regardless of prior or following acute limb ischemia Kayoko Natsume (Department of Vascular Surgery, Edogawa Hospital, Japan) Revascularization Strategy for Occlusive Lesion of Common Femoral Artery Shinya Okata (Center of Vascular Disease, Edogawa Hospital, Japan) Vessel length best represents the wound healing process when analyzed using photoacoustic imaging
P2-3 P2-4 P2-5	A single institutional experience with thrombus embolectomy in acute superior mesenteric occlusion Taku Fujii (Department of Vascular Surgery, Saitama City Hospital, Japan) A case of surgical resection requiring double extraanatomical bypass for a giant neurofibroma involving the superior mesenteric artery Norifumi Kaigakura (Department of Surgery, Keio University School of Medicine, Japan) A Case of Successfully Cured Massive Mycotic Pseudoaneurysm of the Common Femoral Artery with Two-stage Management Kyosuke Murakami (Department of Vascular Surgery, Saiseikai Yokohamashi Tobu Hospital, Japan) Surgical procedures efficacy for popliteal arterial aneurysms regardless of prior or following acute limb ischemia Kayoko Natsume (Department of Vascular Surgery, Edogawa Hospital, Japan) Revascularization Strategy for Occlusive Lesion of Common Femoral Artery Shinya Okata (Center of Vascular Disease, Edogawa Hospital, Japan) Vessel length best represents the wound healing process when analyzed using photoacoustic

P2-9 A case of symptomatic arteriovenous fistula complicated by iliac vein occlusion treated by endovascular treatment and compression therapy

Hirofumi Jinno (Kushiro Kojinkai Memorial Hospital, Department of Cardiovascular Surgery, Japan)

P2-10 Long-term Patency and Complications of Endovascular and Surgical Treatment for Takayasu Arteritis

Jiyoung Shin (Division of Vascular Surgery, Seoul National University Hospital, Korea)

P2-11 Aneurysmal degeneration of great saphenous vein graft in below knee femoropopliteal bypass due to iatrogenic entrapment

Hidenori Kita (Department of Vascular Surgery, Shizuoka Red Cross Hospital, Japan)

P2-12 A Case of May-Thurner Syndrome and Malignancy-Associated Deep Venous Thrombosis: Successful Treatment with Endovascular Therapy

Changsik Shin (Department of Surgery, Eulji University College of Medicine, Korea)

Sponsored Session 5

15:00-15:15

Moderator: Hiroyoshi Komai (Department of Vascular Surgery, Kansai Medical University Medical Center, Japan)

SS5 Gene therapy for ulcer treatment in patients with CLTI

Shinsuke Mii (Department of Vascular Surgery, Saiseikai Yahata General Hospital, Japan)

Co-Sponsor: AnGes, Inc.

Sponsored Session 6

15:15-15:30

Moderator: Akio Kodama (Department of Vascular Surgery, Aichi Medical University, Japan)

SS6 EPIFIX- New treatment strategy for hard-to-heal wound

Kazuhito Nagasaki (Department of Vascular Surgery, Shimokitazawa Hospital, Japan)

Co-Sponsor: MIMEDX Japan G.K. / GUNZE MEDICAL LIMITED

PAD Symposium

15:30-16:50

Moderators: Sang Su Lee (Pusan National University, Korea)

Tetsuro Miyata (Japan Medical Safety Research Organization, Japan Medical Safety Research Organization, Japan)

SY2-1 Current Optimal Medical Treatments for Peripheral Arterial Disease

Jeongkye Hwang (Division of Vascular and Transplant Surgery, Department of Surgery, Eunpyeong St. Mary's Hospital, College of Medicine, The Catholic University of Korea, Korea)

SY2-2 Distal bypass is the gold standard of revascularization for LEAD-CLI patients with infrapopliteal lesion Taku Kokubo (Vascular Center, Edogawa Hospital, Japan)

SY2-3 Endovascular techniques & devices for Below-the-knee intervention

Uijun Park (Department of Surgery, Keimyung University, Korea)

SY2-4 Clinical Application of Near-infrared Spectroscopy to Chronic Venous Diseases

Yutaka Hosoi (Department of Cardiovascular Surgery, Kyorin University, Japan)

SY2-5 TBA

Young-Nam Roh (Yeungnam University, Korea)

Closing Ceremony << Award Ceremony>>

16:50-17:00